

臺中市政府環境保護局
空氣品質監測月報表

測站名稱： 清水

監測時間: 2025/1/1 ~ 2025/1/31

項目 日期	二氧化氮(NO ₂)ppb				二氧化硫(SO ₂)ppb				懸浮微粒(PM-10) μg/m ³			臭氧(O ₃)ppb		懸浮微粒(PM-2.5) μg/m ³			風速	風向
	每日	小時	小時	超限	每日	小時	小時	超限	每日	小時	超限	每日	小時	每日	小時	超限	每日	每日
	平均值	最大值	最小值	次數	平均值	最大值	最小值	次數	平均值	最大值	次數	平均值	最大值	平均值	最大值	次數	平均值	平均值
01	10.89	14.5	6.7	0	1.47	3.5	0.7	0	56.5	81	0	37	55.8	25.1	44	0	1.97	北北東
02	9.48	14.3	3.7	0	1.37	2.8	0.6	0	26.9	43	0	32	38.1	6.7	12	0	3.09	北北東
03	6.99	10.3	4.3	0	0.69	0.9	0.6	0	32.6	50	0	40.66	45.7	8	17	0	4.94	北北東
04	12.32	35.9	5.1	0	1.27	2	1.1	0	35.3	53	0	30.11	49.6	11.7	20	0	1.65	北北東
05	9.99	22	3.9	0	1.49	2.9	1.2	0	47.8	66	0	30.52	41.9	12.3	25	0	1.92	北北東
06	8.93	13.9	5.3	0	2.05	3.3	1.2	0	47.9	88	0	44.59	66.4	17.8	33	0	3.65	北北東
07	12.44	23.1	2.8	0	2.1	2.6	1.7	0	49.9	71	0	34.65	51.8	16.2	27	0	2.23	北北東
08	10.7	16.6	5.5	0	1.97	2.4	1.7	0	36.7	53	0	32.57	49.6	11.2	21	0	2.45	北北東
09	-	-	-	0	1.7	2.3	1.1	0	39.6	73	0	36.42	44.3	10.2	22	0	4.31	北北東
10	8.01	11.4	3.7	0	1.09	1.2	1	0	36.2	58	0	33.77	37.6	7.5	15	0	5.36	北北東
11	5.48	7.9	0.5	0	1.18	1.3	1.1	0	20.2	32	0	36.13	40.9	4.7	10	0	4.07	北北東
12	5.19	9.9	1.7	0	1.31	1.7	1	0	34.9	55	0	41.57	53.7	8.6	24	0	3.58	北北東
13	11.98	31.7	2.2	0	1.17	1.7	0.9	0	34.7	58	0	31.44	57.4	11	22	0	1.23	東北東
14	19.6	41	6.3	0	1.76	5.7	1.1	0	59	88	0	38.54	74.2	24.2	39	0	1.19	北
15	7.9	16	3.3	0	1.16	1.5	1	0	55.8	105	0	41.07	47.6	22.2	51	0	4.2	北北東
16	6.28	12.1	2.4	0	1.21	1.6	1	0	37.5	54	0	33.14	41.3	10	20	0	3.95	北北東
17	7.85	12.8	1.5	0	1.1	1.6	0.4	0	30.6	56	0	35.21	53.6	7	15	0	3.34	北北東
18	10.58	21	3.1	0	0.96	2.1	0.1	0	37.4	68	0	30.66	52.9	13.1	30	0	1.77	北北東
19	5.72	11.4	2.3	0	0.65	1.2	0.2	0	30.4	51	0	36.6	44.7	11.1	23	0	2.38	北北東
20	9.88	17.5	2.7	0	0.78	1.2	0.4	0	41.2	80	0	45.43	73.9	16.2	39	0	2.25	北北東
21	17.12	40.8	7.3	0	2.37	3.4	1.6	0	60.8	103	0	45.01	74.8	25.5	41	0	1.27	北北西
22	21.25	40.4	7.6	0	2.65	3.9	2	0	98	143	1	32.44	57.6	42.8	66	1	1.27	北北東
23	8.81	13.2	5.7	0	1.78	2.3	1.5	0	45.8	82	0	39.03	50.5	15.8	31	0	2.73	北北東
24	9.19	13.6	6.3	0	1.65	2	1.1	0	44.8	59	0	33.64	47.5	13.3	17	0	3.07	北北東
25	7.75	10.4	5	0	1.35	1.5	1.2	0	50.9	76	0	42.24	58.4	16.5	27	0	3.11	北北東
26	6.21	8.9	3.3	0	1.58	1.8	1.3	0	38.1	56	0	42.05	44.1	12.7	21	0	3.83	北北東
27	3.03	4.5	0.2	0	1.5	2.2	1.2	0	26.2	49	0	40.43	46.3	7.4	16	0	4.63	北北東
28	4.01	6.1	0.1	0	1.88	3.3	1.6	0	40.6	58	0	41.25	49.7	11.8	22	0	3.83	北北東
29	6.98	19.3	2.4	0	1.83	2.2	1.6	0	34.9	66	0	35.09	49.5	12.7	39	0	2.18	北北東
30	11.61	24.3	5.9	0	2.04	2.3	1.8	0	42.2	58	0	33.6	65.6	16.6	21	0	1.18	北北西
31	12.9	26.7	7.8	0	2.06	3.4	1.6	0	52	93	0	27.19	42.9	22.8	44	0	1.03	北北東
月平均值	9.6				1.5				42.8			36.6		14.6			2.8	
最大值	21.25				2.65				98					42.8			5.36	
發生日期	22				22				22			45.43		22			10	
超標準次數				0				0			1	20				1		
日標準值									75					30				
時標準值		100				65												

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/01 00:00:00	1.5	6.7	56.8	63	27	3.5	北北東
2025/01/01 01:00:00	1.5	6.7	55.8	63	29	3.3	東北
2025/01/01 02:00:00	1.5	7.7	53	77	36	2.7	北北東
2025/01/01 03:00:00	1.3	9.8	50.3	74	35	2.6	北北東
2025/01/01 04:00:00	1.5	10.4	45.5	79	40	2.5	北北東
2025/01/01 05:00:00	3.2	9.8	45.2	79	44	2.6	東北
2025/01/01 06:00:00	3.4	10.1	42.7	81	40	2.6	北北東
2025/01/01 07:00:00	3.5	10.9	40.5	73	33	2.3	北北東
2025/01/01 08:00:00	2.3	12.6	35.7	63	28	2.4	北北東
2025/01/01 09:00:00	2	10.5	36.5	59	22	2.9	東北
2025/01/01 10:00:00	1.3	10	37.6	52	19	3.2	東北
2025/01/01 11:00:00	1.3	10.9	36.9	55	18	2.7	東北
2025/01/01 12:00:00	1.3	11.5	37.7	52	21	2.3	東北
2025/01/01 13:00:00	1.2	10.7	39.9	55	20	1.6	北
2025/01/01 14:00:00	1.1	11.1	41.6	54	21	1.8	北
2025/01/01 15:00:00	1	11.1	41.5	57	19	2.1	北
2025/01/01 16:00:00	0.9	11.6	39.6	47	19	2.1	北北東
2025/01/01 17:00:00	0.9	13.7	33.1	44	21	1.4	東北
2025/01/01 18:00:00	1	13.6	29.3	49	25	0.6	東北
2025/01/01 19:00:00	1	14.5	27	55	25	1	西北
2025/01/01 20:00:00	0.9	11.6	27.8	53	24	0.9	東北
2025/01/01 21:00:00	0.9	12.3	24.1	41	18	1	北北東
2025/01/01 22:00:00	0.9	11.5	21.7	37	17	0.9	北北東
2025/01/01 23:00:00	0.7	9.3	23.6	32	18	0.9	北北東
2025/01/02 00:00:00	0.9	9.6	21.5	26	11	0.8	北
2025/01/02 01:00:00	0.9	8.9	20.9	26	12	0.9	東北
2025/01/02 02:00:00	0.9	6.5	25.9	28	12	1.4	北北東
2025/01/02 03:00:00	0.9	8.2	24.1	24	9	1.3	北北東
2025/01/02 04:00:00	0.7	4.2	37.9	25	7	3.2	北北東
2025/01/02 05:00:00	0.6	3.7	38.1	9	5	3.7	北北東
2025/01/02 06:00:00	0.6	4	37.4	7	3	3.5	北北東
2025/01/02 07:00:00	1	6	34.2	11	6	3.1	北北東
2025/01/02 08:00:00	2.4	9.6	30.5	13	7	3.2	北北東
2025/01/02 09:00:00	2.4	11.5	30	18	5	3.5	北北東
2025/01/02 10:00:00	1.1	12.3	30.2	23	5	3.6	北北東
2025/01/02 11:00:00	0.9	12.6	29.4	30	5	3.6	北北東
2025/01/02 12:00:00	0.9	11.1	31	26	4	3.5	東北
2025/01/02 13:00:00	1	11.4	33	24	4	3.9	北北東
2025/01/02 14:00:00	1.8	10	34.4	27	4	3.8	北北東
2025/01/02 15:00:00	2.2	12.2	33.5	25	5	3.2	北北東
2025/01/02 16:00:00	2.8	12.7	32.6	33	5	3	北北東
2025/01/02 17:00:00	2.4	13.1	32.6	43	8	3.2	北北東
2025/01/02 18:00:00	1.8	14.3	31.1	40	7	2.8	北北東
2025/01/02 19:00:00	1.1	13.7	29.9	37	8	2.7	北北東
2025/01/02 20:00:00	1.6	12.8	28.8	40	12	3	北北東
2025/01/02 21:00:00	1.5	10.5	31.4	38	8	3.6	北北東
2025/01/02 22:00:00	1.3	5.5	37.9	34	9	3.9	北北東
2025/01/02 23:00:00	1.3	5.7	37.7	35	6	3.3	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/03 00:00:00	1	7.2	35.5	31	7	3.2	北北東
2025/01/03 01:00:00	--	6	36.8	15	6	3.8	北北東
2025/01/03 02:00:00	--	4.5	38	17	4	4.6	北北東
2025/01/03 03:00:00	--	4.4	38.6	19	2	4.4	北北東
2025/01/03 04:00:00	--	4.3	39.7	22	3	4.8	北北東
2025/01/03 05:00:00	--	4.4	40.9	26	11	5.3	北北東
2025/01/03 06:00:00	--	4.9	39.8	27	6	5.1	北北東
2025/01/03 07:00:00	--	6.2	38.1	26	4	4.9	北北東
2025/01/03 08:00:00	--	9.4	34.4	24	2	4.7	北北東
2025/01/03 09:00:00	0.6	9.8	35	30	5	5	北北東
2025/01/03 10:00:00	0.9	10	35.5	28	4	5.4	北北東
2025/01/03 11:00:00	0.7	10.3	36.5	29	5	5.6	北北東
2025/01/03 12:00:00	0.7	9.8	39.4	35	6	6	北北東
2025/01/03 13:00:00	0.6	8.1	42.5	36	9	5.9	北北東
2025/01/03 14:00:00	0.6	7.8	42.7	42	7	6.4	北北東
2025/01/03 15:00:00	0.6	7.6	44	50	9	6.4	北北東
2025/01/03 16:00:00	0.7	7.3	43.5	41	8	6.8	北北東
2025/01/03 17:00:00	0.7	7.4	43.2	41	8	6	北北東
2025/01/03 18:00:00	0.7	8.1	42.9	39	11	5.4	北北東
2025/01/03 19:00:00	0.7	7.6	42.6	39	11	5.2	東北
2025/01/03 20:00:00	0.7	5.9	44	36	13	5	北北東
2025/01/03 21:00:00	0.7	6.5	45.7	42	14	4.3	北北東
2025/01/03 22:00:00	0.7	6.2	45.5	43	15	3.2	東北
2025/01/03 23:00:00	0.6	5.1	44.9	40	13	2.3	東北
2025/01/04 00:00:00	0.9	6.3	41.8	37	17	2	東北
2025/01/04 01:00:00	1.1	5.5	42.4	34	13	2.4	北北東
2025/01/04 02:00:00	1.2	5.1	41.1	38	13	2.8	東北
2025/01/04 03:00:00	1.2	5.3	38.9	37	15	2	東北
2025/01/04 04:00:00	1.2	6.5	34.1	31	14	1.5	北北東
2025/01/04 05:00:00	1.1	8.3	28.6	30	14	0.9	東北
2025/01/04 06:00:00	1.2	10.3	21.6	22	9	1.2	東北
2025/01/04 07:00:00	1.3	9.8	29.1	25	12	1.7	北北東
2025/01/04 08:00:00	1.3	13.8	27	33	11	1.4	北北東
2025/01/04 09:00:00	1.3	13.6	24.9	33	16	1.7	東北
2025/01/04 10:00:00	1.2	11.1	24.2	33	9	1.9	北北東
2025/01/04 11:00:00	1.2	8.2	27.1	24	10	1.6	東北東
2025/01/04 12:00:00	1.2	8.2	32.7	15	8	1.8	北北西
2025/01/04 13:00:00	1.3	8.3	44.1	21	7	1.9	北北西
2025/01/04 14:00:00	1.2	6.5	48.7	45	8	2.7	北
2025/01/04 15:00:00	1.3	6.5	49.6	35	9	2.6	北
2025/01/04 16:00:00	1.3	8.7	46.8	36	11	2.3	北北東
2025/01/04 17:00:00	1.2	9.3	42.2	39	10	2.1	北北東
2025/01/04 18:00:00	1.2	14.8	33.1	39	8	1.6	北北東
2025/01/04 19:00:00	1.2	13.9	25.3	45	14	1.2	東北
2025/01/04 20:00:00	1.2	15.8	17.7	45	8	1.3	東北東
2025/01/04 21:00:00	1.3	17.5	15.4	47	12	0.6	東
2025/01/04 22:00:00	1.5	25.2	11.7	46	16	0.7	南南西
2025/01/04 23:00:00	1.5	35.9	5.9	42	16	1	西南西

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/05 00:00:00	2	27.8	10.6	53	20	0.7	西南
2025/01/05 01:00:00	2.9	22	13.3	66	21	0.8	南南東
2025/01/05 02:00:00	2.1	15.9	15.6	64	25	1	東南東
2025/01/05 03:00:00	2	16	15.6	50	12	0.1	南南西
2025/01/05 04:00:00	1.6	6.7	36.8	54	22	1.2	北北東
2025/01/05 05:00:00	1.3	3.9	37.2	42	4	1.1	北北東
2025/01/05 06:00:00	1.3	6.6	25.8	37	5	0.8	東北東
2025/01/05 07:00:00	1.2	8.2	25.6	37	6	0.9	北北東
2025/01/05 08:00:00	1.3	7	31.4	37	9	1.5	東北
2025/01/05 09:00:00	1.3	10	28.8	39	7	1.8	北北東
2025/01/05 10:00:00	1.6	10.4	30	51	8	1.2	北
2025/01/05 11:00:00	1.6	9	33.9	53	14	1.3	北北西
2025/01/05 12:00:00	1.5	9.5	34.7	51	10	2	北北西
2025/01/05 13:00:00	1.3	7.7	37.5	48	7	2.9	北北東
2025/01/05 14:00:00	1.3	7.1	41.9	47	11	2.9	北
2025/01/05 15:00:00	1.2	7.4	41	46	9	3.2	北北東
2025/01/05 16:00:00	1.3	8.5	40.9	50	10	3.4	北北東
2025/01/05 17:00:00	1.3	9.3	38.8	46	12	3.2	北北東
2025/01/05 18:00:00	1.3	9	35.9	49	13	2.6	東北
2025/01/05 19:00:00	1.3	12.1	30.4	42	11	1.7	北北東
2025/01/05 20:00:00	1.3	13.2	25.5	59	19	1.9	北北東
2025/01/05 21:00:00	1.5	13.7	24.9	51	16	2.5	北北東
2025/01/05 22:00:00	1.6	10.7	28.4	53	19	3.1	北北東
2025/01/05 23:00:00	1.5	8.4	29.9	41	15	3	東北
2025/01/06 00:00:00	1.2	7.6	28.8	36	11	2	北北東
2025/01/06 01:00:00	1.2	7.9	24.8	26	11	2	北北東
2025/01/06 02:00:00	1.6	9.6	25.2	36	10	2	北北東
2025/01/06 03:00:00	1.7	8.7	27	34	12	2.4	北北東
2025/01/06 04:00:00	1.6	7.7	31.7	30	10	2.8	北北東
2025/01/06 05:00:00	1.6	6.7	35.2	28	8	2.9	北北東
2025/01/06 06:00:00	1.7	7.2	35.3	27	9	3.1	北北東
2025/01/06 07:00:00	1.6	7.7	34.9	30	11	2.9	北北東
2025/01/06 08:00:00	1.6	9.9	35.8	32	9	3.7	北北東
2025/01/06 09:00:00	1.5	8.8	40.5	35	13	3.8	東北
2025/01/06 10:00:00	1.6	9.2	42.6	47	18	3.8	北北東
2025/01/06 11:00:00	1.8	10.9	45.3	44	15	4.9	北北東
2025/01/06 12:00:00	2.2	--	57.3	51	17	4.8	北北東
2025/01/06 13:00:00	--	--	--	--	--	6.2	北北東
2025/01/06 14:00:00	2.1	--	66.4	88	33	5.1	北北東
2025/01/06 15:00:00	3.2	10.5	65.7	84	30	5.2	北北東
2025/01/06 16:00:00	3.3	11.7	62.1	74	25	4.5	北北東
2025/01/06 17:00:00	3.3	13.2	56.3	69	23	3.8	北北東
2025/01/06 18:00:00	2.4	13.9	51.9	66	25	3.6	北北東
2025/01/06 19:00:00	2.3	--	48.2	59	24	3.8	北北東
2025/01/06 20:00:00	2.3	--	47	56	22	3.4	北北東
2025/01/06 21:00:00	2.3	8.3	48.5	50	22	4.3	東北
2025/01/06 22:00:00	2.2	7.1	48.2	50	22	3	北北東
2025/01/06 23:00:00	2.1	5.3	49.3	45	21	3.5	東北

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/07 00:00:00	2	5.5	46.4	42	20	2.2	東北
2025/01/07 01:00:00	2	--	46.4	48	27	2.3	北北東
2025/01/07 02:00:00	2.1	--	46.6	52	22	2.7	東北
2025/01/07 03:00:00	2.1	--	43.2	54	25	2	北北東
2025/01/07 04:00:00	2.1	--	33	48	17	1.9	北北東
2025/01/07 05:00:00	2.1	--	31.7	39	15	1.4	北北東
2025/01/07 06:00:00	2.1	--	29.5	39	17	1.5	東北
2025/01/07 07:00:00	2	--	23.2	46	15	1.6	北北東
2025/01/07 08:00:00	2.1	23.1	15.9	39	15	0.9	北北東
2025/01/07 09:00:00	2.2	22.2	18.6	41	16	1.1	北北東
2025/01/07 10:00:00	2.3	15.9	23.2	47	13	1.1	北北東
2025/01/07 11:00:00	2.4	11.6	30.9	40	14	1.4	北北東
2025/01/07 12:00:00	2.6	8.1	36.9	39	15	1.7	北北東
2025/01/07 13:00:00	2.6	10.3	42.7	40	14	2	北
2025/01/07 14:00:00	2.4	7.2	51.8	57	11	2.4	北北西
2025/01/07 15:00:00	2.2	6.1	51.3	57	17	2.8	北
2025/01/07 16:00:00	1.8	7.2	46.4	56	12	3.5	北北東
2025/01/07 17:00:00	2	11.7	40.4	59	14	3.2	北北東
2025/01/07 18:00:00	2	17.5	32.6	63	14	2.2	北北東
2025/01/07 19:00:00	2.1	19.2	27.6	71	17	2.6	北北東
2025/01/07 20:00:00	2	14.8	30	57	15	3.1	北北東
2025/01/07 21:00:00	1.8	14.9	28.3	57	14	2.9	北北東
2025/01/07 22:00:00	1.8	11.1	31.1	53	18	3.2	北北東
2025/01/07 23:00:00	1.7	7.8	34.4	52	17	3.2	北北東
2025/01/08 00:00:00	--	2.8	36.1	45	16	2.7	北北東
2025/01/08 01:00:00	1.7	6.8	36.6	53	12	2.4	東北
2025/01/08 02:00:00	1.7	6.5	35	52	18	1.6	東北
2025/01/08 03:00:00	1.7	7.1	33.1	47	20	1.2	東北
2025/01/08 04:00:00	1.7	7	32.2	48	17	1.3	北北東
2025/01/08 05:00:00	1.7	7.1	32.1	52	16	1.9	東北
2025/01/08 06:00:00	1.7	9	31.4	40	15	1.3	北北東
2025/01/08 07:00:00	1.8	11.8	27.7	40	19	1.7	北北東
2025/01/08 08:00:00	2.1	13.9	27.2	42	13	2.5	北北東
2025/01/08 09:00:00	2.1	14.3	28.7	38	21	3	東北
2025/01/08 10:00:00	2.2	12.5	31.4	35	14	3.3	北北東
2025/01/08 11:00:00	2.3	11.7	33.6	32	12	3.1	北北東
2025/01/08 12:00:00	2.3	12.6	36.1	39	8	2.5	北北東
2025/01/08 13:00:00	2.3	12.1	40	39	11	2.5	北
2025/01/08 14:00:00	2.4	11.4	45.5	39	12	2.6	北
2025/01/08 15:00:00	2.2	7.3	49.6	35	10	3.4	北北東
2025/01/08 16:00:00	2.1	5.5	46.3	29	6	3.9	北北東
2025/01/08 17:00:00	2	8.9	39.6	23	3	3.8	北北東
2025/01/08 18:00:00	--	--	32.4	29	5	2.6	北北東
2025/01/08 19:00:00	2	15.4	30.6	28	8	2.6	北北東
2025/01/08 20:00:00	2.1	16.6	26.7	33	6	2.1	北北東
2025/01/08 21:00:00	2	--	21.9	35	7	2.3	北北東
2025/01/08 22:00:00	1.8	16.5	20.9	31	8	2	北北東
2025/01/08 23:00:00	1.8	--	21.2	20	6	2.5	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/09 00:00:00	1.7	--	22.1	22	4	2.8	北北東
2025/01/09 01:00:00	2	--	23	23	5	2.6	北北東
2025/01/09 02:00:00	2.2	--	25.3	22	4	2.7	北北東
2025/01/09 03:00:00	2.2	--	27.2	19	4	2.8	北北東
2025/01/09 04:00:00	2.3	--	30.8	21	2	2.7	北北東
2025/01/09 05:00:00	2.2	--	36	22	1	3.2	北北東
2025/01/09 06:00:00	2.1	--	38.9	29	5	3.6	北北東
2025/01/09 07:00:00	2	--	40.2	30	6	3.5	北北東
2025/01/09 08:00:00	2	12.1	39.3	32	9	3.6	北北東
2025/01/09 09:00:00	1.7	11.8	39.9	35	8	4.2	北北東
2025/01/09 10:00:00	1.6	9.5	40.5	38	10	4	東北
2025/01/09 11:00:00	1.8	10.5	38.5	36	10	3.9	北北東
2025/01/09 12:00:00	1.7	10.5	39.4	37	8	4.2	北北東
2025/01/09 13:00:00	1.8	9.8	42.1	50	11	5	北北東
2025/01/09 14:00:00	1.7	11.5	44.3	45	9	5.1	北北東
2025/01/09 15:00:00	1.7	12.5	44.1	60	15	4.7	北北東
2025/01/09 16:00:00	1.5	14	39.8	73	16	4.5	北北東
2025/01/09 17:00:00	1.7	14.4	37.7	60	13	5.4	北北東
2025/01/09 18:00:00	1.7	15.3	33.2	62	22	4.5	北北東
2025/01/09 19:00:00	1.3	13.6	33.3	63	21	4.8	北北東
2025/01/09 20:00:00	1.2	--	34.7	48	21	5.3	北北東
2025/01/09 21:00:00	1.1	--	35.9	39	13	5.8	北北東
2025/01/09 22:00:00	1.2	--	36.6	35	9	5.7	北北東
2025/01/09 23:00:00	1.1	--	36.8	38	13	5.6	北北東
2025/01/10 00:00:00	1.1	--	36.6	35	10	6	北北東
2025/01/10 01:00:00	1.1	--	37.4	35	8	5.6	北北東
2025/01/10 02:00:00	1.1	--	37.6	44	7	5.8	北北東
2025/01/10 03:00:00	1.2	--	37	35	8	4.8	北北東
2025/01/10 04:00:00	1.1	--	36.6	32	5	5	北北東
2025/01/10 05:00:00	1.1	--	35.2	24	6	5.3	北北東
2025/01/10 06:00:00	1	--	34.7	27	5	5.4	北北東
2025/01/10 07:00:00	1	--	30.8	31	6	5.4	北北東
2025/01/10 08:00:00	1	9.2	29.3	40	10	6	北北東
2025/01/10 09:00:00	1	7	31.4	46	8	6.2	北北東
2025/01/10 10:00:00	1.1	7.8	31.7	45	7	5.8	北北東
2025/01/10 11:00:00	1.1	7	34.1	38	7	6.5	北北東
2025/01/10 12:00:00	1.1	6.8	35.2	43	6	6.8	北北東
2025/01/10 13:00:00	1.1	7.4	34.9	39	6	5.5	北北東
2025/01/10 14:00:00	1.1	7.3	34.2	46	15	5.2	北北東
2025/01/10 15:00:00	1.2	7.2	33.8	58	12	5.8	北北東
2025/01/10 16:00:00	1.1	8.1	33.7	45	7	6	北北東
2025/01/10 17:00:00	1.2	10.4	32.7	44	8	5.4	北北東
2025/01/10 18:00:00	1.1	10.9	30.6	44	11	4.8	北北東
2025/01/10 19:00:00	1.1	11.4	30	30	8	4.9	北北東
2025/01/10 20:00:00	1.1	10.5	30.6	29	9	4.8	北北東
2025/01/10 21:00:00	1.1	8.1	32.7	31	9	4.9	北北東
2025/01/10 22:00:00	1.1	--	33.6	25	5	4.9	北北東
2025/01/10 23:00:00	1.1	5.4	35.9	21	5	3.9	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/11 00:00:00	1.1	3.7	37	18	4	3.9	北北東
2025/01/11 01:00:00	1.1	4.2	37	14	3	3.4	北北東
2025/01/11 02:00:00	1.2	3.9	36.3	12	4	3	北北東
2025/01/11 03:00:00	1.1	4.5	35	17	2	3.1	北北東
2025/01/11 04:00:00	1.1	3.4	36.3	15	1	3.6	北北東
2025/01/11 05:00:00	1.2	4.2	35.2	16	2	3.6	北北東
2025/01/11 06:00:00	1.2	5.5	33.3	10	5	3.8	北北東
2025/01/11 07:00:00	1.2	4.9	33.8	16	4	3.8	東北
2025/01/11 08:00:00	1.2	7.2	31.1	13	5	3.5	北北東
2025/01/11 09:00:00	1.2	7.1	31.6	14	5	3.6	北北東
2025/01/11 10:00:00	1.2	6.3	33.6	17	4	4.5	北北東
2025/01/11 11:00:00	1.2	4.6	35.2	18	3	4.5	北北東
2025/01/11 12:00:00	1.2	0.5	36.8	18	4	4.4	北北東
2025/01/11 13:00:00	1.3	6.6	37.6	16	4	4.4	北北東
2025/01/11 14:00:00	1.3	5.1	39.3	24	6	5.3	北北東
2025/01/11 15:00:00	1.3	4.9	38.2	31	3	5.1	北北東
2025/01/11 16:00:00	1.2	5.5	37	29	3	4.5	北北東
2025/01/11 17:00:00	1.2	7.7	35	29	5	4.7	北北東
2025/01/11 18:00:00	1.1	7.9	34.7	29	8	4.3	北北東
2025/01/11 19:00:00	1.1	7.1	34.7	21	6	4.4	北北東
2025/01/11 20:00:00	1.2	7.1	35.8	18	6	4.3	北北東
2025/01/11 21:00:00	1.2	5.5	39.7	32	7	4.7	北北東
2025/01/11 22:00:00	1.1	5.6	40.4	29	6	4.1	北北東
2025/01/11 23:00:00	1.1	5.5	40.9	26	10	3.9	北北東
2025/01/12 00:00:00	1.2	6.8	38.7	21	8	3.2	北北東
2025/01/12 01:00:00	1.2	6.7	37.9	22	6	3	北北東
2025/01/12 02:00:00	1.1	--	37.9	25	7	2.7	北北東
2025/01/12 03:00:00	1.1	5.4	36.9	26	12	2	北北東
2025/01/12 04:00:00	1.1	5.3	36.1	24	7	2.2	北北東
2025/01/12 05:00:00	1.2	--	34.1	20	6	2.5	北北東
2025/01/12 06:00:00	1.2	--	36.3	22	5	3.5	東北
2025/01/12 07:00:00	1.5	8.1	33.6	17	5	3.3	北北東
2025/01/12 08:00:00	1.3	8.7	31.5	24	9	3.4	北北東
2025/01/12 09:00:00	1.6	7.4	34.8	29	6	4.1	北北東
2025/01/12 10:00:00	1.5	5	40	26	8	4.9	北北東
2025/01/12 11:00:00	1.5	4.4	42.5	27	7	5	北北東
2025/01/12 12:00:00	1.6	4.4	44.9	29	5	4.5	北北東
2025/01/12 13:00:00	1.6	4	49.7	33	6	4.4	北
2025/01/12 14:00:00	1.5	3.1	53.7	38	11	4.6	北北東
2025/01/12 15:00:00	1.3	2.2	53.6	38	7	5.3	北北東
2025/01/12 16:00:00	1.2	2.2	50.1	48	9	4.8	北北東
2025/01/12 17:00:00	1.1	2.9	47.9	45	9	4.3	北北東
2025/01/12 18:00:00	1.5	6.3	44.4	50	10	3	北北東
2025/01/12 19:00:00	1.7	8.8	40.7	51	14	2.9	北北東
2025/01/12 20:00:00	1.5	9.9	39.7	55	24	3.1	北北東
2025/01/12 21:00:00	1.2	5.9	42.2	46	16	3.4	北北東
2025/01/12 22:00:00	1	4.6	42.4	50	7	3.5	北北東
2025/01/12 23:00:00	1	2	43.8	38	6	3.4	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/13 00:00:00	1	1.7	43	55	6	2.2	東北
2025/01/13 01:00:00	0.9	2.2	41.3	32	8	1.6	東北
2025/01/13 02:00:00	1.1	4.3	38.2	45	6	1.5	東北
2025/01/13 03:00:00	1	5.6	31.7	46	8	1.7	東北
2025/01/13 04:00:00	1	7.8	22.3	25	9	1.2	東北
2025/01/13 05:00:00	0.9	4.9	26	21	14	1.1	東北
2025/01/13 06:00:00	0.9	8.7	21.5	20	8	1	東北東
2025/01/13 07:00:00	0.9	15.3	14.7	13	6	0.8	東北東
2025/01/13 08:00:00	0.9	16.2	12.3	15	5	1	東北東
2025/01/13 09:00:00	1.5	20.4	10	20	3	1	東北
2025/01/13 10:00:00	1.6	12.2	23	29	7	1	北
2025/01/13 11:00:00	1.5	6.5	31.3	32	6	1.1	北
2025/01/13 12:00:00	1.6	8.3	33.2	29	4	0.9	北
2025/01/13 13:00:00	1.7	9.6	38.7	34	9	1.2	北北西
2025/01/13 14:00:00	1.5	7.2	49.1	37	16	1.4	北北西
2025/01/13 15:00:00	1.2	5.1	56.9	34	12	1.8	北北西
2025/01/13 16:00:00	1.1	4.5	57.4	29	9	2	北
2025/01/13 17:00:00	1.1	5.1	56.7	28	11	2.5	北北東
2025/01/13 18:00:00	1.2	12.2	47.9	39	10	1.1	北北東
2025/01/13 19:00:00	1.1	11.7	39.4	57	19	1.4	東北東
2025/01/13 20:00:00	1.1	20	29.1	51	20	1.2	東北東
2025/01/13 21:00:00	1.1	21.7	24.2	58	22	0.9	東北東
2025/01/13 22:00:00	1.1	21.7	21.2	46	18	0.5	東北東
2025/01/13 23:00:00	1.1	24.8	18.7	48	17	0.7	東北東
2025/01/14 00:00:00	1	31.7	9.9	46	19	0.8	東
2025/01/14 01:00:00	1.1	41	5.3	55	28	0.3	東北東
2025/01/14 02:00:00	1.2	38.2	7.3	55	28	0.1	北
2025/01/14 03:00:00	1.2	33.3	8.7	54	24	0.5	東北東
2025/01/14 04:00:00	1.1	29.4	6.1	43	24	0.3	東
2025/01/14 05:00:00	1.3	14.2	2.8	44	25	0.9	東南東
2025/01/14 06:00:00	1.2	25.2	12	50	22	1	東
2025/01/14 07:00:00	1.2	23.6	12	38	20	0.4	東北東
2025/01/14 08:00:00	1.5	27.2	9.2	37	19	0.4	東
2025/01/14 09:00:00	2.2	33.3	15.3	39	22	0.3	西
2025/01/14 10:00:00	5.4	38.8	23.8	58	25	0.8	西
2025/01/14 11:00:00	5.7	38.2	28.4	88	39	1.1	西北
2025/01/14 12:00:00	2.6	14.9	47.3	76	34	1.6	西北
2025/01/14 13:00:00	2.4	11.8	55.6	56	18	2.4	西北
2025/01/14 14:00:00	1.8	6.8	68.7	48	19	2.2	西北
2025/01/14 15:00:00	1.6	6.3	74.2	53	19	2	北
2025/01/14 16:00:00	1.3	7.8	74.1	52	18	2.6	北
2025/01/14 17:00:00	1.3	8.7	73.4	69	28	2.5	北
2025/01/14 18:00:00	1.3	10.5	70	71	23	2.4	北
2025/01/14 19:00:00	1.2	11.6	65.1	70	26	1.9	北北東
2025/01/14 20:00:00	1.2	14.2	55.3	73	29	1.6	北北東
2025/01/14 21:00:00	1.1	9.4	60.7	80	30	1.2	北北東
2025/01/14 22:00:00	1.1	7.8	57.5	73	20	0.4	東
2025/01/14 23:00:00	1.1	10	48.2	66	20	0.8	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/15 00:00:00	1.3	8.4	44.1	69	21	0.9	東北
2025/01/15 01:00:00	1.1	5.6	46	73	25	0.5	東
2025/01/15 02:00:00	1.1	5	43.8	63	24	0.9	東
2025/01/15 03:00:00	1.1	4.5	41.6	28	15	1.8	東南東
2025/01/15 04:00:00	1.1	5.7	33.5	28	14	2.4	東南東
2025/01/15 05:00:00	1.3	7.4	31.6	34	14	2.4	東北東
2025/01/15 06:00:00	1.2	6.2	34.9	16	4	2.3	東
2025/01/15 07:00:00	1.1	16	23.8	16	5	0.5	北
2025/01/15 08:00:00	1.2	14.7	24.2	16	8	1.9	北北東
2025/01/15 09:00:00	1.2	12.5	33	20	6	4.1	北北東
2025/01/15 10:00:00	1.3	10.4	41.5	36	16	5.1	北北東
2025/01/15 11:00:00	1.5	11.7	46.2	80	37	5.4	北北東
2025/01/15 12:00:00	1.5	11.4	46.5	105	51	5.3	北北東
2025/01/15 13:00:00	1.2	10.1	43.8	92	47	5.2	北北東
2025/01/15 14:00:00	1.2	8.1	43.3	75	31	5.8	北北東
2025/01/15 15:00:00	1.2	7.9	43.5	75	24	5.6	北北東
2025/01/15 16:00:00	1.2	7.3	46.8	76	28	6.4	北北東
2025/01/15 17:00:00	1.2	8.2	45.5	94	28	6.8	北北東
2025/01/15 18:00:00	1.1	8.7	44	76	30	6.3	東北
2025/01/15 19:00:00	1	6.5	44.1	65	25	5.9	東北
2025/01/15 20:00:00	1.1	5.5	44.6	50	20	5.7	東北
2025/01/15 21:00:00	1.1	5.1	44.8	58	20	4.9	北北東
2025/01/15 22:00:00	1	4.3	46.8	58	18	5.7	北北東
2025/01/15 23:00:00	1	3.7	47.6	53	23	5.1	北北東
2025/01/16 00:00:00	1	3.3	44.3	54	22	4.7	北北東
2025/01/16 01:00:00	1	2.9	41.3	54	20	4.5	北北東
2025/01/16 02:00:00	1.1	2.4	38.2	44	14	4.5	北北東
2025/01/16 03:00:00	1.1	2.4	38.3	38	12	4.6	北北東
2025/01/16 04:00:00	1	2.6	38.6	31	9	3.7	北北東
2025/01/16 05:00:00	1.1	3.8	36.4	34	8	3.2	北北東
2025/01/16 06:00:00	1.1	4.3	36.9	39	11	3.8	北北東
2025/01/16 07:00:00	1.1	5.5	36.8	36	9	4	北北東
2025/01/16 08:00:00	1.1	7.4	34.9	40	9	4.5	北北東
2025/01/16 09:00:00	1.1	7.9	33.7	31	9	4.7	北北東
2025/01/16 10:00:00	1.3	9.5	31.1	32	5	4.4	北北東
2025/01/16 11:00:00	1.2	9.8	31.4	39	7	3.8	北北東
2025/01/16 12:00:00	1.6	--	35.2	36	9	4.6	北北東
2025/01/16 13:00:00	1.3	6.3	37.5	44	9	4.7	北北東
2025/01/16 14:00:00	1.3	7.4	35.5	42	11	4.4	北北東
2025/01/16 15:00:00	1.2	7.2	36.1	33	7	5	北北東
2025/01/16 16:00:00	1.2	7	36	40	9	5.6	北北東
2025/01/16 17:00:00	1.3	8.4	35.2	42	8	5.3	北北東
2025/01/16 18:00:00	1.3	12.1	31.5	43	15	4.3	北北東
2025/01/16 19:00:00	1.3	--	28.6	45	11	3.5	北北東
2025/01/16 20:00:00	1.3	--	26.5	44	14	3	東北
2025/01/16 21:00:00	1.3	--	23.6	35	10	1.9	東北
2025/01/16 22:00:00	1.2	--	23.6	30	11	1.9	北北東
2025/01/16 23:00:00	1.3	--	22.8	24	8	2.7	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/17 00:00:00	1.3	--	25.8	26	5	2.3	北北東
2025/01/17 01:00:00	1.2	--	29.1	30	10	2.5	北北東
2025/01/17 02:00:00	1.3	--	29.5	30	9	3.7	北北東
2025/01/17 03:00:00	1.3	--	28	32	6	3.4	北北東
2025/01/17 04:00:00	1.6	--	30.3	29	8	3.2	北北東
2025/01/17 05:00:00	1.6	--	33.1	23	6	3.3	北北東
2025/01/17 06:00:00	1.5	--	33.1	16	3	3.2	北北東
2025/01/17 07:00:00	1.5	--	31.7	24	4	3.2	北北東
2025/01/17 08:00:00	1.3	10	31.9	20	4	3.7	北北東
2025/01/17 09:00:00	1.5	8.9	33	27	2	4.2	東北
2025/01/17 10:00:00	1.3	6.2	35	25	3	4.6	東北
2025/01/17 11:00:00	--	1.5	37.4	21	9	4.3	北北東
2025/01/17 12:00:00	1.3	5	40.3	26	4	4.3	北北東
2025/01/17 13:00:00	1.1	4.9	43.6	20	3	4.3	北北東
2025/01/17 14:00:00	1	5.6	49.8	32	6	4.4	北北東
2025/01/17 15:00:00	0.9	4.9	53.6	47	13	4.4	北北東
2025/01/17 16:00:00	1	5.7	52.9	56	15	4.8	北北東
2025/01/17 17:00:00	0.9	8.5	47.3	51	11	3.8	北北東
2025/01/17 18:00:00	0.9	12.8	36.8	47	11	2.9	北北東
2025/01/17 19:00:00	0.9	11.2	34.7	41	8	3.1	北北東
2025/01/17 20:00:00	0.9	9.8	33.5	34	9	2.7	北北東
2025/01/17 21:00:00	0.6	8.2	32.5	30	10	2.3	北北東
2025/01/17 22:00:00	0.6	8.1	29.3	32	5	1.6	東北
2025/01/17 23:00:00	0.7	9.4	22.7	25	5	1.1	東北東
2025/01/18 00:00:00	0.4	12.8	16.1	17	6	1.1	東北東
2025/01/18 01:00:00	0.1	14.7	12.1	22	9	1.1	東北東
2025/01/18 02:00:00	0.4	18.1	7.3	25	6	1	東北
2025/01/18 03:00:00	0.4	21	4.3	23	9	0.2	南南東
2025/01/18 04:00:00	0.4	19.4	4.5	29	11	0.2	東
2025/01/18 05:00:00	--	16.4	5.6	30	14	0.5	東北東
2025/01/18 06:00:00	0.4	15.6	7.1	25	12	1.4	東北
2025/01/18 07:00:00	0.2	14.5	9.9	27	9	1.1	北北東
2025/01/18 08:00:00	0.5	18.4	7.7	25	10	1	北北東
2025/01/18 09:00:00	1	14.4	16.8	26	9	1.4	北北東
2025/01/18 10:00:00	2.1	10.7	23.8	35	19	1.6	北北東
2025/01/18 11:00:00	1.8	12.6	25.4	28	10	1.3	北北西
2025/01/18 12:00:00	1.6	9.8	36.1	35	8	1.9	北
2025/01/18 13:00:00	1.5	7	47.4	37	10	2	北
2025/01/18 14:00:00	1.2	4.9	49.6	29	9	2.5	北
2025/01/18 15:00:00	1.1	3.1	48	37	8	3.1	北北東
2025/01/18 16:00:00	1.1	4.9	48.1	28	8	2.5	北
2025/01/18 17:00:00	1.1	6.6	50.7	46	11	2.8	北北東
2025/01/18 18:00:00	1	6.7	52	53	15	3.2	北北東
2025/01/18 19:00:00	1	6.5	52.9	63	22	3	北北東
2025/01/18 20:00:00	1	6.3	50.2	68	30	2.6	北北東
2025/01/18 21:00:00	1	5.4	47.5	57	21	2.3	北北東
2025/01/18 22:00:00	1	5.9	43.8	54	19	2	北北東
2025/01/18 23:00:00	1.1	5.4	44.2	50	21	2.1	北

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/19 00:00:00	1.1	5.7	41	46	15	1.6	北北東
2025/01/19 01:00:00	1.2	3.3	40.9	51	12	1.5	北北東
2025/01/19 02:00:00	1.2	3.2	38.6	30	7	1.5	北北東
2025/01/19 03:00:00	1.1	2.3	38.9	25	10	1.7	東北
2025/01/19 04:00:00	1.1	2.8	36	27	8	1.1	北北東
2025/01/19 05:00:00	0.9	3.5	32.4	24	10	0.5	北北西
2025/01/19 06:00:00	0.6	3.8	31.5	24	11	1.3	東北東
2025/01/19 07:00:00	0.6	5.7	28.8	21	4	0.8	東北
2025/01/19 08:00:00	0.6	6.8	23.2	27	7	1.1	東北
2025/01/19 09:00:00	0.6	7.7	29.3	24	15	1.9	北北東
2025/01/19 10:00:00	0.7	7.1	34.3	30	16	2.7	北北東
2025/01/19 11:00:00	0.4	5.9	37.4	27	15	3.4	北北東
2025/01/19 12:00:00	0.4	4.9	40.4	23	6	4.5	東北
2025/01/19 13:00:00	0.4	4.6	41.8	26	9	4.5	東北
2025/01/19 14:00:00	0.2	4.3	42.7	29	9	3.9	北北東
2025/01/19 15:00:00	0.5	4	44.7	16	7	3.8	北北東
2025/01/19 16:00:00	0.5	4.8	44.7	30	9	4	北北東
2025/01/19 17:00:00	0.4	5.3	43.8	31	7	3.8	北北東
2025/01/19 18:00:00	0.4	7.2	42.2	34	10	3.4	北北東
2025/01/19 19:00:00	0.6	7.2	40.3	35	13	2.9	北北東
2025/01/19 20:00:00	0.6	10.7	37.2	35	13	2.5	北北東
2025/01/19 21:00:00	0.7	11.4	36.3	48	23	2.4	北北東
2025/01/19 22:00:00	0.9	9	35.5	46	18	1.7	北北東
2025/01/19 23:00:00	0.6	6.2	33.8	38	16	1.3	東北
2025/01/20 00:00:00	0.5	5.7	23.9	29	12	1	東北東
2025/01/20 01:00:00	0.4	6.2	24.1	25	14	0.7	東北東
2025/01/20 02:00:00	0.6	4	31.6	26	11	1.4	北北東
2025/01/20 03:00:00	0.6	3.1	42	19	12	2.5	北北東
2025/01/20 04:00:00	0.6	3.4	42.6	24	9	2.4	北北東
2025/01/20 05:00:00	0.5	2.7	39.8	22	7	1.3	北北東
2025/01/20 06:00:00	0.4	5.4	29.4	13	6	1.3	東北東
2025/01/20 07:00:00	0.5	12.3	17.3	10	3	0.9	東北東
2025/01/20 08:00:00	0.6	14.7	12.7	14	5	0.6	東北東
2025/01/20 09:00:00	0.7	13.7	9.6	19	3	0.8	東北
2025/01/20 10:00:00	1.2	16.1	14.8	27	4	0.8	北北西
2025/01/20 11:00:00	1	10.5	32.2	29	11	1.8	北
2025/01/20 12:00:00	1.1	11	43.7	27	11	2.4	北
2025/01/20 13:00:00	1	7.9	55.8	34	7	3.6	北北東
2025/01/20 14:00:00	0.7	5.4	62	43	13	4.3	北北東
2025/01/20 15:00:00	0.7	5.6	67.2	44	11	4.7	北北東
2025/01/20 16:00:00	0.7	7.3	72.3	53	16	4.2	北北東
2025/01/20 17:00:00	0.7	9.6	73.9	65	21	3.9	北北東
2025/01/20 18:00:00	0.9	13.6	68.5	74	27	3.1	北北東
2025/01/20 19:00:00	1.1	14	66.1	69	32	2.8	北北東
2025/01/20 20:00:00	1	17.5	58.5	70	34	2.1	北北東
2025/01/20 21:00:00	1	15.8	56.5	80	39	2.5	北北東
2025/01/20 22:00:00	1	15.1	55.7	74	38	2.3	北北東
2025/01/20 23:00:00	1	12.6	55.6	68	28	1.7	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/21 00:00:00	0.9	9.8	58.5	60	29	1.8	北北東
2025/01/21 01:00:00	1.6	7.3	52	55	26	1.3	北北東
2025/01/21 02:00:00	2.2	11.4	40.2	50	21	1.1	東北東
2025/01/21 03:00:00	2.3	7.7	49.8	46	23	1.6	北北東
2025/01/21 04:00:00	2.3	8.7	50.3	60	17	2.1	北北東
2025/01/21 05:00:00	2.3	8.2	51.3	62	33	2	北北東
2025/01/21 06:00:00	2.1	9.5	44.7	51	27	1.3	東北
2025/01/21 07:00:00	2	14.4	34.3	46	25	1.1	東北
2025/01/21 08:00:00	2	17.3	23.4	47	22	1	東北
2025/01/21 09:00:00	2.3	18.4	31.9	37	16	2.1	東北
2025/01/21 10:00:00	2.6	14.5	42.4	45	17	1.9	東北
2025/01/21 11:00:00	2.7	14.8	44.3	46	20	0.9	西北
2025/01/21 12:00:00	2.7	15.1	47	46	19	1.5	西北
2025/01/21 13:00:00	2.6	16	57.1	55	19	1.8	西北
2025/01/21 14:00:00	2.4	10.7	70.2	61	21	1.8	北北西
2025/01/21 15:00:00	2.4	10.3	74	57	21	1.7	北北西
2025/01/21 16:00:00	2.4	9.9	74.8	68	33	1.6	北北西
2025/01/21 17:00:00	2.2	9.9	72.3	71	28	1.6	北北西
2025/01/21 18:00:00	2.2	13.1	65.6	74	25	0.9	北北西
2025/01/21 19:00:00	2.2	19.7	49.7	74	31	0.5	南
2025/01/21 20:00:00	2.2	28.6	34.9	71	27	0.6	南南東
2025/01/21 21:00:00	2.2	40.8	17	75	31	0.4	東南
2025/01/21 22:00:00	2.8	37.5	20.1	74	34	0.8	南
2025/01/21 23:00:00	3.4	34.6	18.2	87	37	0.6	南南東
2025/01/22 00:00:00	2.9	32.5	14.9	103	41	0.3	東南
2025/01/22 01:00:00	2.8	28.1	18.8	109	42	0.3	南
2025/01/22 02:00:00	3.1	33.1	12.1	103	48	0.2	南
2025/01/22 03:00:00	2.9	40.4	6.7	95	52	0.4	南
2025/01/22 04:00:00	2.8	35.3	14.7	98	48	0.6	西南西
2025/01/22 05:00:00	2.8	19.8	21.9	98	51	0.9	南南西
2025/01/22 06:00:00	3.3	22.2	17.5	113	57	0.8	南南東
2025/01/22 07:00:00	2.9	28.3	10.6	116	60	0.4	西南
2025/01/22 08:00:00	2.9	31.9	10.4	111	63	0.5	南
2025/01/22 09:00:00	3.1	34.7	14.5	115	65	0.4	西南
2025/01/22 10:00:00	2.9	27.6	25	116	66	0.5	西
2025/01/22 11:00:00	3.8	38	21.4	117	62	0.8	西北
2025/01/22 12:00:00	3.9	28	33.6	143	66	1.1	北北西
2025/01/22 13:00:00	3.1	13.6	53	115	41	1.9	北北西
2025/01/22 14:00:00	2.4	11.5	56	85	32	2.2	北北西
2025/01/22 15:00:00	2.2	10.6	57.6	82	30	2.2	北
2025/01/22 16:00:00	2.1	10.5	56	76	25	2.3	北北東
2025/01/22 17:00:00	2.1	12.2	53.6	77	29	2.3	北
2025/01/22 18:00:00	2.2	14.4	49.8	74	27	2.7	北北東
2025/01/22 19:00:00	2.1	13.7	48.1	76	23	2.5	北北東
2025/01/22 20:00:00	2.1	14.5	40.5	88	29	1.4	北北東
2025/01/22 21:00:00	2.1	13.4	36.4	92	31	0.9	北北東
2025/01/22 22:00:00	2	12.2	35	91	30	1.2	北
2025/01/22 23:00:00	2	8.4	44.2	86	31	1.9	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/23 00:00:00	2	7.6	41.3	76	21	2	北北東
2025/01/23 01:00:00	2	8.1	35.5	75	21	1.3	北北東
2025/01/23 02:00:00	2.1	7.8	33.2	79	31	0.8	北北東
2025/01/23 03:00:00	2.3	6.3	34.6	78	29	1.1	北
2025/01/23 04:00:00	2.2	6.2	38.2	82	19	1.7	北北東
2025/01/23 05:00:00	2.1	5.7	38.1	80	18	2.1	北北東
2025/01/23 06:00:00	2.1	5.7	36.9	68	21	2.1	北北東
2025/01/23 07:00:00	2.1	7.2	34.7	51	17	2	北
2025/01/23 08:00:00	2.1	9.8	33.9	45	13	2.3	北北東
2025/01/23 09:00:00	1.6	9.2	37	43	16	2.8	北北東
2025/01/23 10:00:00	1.5	10.6	37.2	42	17	3.3	北北東
2025/01/23 11:00:00	1.5	7.4	42.9	47	15	3.8	東北
2025/01/23 12:00:00	1.5	7.9	43.5	36	14	3.6	北北東
2025/01/23 13:00:00	1.6	7.8	46.3	33	13	3.4	北北東
2025/01/23 14:00:00	1.6	7.4	48.1	24	12	3.4	北北東
2025/01/23 15:00:00	1.7	7.7	50.5	27	12	3.2	北
2025/01/23 16:00:00	1.7	8.1	49.9	35	10	3.2	北
2025/01/23 17:00:00	1.5	9.3	48.2	35	11	3.6	北北東
2025/01/23 18:00:00	1.5	11.1	45.5	34	11	3.4	北北東
2025/01/23 19:00:00	1.6	12.5	39.2	36	12	3	北北東
2025/01/23 20:00:00	1.7	11.1	38.1	35	14	3.2	北北東
2025/01/23 21:00:00	1.7	10.5	37.2	28	16	3.4	北北東
2025/01/23 22:00:00	1.7	11.4	33	27	10	3	北北東
2025/01/23 23:00:00	--	9.5	28.2	29	14	3	北北東
2025/01/24 00:00:00	1.7	13.2	26.9	32	14	2.7	北北東
2025/01/24 01:00:00	1.7	13.6	25	35	17	2.9	北北東
2025/01/24 02:00:00	2	10.1	25.8	35	15	2.3	北北東
2025/01/24 03:00:00	2	8.3	26.5	35	16	2.9	北北東
2025/01/24 04:00:00	2	7.4	29.2	37	16	3.6	北北東
2025/01/24 05:00:00	1.8	6.3	31.6	34	14	3.7	北北東
2025/01/24 06:00:00	2	7	30.5	34	8	3.2	北北東
2025/01/24 07:00:00	2	8.7	27	36	14	3	北北東
2025/01/24 08:00:00	2	10.9	25.5	36	14	2.6	北北東
2025/01/24 09:00:00	1.8	11.4	27.1	36	10	2.2	北北東
2025/01/24 10:00:00	1.8	9.9	32.2	31	11	3	北
2025/01/24 11:00:00	1.1	6.5	37.4	40	14	4.7	北北東
2025/01/24 12:00:00	1.7	7.7	39.8	55	11	3.8	北北東
2025/01/24 13:00:00	1.7	7.6	43.3	49	14	3.1	北
2025/01/24 14:00:00	1.8	7	46.2	55	15	3.8	北
2025/01/24 15:00:00	1.7	7	47.5	59	16	4.1	北北東
2025/01/24 16:00:00	1.5	7.9	43.5	55	15	4	北北東
2025/01/24 17:00:00	1.5	9.9	40.7	57	12	3.5	北北東
2025/01/24 18:00:00	1.5	12.1	37.9	57	16	3	北
2025/01/24 19:00:00	1.5	10.7	37.4	56	16	2.4	北北東
2025/01/24 20:00:00	1.3	9.6	35.9	54	14	2.6	北北東
2025/01/24 21:00:00	1.3	10.5	32.7	55	11	2.6	北北東
2025/01/24 22:00:00	1.3	9.9	30.6	51	8	2.4	北北東
2025/01/24 23:00:00	1.3	10.6	27.1	47	13	2	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/25 00:00:00	1.3	10.1	27.1	37	10	2.3	北北東
2025/01/25 01:00:00	1.3	10.4	25.8	37	11	1.8	北北東
2025/01/25 02:00:00	1.5	8.7	25.5	32	11	1.7	北北東
2025/01/25 03:00:00	1.3	8.3	23	35	12	1.4	北北東
2025/01/25 04:00:00	1.5	8.3	24.5	37	10	2.2	北北東
2025/01/25 05:00:00	1.2	5.6	34.3	34	8	2.3	北北東
2025/01/25 06:00:00	1.2	5	40.3	39	10	2.1	北北東
2025/01/25 07:00:00	1.2	6.8	36.5	41	14	2.1	北北東
2025/01/25 08:00:00	1.3	8.2	37.9	43	13	2.5	北北東
2025/01/25 09:00:00	1.3	8.5	42.1	45	11	3.8	北北東
2025/01/25 10:00:00	1.5	8.9	44.3	56	18	3.2	北北東
2025/01/25 11:00:00	1.5	9	48.2	58	22	3.2	北北東
2025/01/25 12:00:00	1.5	7.7	51	67	22	4.1	北北東
2025/01/25 13:00:00	1.5	7.2	55.3	66	22	4.5	北北東
2025/01/25 14:00:00	1.3	6.7	57.9	72	21	4.6	北北東
2025/01/25 15:00:00	1.5	6.6	58.4	76	20	4.6	北北東
2025/01/25 16:00:00	1.5	7.3	56	66	27	4.5	北北東
2025/01/25 17:00:00	1.2	7.3	51.6	68	27	4.3	北北東
2025/01/25 18:00:00	1.2	8.7	48.6	55	16	3.5	北北東
2025/01/25 19:00:00	1.2	8.9	42.7	60	21	3.3	北北東
2025/01/25 20:00:00	1.3	8.3	42.6	54	18	3.8	北北東
2025/01/25 21:00:00	1.3	7.9	43.6	44	9	3.4	北北東
2025/01/25 22:00:00	1.5	7.4	42.2	47	16	2.8	北北東
2025/01/25 23:00:00	1.3	7.3	41	46	20	2.5	北北東
2025/01/26 00:00:00	1.5	7.2	40.5	44	18	2.4	北北東
2025/01/26 01:00:00	1.7	6.3	42	45	19	2.5	北北東
2025/01/26 02:00:00	1.8	6	41.4	47	21	2.5	北北東
2025/01/26 03:00:00	1.7	6	41.4	49	20	2.1	北北東
2025/01/26 04:00:00	1.6	6.7	40.5	47	21	2.5	北北東
2025/01/26 05:00:00	1.6	6	41.6	46	15	2	北北東
2025/01/26 06:00:00	1.6	6.2	41.8	38	19	2.4	北北東
2025/01/26 07:00:00	1.3	5.9	42.2	45	15	3	東北
2025/01/26 08:00:00	1.5	7.2	40.5	42	15	3	東北
2025/01/26 09:00:00	1.7	8.9	38.9	40	13	2.6	北北東
2025/01/26 10:00:00	1.7	7.3	43.1	39	16	3.7	北北東
2025/01/26 11:00:00	1.6	6.6	43.6	38	11	4.2	北北東
2025/01/26 12:00:00	1.3	6.3	43.6	38	13	4.5	北北東
2025/01/26 13:00:00	1.5	6.3	43.8	53	13	4.7	北北東
2025/01/26 14:00:00	1.5	6.1	44	56	14	4.7	北北東
2025/01/26 15:00:00	1.5	5.5	44.1	54	10	4.6	北北東
2025/01/26 16:00:00	1.6	6	44.1	46	11	4.6	北北東
2025/01/26 17:00:00	1.6	5.3	43.7	45	11	5	北北東
2025/01/26 18:00:00	1.7	--	43.7	42	8	4.8	北北東
2025/01/26 19:00:00	1.6	--	42.2	20	10	4.8	北北東
2025/01/26 20:00:00	1.6	--	38.6	18	7	4.7	北北東
2025/01/26 21:00:00	1.5	--	40.7	17	5	4.6	北北東
2025/01/26 22:00:00	1.6	--	40.5	21	10	4.8	北北東
2025/01/26 23:00:00	1.6	--	41.9	13	5	5	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/27 00:00:00	1.7	3.3	41.5	16	5	4.6	北北東
2025/01/27 01:00:00	1.5	2.2	41.9	13	2	4.5	北北東
2025/01/27 02:00:00	1.6	1.7	43.3	9	0	5.3	北北東
2025/01/27 03:00:00	1.7	1.5	44	21	2	4.5	北北東
2025/01/27 04:00:00	1.5	3.4	38	18	6	4.9	北北東
2025/01/27 05:00:00	1.5	2.3	38	19	3	5.4	北北東
2025/01/27 06:00:00	1.3	2.3	38.7	12	2	5.6	北北東
2025/01/27 07:00:00	1.5	3.1	37.7	18	2	5.7	北北東
2025/01/27 08:00:00	1.3	3.5	36.5	11	3	5	北北東
2025/01/27 09:00:00	1.3	4	36.4	11	4	4.9	北北東
2025/01/27 10:00:00	1.3	4	37.2	14	4	5.3	北北東
2025/01/27 11:00:00	1.3	4.2	39.6	7	5	5	北北東
2025/01/27 12:00:00	1.3	3.9	42.4	18	5	5.9	北北東
2025/01/27 13:00:00	1.3	4.4	41.6	33	7	5	北北東
2025/01/27 14:00:00	1.2	3.5	43.3	42	13	5.8	北北東
2025/01/27 15:00:00	1.3	3.5	45.5	49	6	5.4	北北東
2025/01/27 16:00:00	1.2	3.4	46.3	36	12	5.3	北北東
2025/01/27 17:00:00	1.5	4.5	45.8	34	9	4.8	北北東
2025/01/27 18:00:00	1.6	--	42	40	13	4.1	北北東
2025/01/27 19:00:00	1.8	--	39.7	45	13	3.3	北北東
2025/01/27 20:00:00	1.8	--	38.2	39	16	3.2	北北東
2025/01/27 21:00:00	1.8	3.3	38.2	37	12	3.7	北北東
2025/01/27 22:00:00	1.7	0.2	40	38	16	3.9	北北東
2025/01/27 23:00:00	1.7	--	39.1	34	13	2.7	北北東
2025/01/28 00:00:00	2.2	1.8	37.1	32	10	1.9	北北東
2025/01/28 01:00:00	3.3	3.1	39.8	48	21	3	北北東
2025/01/28 02:00:00	2.2	0.1	38.5	41	22	2.8	北北東
2025/01/28 03:00:00	1.8	--	40	40	16	3.9	東北
2025/01/28 04:00:00	1.8	--	43	34	14	5	東北
2025/01/28 05:00:00	1.7	--	43.1	38	5	5.3	東北
2025/01/28 06:00:00	1.6	--	41.8	31	5	4.4	東北
2025/01/28 07:00:00	1.6	--	39.3	29	13	3.4	東北
2025/01/28 08:00:00	1.6	--	38.1	30	7	3.6	東北
2025/01/28 09:00:00	1.8	2.8	38.1	29	8	4	東北
2025/01/28 10:00:00	1.8	4.3	38.3	29	12	3.3	北北東
2025/01/28 11:00:00	2	5.3	41	39	7	2.7	北北東
2025/01/28 12:00:00	1.7	5.3	45.9	41	13	3.7	北
2025/01/28 13:00:00	1.8	4	49.7	46	12	4.9	北北東
2025/01/28 14:00:00	2	3.3	49.3	53	9	4.9	北北東
2025/01/28 15:00:00	1.6	2.6	47.3	46	11	5.8	北北東
2025/01/28 16:00:00	1.6	3.2	46.4	45	9	5.2	北北東
2025/01/28 17:00:00	1.6	3.8	44.9	45	8	5.1	北北東
2025/01/28 18:00:00	1.8	5.3	43	48	10	4.4	北北東
2025/01/28 19:00:00	2	5.1	41	58	11	3.7	北北東
2025/01/28 20:00:00	2.1	5.6	38.1	52	13	3.1	北北東
2025/01/28 21:00:00	2.2	5.9	37.1	40	14	3.1	北北東
2025/01/28 22:00:00	--	0.9	36.9	38	19	2.7	北北東
2025/01/28 23:00:00	2	5.5	35.7	41	11	2.2	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/29 00:00:00	1.8	6.1	33.9	34	14	1.7	北北東
2025/01/29 01:00:00	2.2	6	35.4	35	16	2	北北東
2025/01/29 02:00:00	1.8	3.4	36	66	39	2.2	北北東
2025/01/29 03:00:00	1.8	2.9	37.5	33	16	2.1	北北東
2025/01/29 04:00:00	1.7	2.6	36.6	31	10	2.6	北北東
2025/01/29 05:00:00	1.7	2.4	35.7	27	8	2.3	北北東
2025/01/29 06:00:00	1.6	2.4	35.7	29	9	2.2	北北東
2025/01/29 07:00:00	1.7	4.4	33.2	24	9	1.8	北北東
2025/01/29 08:00:00	1.8	4.2	34.1	29	10	2.3	北北東
2025/01/29 09:00:00	1.8	4.5	35.5	27	8	3.1	北北東
2025/01/29 10:00:00	1.8	3.8	38	34	6	3.3	北北東
2025/01/29 11:00:00	1.8	4.2	39.3	26	8	3.2	北北東
2025/01/29 12:00:00	2	6	42.9	25	9	2.3	北北東
2025/01/29 13:00:00	2	5.6	48.2	36	9	2.4	北
2025/01/29 14:00:00	1.8	4.6	49.5	31	11	3.2	北
2025/01/29 15:00:00	2	4	48.7	32	13	3.7	北北東
2025/01/29 16:00:00	1.8	4.3	47.7	39	7	3.5	北北東
2025/01/29 17:00:00	1.8	4.9	46.3	42	7	3.4	北北東
2025/01/29 18:00:00	1.7	7.7	41.1	40	10	2.2	北北東
2025/01/29 19:00:00	1.8	11.2	31	45	12	1.3	東北東
2025/01/29 20:00:00	1.8	12.9	25.2	40	16	1.1	東北東
2025/01/29 21:00:00	2	12.7	22.8	33	15	1.2	東北東
2025/01/29 22:00:00	1.8	16.1	17.2	37	15	0.7	東北東
2025/01/29 23:00:00	2	17.5	14.3	34	16	0.1	東南
2025/01/30 00:00:00	1.8	19.3	10.3	44	26	0.1	東南
2025/01/30 01:00:00	1.8	22.3	9.3	32	13	0.1	東南
2025/01/30 02:00:00	2	24.3	8.3	34	15	0.1	東北
2025/01/30 03:00:00	2.1	22.1	8.5	42	21	0.7	東北東
2025/01/30 04:00:00	2.1	19	10.1	33	18	0.8	東北東
2025/01/30 05:00:00	2.2	15	13.1	41	17	0.6	東北東
2025/01/30 06:00:00	2	15.8	13.9	40	17	1	東
2025/01/30 07:00:00	2	14.5	14	35	16	1.6	東
2025/01/30 08:00:00	2	13.9	16.2	33	21	0.9	東北
2025/01/30 09:00:00	2.1	13.7	17.8	33	18	0.5	北北東
2025/01/30 10:00:00	2.1	9.9	26.7	46	20	1.1	北
2025/01/30 11:00:00	2.3	7.8	38.8	37	18	1.6	北北西
2025/01/30 12:00:00	2.3	8.8	46.2	52	18	1.8	北北西
2025/01/30 13:00:00	2.3	7.1	52.6	52	12	2.1	北北西
2025/01/30 14:00:00	2.3	7.4	50.5	48	17	2.2	北北西
2025/01/30 15:00:00	2.3	7.4	58.4	42	15	1.9	北北西
2025/01/30 16:00:00	2.1	7.4	65.6	44	13	2	北
2025/01/30 17:00:00	1.8	6.2	59.3	37	13	1.9	北
2025/01/30 18:00:00	2.1	6.3	49.7	37	11	1.9	北
2025/01/30 19:00:00	2	10.9	41.9	32	11	1.7	北北東
2025/01/30 20:00:00	1.8	10.5	40.5	48	19	1.4	北北東
2025/01/30 21:00:00	1.8	9.3	40.7	57	18	0.8	北北東
2025/01/30 22:00:00	1.8	7	43.2	58	19	0.5	東北
2025/01/30 23:00:00	2	5.9	43.7	53	21	0.6	西

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/01/31 00:00:00	1.8	6.2	37.6	48	18	0.5	東南東
2025/01/31 01:00:00	1.8	7.8	30.8	53	18	0.5	東南
2025/01/31 02:00:00	1.8	13.4	19.2	50	23	0.8	東南東
2025/01/31 03:00:00	2	19.5	13.3	43	24	0.3	南
2025/01/31 04:00:00	2	15.1	15.4	51	21	0.4	東
2025/01/31 05:00:00	2.2	15	14.5	54	27	0.3	東
2025/01/31 06:00:00	1.8	11	17.7	58	23	0.2	東
2025/01/31 07:00:00	2.6	19.7	13.6	44	16	1	南
2025/01/31 08:00:00	3.3	26.7	7.3	62	28	0.7	南南西
2025/01/31 09:00:00	3.4	23.3	9.4	73	35	0.9	西南
2025/01/31 10:00:00	2.6	15.5	23.9	93	44	1.3	西南
2025/01/31 11:00:00	2.3	12	28.6	59	30	1.1	南南西
2025/01/31 12:00:00	2.4	13.3	30.2	60	29	1.5	西
2025/01/31 13:00:00	2.4	11.7	34.4	65	27	1.2	西北
2025/01/31 14:00:00	2.1	8.2	40.7	60	23	1.3	北北西
2025/01/31 15:00:00	2	8.8	41.5	50	19	1.2	北北西
2025/01/31 16:00:00	1.7	8.5	42.9	46	17	1.7	北北東
2025/01/31 17:00:00	1.6	10.9	38.2	34	15	1.7	北北東
2025/01/31 18:00:00	1.7	13.9	31.7	33	14	1.4	北
2025/01/31 19:00:00	1.7	12.2	38.2	42	23	1	北
2025/01/31 20:00:00	1.7	10.9	35.7	47	23	1.6	北北東
2025/01/31 21:00:00	1.7	8.2	39.1	42	20	1.9	北北東
2025/01/31 22:00:00	1.6	7.9	35.2	45	17	1.7	北北東
2025/01/31 23:00:00	1.6	8.3	28.2	46	16	0.7	北北東