

測站名稱： 清水 監測時間： 2025/3/1 ~ 2025/3/31

項目 日期	二氧化氮(NO ₂)ppb				二氧化硫(SO ₂)ppb				懸浮微粒(PM-10) μg/m ³			臭氧(O ₃)ppb		懸浮微粒(PM-2.5) μg/m ³			風速	風向
	每日	小時	小時	超限	每日	小時	小時	超限	每日	小時	超限	每日	小時	每日	小時	超限	每日	每日
	平均值	最大值	最小值	次數	平均值	最大值	最小值	次數	平均值	最大值	次數	平均值	最大值	平均值	最大值	次數	平均值	平均值
01	13.65	28.9	5.4	0	2.48	2.8	2.2	0	34.9	47	0	25.68	53.2	17.7	28	0	1.03	東
02	13.01	29.3	3.9	0	2.84	3.9	2.3	0	29.9	41	0	29.01	50.3	11.4	17	0	1.05	西北西
03	11.01	18.7	6.7	0	2.58	3.3	1.6	0	38	52	0	23.47	46.3	12.5	25	0	2.04	南南西
04	8.88	14.8	5	0	1.62	1.8	1.3	0	17.3	49	0	22.91	49.3	5	17	0	2.52	北北東
05	8.5	14.3	4.6	0	1.58	1.7	1.5	0	12.2	21	0	25.61	30.8	2.3	8	0	3.04	北北東
06	4.1	7.7	1.6	0	1.04	1.6	0.7	0	12.8	20	0	37.8	42.9	2.1	5	0	5.14	北北東
07	5.27	9.6	0.7	0	0.75	0.9	0.6	0	24.9	41	0	42.03	46.9	8.4	13	0	3.55	北北東
08	5.41	10.3	0.7	0	0.92	1.2	0.7	0	32	47	0	44.56	52.1	9.3	15	0	3.82	北北東
09	6.48	8.8	4.6	0	1.15	1.5	0.9	0	32.1	43	0	42.99	54.8	8	13	0	3.21	北北東
10	8.47	11.4	4.4	0	0.99	1.2	0.7	0	49.9	76	0	40.1	58.1	14.3	24	0	1.48	北北東
11	16.22	38	8.9	0	1.1	2.1	0.7	0	56.1	74	0	30.88	63.9	25.4	33	0	1.13	北北東
12	17.18	27	6.3	0	1.65	5.5	0.9	0	44.8	80	0	17.28	36	17.3	36	0	0.88	東北
13	17.54	27.1	10.4	0	1.32	2.4	1	0	28.2	52	0	12.68	25.6	10	21	0	1.3	北北東
14	11.52	17.2	6.2	0	1.11	1.3	0.9	0	38.5	59	0	30.35	54.7	14.7	24	0	2.09	北北東
15	11.15	19.8	5.5	0	1.32	3.8	1	0	33	66	0	24.36	35.5	11.3	29	0	2.05	北北東
16	4.21	5.9	2.8	0	1.05	1.2	0.9	0	19.6	48	0	44.13	58.5	5.7	19	0	5.53	北北東
17	7.56	10.9	2.7	0	1	1.2	0.9	0	42.2	59	0	42.65	55.2	17.7	27	0	3.96	北北東
18	12.43	21.9	5.7	0	1.14	1.6	0.9	0	26.7	35	0	34.07	49.7	11.1	16	0	2.34	東北
19	10.35	15	6.2	0	1.09	1.2	1	0	35.1	69	0	44.54	73	13.1	21	0	2.21	東北
20	11.34	17.5	5.9	0	1.2	1.7	1	0	36	49	0	45.38	75.6	13.6	18	0	2.13	北北東
21	12.43	20.1	4.8	0	1.26	1.8	0.9	0	30.9	42	0	43.28	72.3	11	17	0	1.7	東北東
22	16.57	38.7	5.4	0	1.3	3.2	0.7	0	42.2	66	0	44.17	73.3	17	37	0	1.35	東北東
23	18.81	35.9	6.2	0	1.64	5.1	0.6	0	46.9	74	0	47.88	79.6	21.2	38	0	1.03	西北西
24	13.31	32.6	5.5	0	1.83	5.9	0.9	0	37.7	58	0	50.77	75.1	14	22	0	2	東南
25	9.02	14.3	3.9	0	1.63	4.3	0.7	0	32.8	51	0	42.95	65.7	9.3	15	0	2.43	南
26	8.44	15	4.3	0	1.71	2.3	1	0	33.4	44	0	33.64	52.4	10.7	19	0	3.06	南南西
27	7.56	11.1	3.2	0	1.62	2.4	1.2	0	28.2	57	0	23.99	46.8	7.7	12	0	3.28	南
28	9.1	16	4	0	1.28	2	1	0	30	75	0	28.47	39.7	9.9	29	0	3.83	北北東
29	5.28	9.2	2.1	0	1.7	2.1	0.9	0	16.1	28	0	39.04	41.4	3	6	0	4.63	北北東
30	4.41	6.8	2.7	0	1.74	2	1.6	0	7.9	17	0	37.49	42	1.7	4	0	4.22	北北東
31	6.97	12.5	2.9	0	1.6	2	1.2	0	9.5	18	0	34.5	39.1	4.5	9	0	3.63	北北東
月平均值	10.2				1.5				31			35.1		11			2.6	
最大值	18.81				2.84				56.1					25.4			5.53	
發生日期	23				2				11			50.77		11			16	
超標準次數				0				0			0	24				0		
日標準值									75					30				
時標準值		100				65												

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/01 00:00:00	2.3	--	11.7	28	17	1.2	東
2025/03/01 01:00:00	2.4	28.9	4.9	41	20	0.8	東
2025/03/01 02:00:00	2.7	28.7	4.4	45	28	1	東北東
2025/03/01 03:00:00	2.4	16.8	9	46	23	1.3	東
2025/03/01 04:00:00	2.6	--	20.5	29	23	1.5	東
2025/03/01 05:00:00	2.6	--	16.6	27	18	0.5	東北東
2025/03/01 06:00:00	2.3	13.7	8.8	24	14	0.8	東北東
2025/03/01 07:00:00	2.2	16.8	7.7	25	16	0.1	東
2025/03/01 08:00:00	2.4	17.3	8.3	28	13	0.3	東北
2025/03/01 09:00:00	2.6	18.6	12	37	19	0.5	北
2025/03/01 10:00:00	2.7	12.1	25.6	47	23	1.4	北北西
2025/03/01 11:00:00	2.8	9.5	37.9	45	20	2.2	北北東
2025/03/01 12:00:00	2.6	9.4	42.2	40	21	2.4	北
2025/03/01 13:00:00	2.6	6.6	47.5	35	15	2.1	北
2025/03/01 14:00:00	2.4	5.9	52.9	26	12	1.9	北
2025/03/01 15:00:00	2.6	5.4	53.2	29	14	1.1	北北西
2025/03/01 16:00:00	2.3	5.9	48.1	23	10	1.8	西北西
2025/03/01 17:00:00	2.3	9.2	47.4	21	9	1.1	西北西
2025/03/01 18:00:00	2.7	13.7	42.1	26	10	1.2	西北
2025/03/01 19:00:00	2.6	--	39.7	36	9	0.9	西北
2025/03/01 20:00:00	2.4	--	28	39	16	0.7	東北東
2025/03/01 21:00:00	2.3	--	19.4	45	24	0.2	東
2025/03/01 22:00:00	2.4	--	20.4	47	28	0.7	東
2025/03/01 23:00:00	2.4	--	12.6	43	23	0.1	東北東
2025/03/02 00:00:00	2.3	--	7.3	35	17	0.2	東南東
2025/03/02 01:00:00	2.4	--	7.7	30	15	0.1	東
2025/03/02 02:00:00	2.6	29.2	5	30	17	0.2	西北西
2025/03/02 03:00:00	2.4	29.3	3.2	29	14	0.1	西南西
2025/03/02 04:00:00	2.3	--	8.7	32	16	0.5	東北東
2025/03/02 05:00:00	2.3	26	4.8	29	14	0.3	東南東
2025/03/02 06:00:00	2.4	21.1	7.8	28	15	0.5	東
2025/03/02 07:00:00	2.4	17	10.6	22	13	0.3	東
2025/03/02 08:00:00	2.6	18.7	10.6	22	13	0.5	東北
2025/03/02 09:00:00	2.7	13.2	22.2	32	15	1.4	東北
2025/03/02 10:00:00	3.9	6.2	39.3	29	14	1.6	東北
2025/03/02 11:00:00	3.2	5.3	46.6	29	8	1.1	北北西
2025/03/02 12:00:00	3.2	5.1	50.3	38	9	1.7	西北
2025/03/02 13:00:00	3.1	3.9	49.8	32	8	1.6	北北西
2025/03/02 14:00:00	2.7	4.4	49.2	27	6	1.8	西北
2025/03/02 15:00:00	2.8	5.4	48.6	29	7	1.6	西北西
2025/03/02 16:00:00	2.9	7.3	45.5	30	6	1.9	西北西
2025/03/02 17:00:00	3.1	10.4	37.9	27	8	1.4	西北西
2025/03/02 18:00:00	3.1	10	38.2	24	8	1.1	西北
2025/03/02 19:00:00	2.8	8.7	39.4	30	12	0.6	北北西
2025/03/02 20:00:00	2.7	--	29.7	32	10	0.5	東北東
2025/03/02 21:00:00	3.1	--	25.5	31	12	1.6	南南東
2025/03/02 22:00:00	3.5	--	36.6	41	15	1.6	南
2025/03/02 23:00:00	3.1	--	38.2	31	11	1.3	南

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/03 00:00:00	2.9	--	40.9	35	9	1.8	南南西
2025/03/03 01:00:00	2.8	--	35.3	32	12	1.4	南南西
2025/03/03 02:00:00	2.9	--	32.1	42	15	1.5	南南西
2025/03/03 03:00:00	3.1	--	31.1	49	25	1.2	南
2025/03/03 04:00:00	2.7	--	27.8	47	20	1.1	南南西
2025/03/03 05:00:00	2.7	--	23.4	43	17	0.7	南
2025/03/03 06:00:00	2.7	--	18.7	44	15	1.3	南南西
2025/03/03 07:00:00	2.7	18.7	8.7	36	14	0.7	南南西
2025/03/03 08:00:00	3.1	16.7	9.8	40	11	1.8	南南西
2025/03/03 09:00:00	2.4	8.4	16.5	36	13	2.6	南
2025/03/03 10:00:00	2.4	9.4	17.7	33	12	2.8	南
2025/03/03 11:00:00	2.3	7	26.6	29	8	2.7	西南
2025/03/03 12:00:00	3.3	12.7	29.9	37	9	2.1	西南西
2025/03/03 13:00:00	3.2	8.9	39.8	51	18	3.5	西南西
2025/03/03 14:00:00	2.8	6.7	37.1	52	21	3.1	西南西
2025/03/03 15:00:00	2.6	8.1	42.6	36	10	2.4	西南
2025/03/03 16:00:00	2.4	9.6	46.3	42	10	3	西南西
2025/03/03 17:00:00	2.8	13.1	24.2	48	15	2.2	西
2025/03/03 18:00:00	2.7	16.2	15.8	35	8	1.8	西南西
2025/03/03 19:00:00	2.4	11.6	16.7	32	8	2.6	南南西
2025/03/03 20:00:00	2.3	10.4	14.3	29	8	2.4	南南西
2025/03/03 21:00:00	2.1	6.8	14.8	28	5	2.4	南南西
2025/03/03 22:00:00	2	7.1	13.1	27	7	1.3	西南
2025/03/03 23:00:00	2	14.7	6.8	23	8	1.8	西北
2025/03/04 00:00:00	1.6	12.2	14.4	43	11	2.6	北北東
2025/03/04 01:00:00	1.5	14.8	11.2	33	12	2	北北東
2025/03/04 02:00:00	1.7	11.4	9.2	19	4	0.9	北
2025/03/04 03:00:00	1.7	12.1	6.2	13	3	1.2	北北東
2025/03/04 04:00:00	1.6	8.3	12.7	13	3	1.5	東北
2025/03/04 05:00:00	1.7	6	15.8	8	0	4.1	東
2025/03/04 06:00:00	1.7	5.9	15.1	4	0	4.3	東南東
2025/03/04 07:00:00	1.6	8.3	12.8	1	0	1.2	東
2025/03/04 08:00:00	1.7	11.4	9	6	0	1.7	北北東
2025/03/04 09:00:00	1.7	9.3	16.7	11	3	2.6	東北
2025/03/04 10:00:00	1.6	8.9	18.4	12	1	1.1	北北東
2025/03/04 11:00:00	1.8	10.5	19.9	12	1	1.8	西北
2025/03/04 12:00:00	1.7	7.7	29.3	22	1	2.9	北
2025/03/04 13:00:00	1.7	8.3	33.5	37	10	2.4	北北東
2025/03/04 14:00:00	1.6	8.3	47	42	14	2.1	北北西
2025/03/04 15:00:00	1.6	9.5	49.3	47	17	2	北北西
2025/03/04 16:00:00	1.7	8.4	45.9	49	14	2.3	北
2025/03/04 17:00:00	1.6	9.9	32.6	39	10	2.6	北北西
2025/03/04 18:00:00	1.3	8.9	25.4	31	11	3.3	東北
2025/03/04 19:00:00	--	5	23.7	7	7	4.1	東
2025/03/04 20:00:00	1.6	8.2	23.2	1	2	5.1	東南東
2025/03/04 21:00:00	1.6	11.6	19.9	2	0	3.6	東南
2025/03/04 22:00:00	1.5	8.7	21.4	3	0	3.8	東南東
2025/03/04 23:00:00	1.6	6.2	25.9	3	0	2.4	東南東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/05 00:00:00	1.5	5.6	25.9	2	0	1.5	北
2025/03/05 01:00:00	1.6	4.6	28	6	0	1.9	東北
2025/03/05 02:00:00	1.7	7.3	20.3	10	0	0.3	北
2025/03/05 03:00:00	1.7	6.7	19.5	7	1	1.1	西北
2025/03/05 04:00:00	1.7	7.7	22.7	6	0	2.2	東北
2025/03/05 05:00:00	1.6	5.1	29.9	16	3	2.9	北北東
2025/03/05 06:00:00	1.5	6.3	25.4	11	1	2.1	北北東
2025/03/05 07:00:00	1.6	9	21.1	6	1	2	北北東
2025/03/05 08:00:00	1.5	8.3	22.7	8	2	3.2	北北東
2025/03/05 09:00:00	1.6	9.2	22.1	8	1	3.4	北北東
2025/03/05 10:00:00	1.5	10.6	19.7	14	1	2.9	北北東
2025/03/05 11:00:00	1.7	9.4	21.5	4	0	2.5	北
2025/03/05 12:00:00	1.6	14.3	19.5	8	1	3	北北東
2025/03/05 13:00:00	1.5	12.9	23.6	17	1	3.5	北北東
2025/03/05 14:00:00	1.6	10	28.1	10	1	4.8	北北東
2025/03/05 15:00:00	1.5	7.3	29.2	18	6	4.2	北北東
2025/03/05 16:00:00	1.5	7.7	30.8	13	3	4.2	北北東
2025/03/05 17:00:00	1.5	8.5	30.3	11	1	4.4	北北東
2025/03/05 18:00:00	1.5	11.2	27.2	14	1	4	北北東
2025/03/05 19:00:00	1.6	10.4	28.2	21	2	4.1	北北東
2025/03/05 20:00:00	1.6	8.2	28.9	14	1	3.5	北北東
2025/03/05 21:00:00	1.6	7.3	29.1	19	8	3.5	北北東
2025/03/05 22:00:00	1.6	7	28.7	15	6	2.9	北北東
2025/03/05 23:00:00	1.6	6.5	29.2	21	5	3	北北東
2025/03/06 00:00:00	1.6	8.5	29.1	16	6	3.4	北北東
2025/03/06 01:00:00	1.6	3.7	33.2	18	4	3.7	東北
2025/03/06 02:00:00	1.6	2.8	34.2	12	1	3.4	北北東
2025/03/06 03:00:00	1.5	1.8	36.6	7	2	3.6	北北東
2025/03/06 04:00:00	1.5	1.6	38.3	11	2	3.8	北北東
2025/03/06 05:00:00	1.3	2.3	38.5	7	0	5	北北東
2025/03/06 06:00:00	1.3	2.3	39.7	6	0	5.2	北北東
2025/03/06 07:00:00	1.3	2.9	39.1	7	0	5.8	北北東
2025/03/06 08:00:00	1.3	4.4	36.8	9	0	4.7	北北東
2025/03/06 09:00:00	1.1	6.1	34.6	8	1	5.2	北北東
2025/03/06 10:00:00	0.9	7.2	33	7	2	4.2	北北東
2025/03/06 11:00:00	0.9	7.7	33.2	8	5	4.9	北北東
2025/03/06 12:00:00	0.9	6	35.4	19	5	6.2	北北東
2025/03/06 13:00:00	0.9	5.6	36.3	14	4	5.6	北北東
2025/03/06 14:00:00	--	--	--	--	--	5.7	北北東
2025/03/06 15:00:00	--	--	--	--	--	5.8	北北東
2025/03/06 16:00:00	0.7	4.8	39.4	18	2	5.7	北北東
2025/03/06 17:00:00	0.9	5.3	39.2	20	1	6.3	北北東
2025/03/06 18:00:00	0.7	5.6	39.9	15	1	6.1	北北東
2025/03/06 19:00:00	0.9	5.5	39.1	19	2	5.5	北北東
2025/03/06 20:00:00	0.9	4.5	38.8	14	3	5.5	北北東
2025/03/06 21:00:00	0.7	3.3	40.3	15	2	5.5	北北東
2025/03/06 22:00:00	0.7	2.9	41.4	15	2	5.7	北北東
2025/03/06 23:00:00	0.7	2.3	41.9	16	3	5.1	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/07 00:00:00	0.7	1.8	42.9	18	2	5.2	北北東
2025/03/07 01:00:00	0.7	1.8	43.3	12	5	5	北北東
2025/03/07 02:00:00	0.9	1.1	43.5	14	4	4.5	北北東
2025/03/07 03:00:00	0.9	0.7	43.6	12	4	3.8	北北東
2025/03/07 04:00:00	0.7	0.7	44.2	13	3	4.2	北北東
2025/03/07 05:00:00	0.7	1.3	43.1	10	4	3.7	北北東
2025/03/07 06:00:00	0.6	1.3	43.5	20	7	3.9	北北東
2025/03/07 07:00:00	0.7	3.9	40.9	23	6	3.2	北北東
2025/03/07 08:00:00	0.7	5.7	39.4	29	7	3.3	東北
2025/03/07 09:00:00	0.7	6.3	39.6	27	7	3.3	北北東
2025/03/07 10:00:00	0.9	9.2	38.3	27	10	3.6	北北東
2025/03/07 11:00:00	0.7	8.9	38.5	32	13	3.8	北北東
2025/03/07 12:00:00	0.9	6.3	42.4	30	9	3.1	北北東
2025/03/07 13:00:00	0.7	6.6	44.2	30	9	3.1	北北東
2025/03/07 14:00:00	0.9	7.9	43.5	30	10	2.6	北北東
2025/03/07 15:00:00	0.7	9.6	42.7	34	10	2	北
2025/03/07 16:00:00	0.7	8.4	44.9	34	10	3.2	北
2025/03/07 17:00:00	0.9	5.6	46.9	39	12	4.5	北北東
2025/03/07 18:00:00	0.7	7.4	43.1	41	13	4	北北東
2025/03/07 19:00:00	0.9	8.7	39.6	38	11	3.7	北北東
2025/03/07 20:00:00	0.7	7.8	37.6	23	10	3.4	北北東
2025/03/07 21:00:00	0.6	6.7	36.4	24	12	2.8	北北東
2025/03/07 22:00:00	0.9	5.6	39.7	22	11	3.1	北北東
2025/03/07 23:00:00	0.6	3.1	44.2	19	9	3.7	北北東
2025/03/08 00:00:00	0.7	2.1	45.8	15	7	3.8	北北東
2025/03/08 01:00:00	0.9	1.7	46.8	23	8	3.8	北北東
2025/03/08 02:00:00	0.9	0.7	48.4	28	10	4.2	北北東
2025/03/08 03:00:00	0.9	1	48.7	34	9	3.9	北北東
2025/03/08 04:00:00	0.7	0.9	47.7	26	7	4	北北東
2025/03/08 05:00:00	0.9	1.3	46.2	30	7	3.3	北北東
2025/03/08 06:00:00	1	2	45.5	21	8	3.9	北北東
2025/03/08 07:00:00	0.9	3.7	43.1	26	7	3.1	北北東
2025/03/08 08:00:00	0.9	5.4	41.6	29	8	3.6	北北東
2025/03/08 09:00:00	0.9	6.3	40.8	27	10	4	北北東
2025/03/08 10:00:00	0.7	6.6	39.8	32	9	3.7	北北東
2025/03/08 11:00:00	0.7	5.5	40.8	34	9	3.4	北北東
2025/03/08 12:00:00	0.9	5.1	46.5	31	10	4.2	北北東
2025/03/08 13:00:00	0.9	4.9	50.2	34	15	4.5	北北東
2025/03/08 14:00:00	0.9	4.8	52.1	43	12	5.4	北北東
2025/03/08 15:00:00	0.9	5.7	51.5	47	11	5	北北東
2025/03/08 16:00:00	0.9	6.3	49.5	47	13	4.7	北北東
2025/03/08 17:00:00	0.9	7.7	47.5	45	13	4.8	北北東
2025/03/08 18:00:00	1.1	9.3	44	41	10	4	北北東
2025/03/08 19:00:00	1.1	10.3	41.4	38	10	3.7	北北東
2025/03/08 20:00:00	1	8.7	41.3	29	10	3.4	北北東
2025/03/08 21:00:00	1	8.3	40.5	30	8	3.5	北北東
2025/03/08 22:00:00	1	7.7	39.3	29	7	2.7	北北東
2025/03/08 23:00:00	1.2	8.1	38.3	21	7	2.3	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/09 00:00:00	1.1	7.9	38.1	24	7	2.6	北北東
2025/03/09 01:00:00	1.2	7.9	38.7	26	7	2.9	北北東
2025/03/09 02:00:00	1.3	7.2	37.9	23	6	2.6	北北東
2025/03/09 03:00:00	1.3	6.1	38.6	28	6	3.2	東北
2025/03/09 04:00:00	1.2	6	38.3	23	5	2.4	北北東
2025/03/09 05:00:00	1.3	6.2	37.4	24	6	3.1	北北東
2025/03/09 06:00:00	1.2	7.2	34.9	25	6	3	北北東
2025/03/09 07:00:00	1.2	8.8	32.4	25	7	2.7	北北東
2025/03/09 08:00:00	1.3	8.8	33.2	26	7	3.4	北北東
2025/03/09 09:00:00	1.5	7.6	37.9	26	9	3.6	北北東
2025/03/09 10:00:00	1.3	7	42.2	21	9	3.3	北北東
2025/03/09 11:00:00	1.1	5	50.2	29	8	3.9	北
2025/03/09 12:00:00	1	4.6	53.1	41	8	4.7	北北東
2025/03/09 13:00:00	1	5	54.2	39	8	4.1	北北東
2025/03/09 14:00:00	1	4.8	54.3	42	13	3.6	北北東
2025/03/09 15:00:00	1	5	54.8	42	10	4.2	北北東
2025/03/09 16:00:00	1	4.9	54	43	11	3.9	北北東
2025/03/09 17:00:00	0.9	5.3	51	43	8	4	北北東
2025/03/09 18:00:00	1	5	48.5	40	9	4.6	北北東
2025/03/09 19:00:00	0.9	6.7	45.7	37	11	3.7	北北東
2025/03/09 20:00:00	1.1	6.8	43.2	41	9	2.6	北北東
2025/03/09 21:00:00	1.3	7.3	40.9	35	6	2.6	東北
2025/03/09 22:00:00	1.2	7.1	38.7	36	8	1.9	北北東
2025/03/09 23:00:00	1.1	7.1	38.2	29	6	1.7	北北東
2025/03/10 00:00:00	1.2	8.2	33.5	28	9	1.4	東北
2025/03/10 01:00:00	1.2	7.9	30.2	23	11	1	東北
2025/03/10 02:00:00	1.1	6.1	28.2	27	6	1.1	東北
2025/03/10 03:00:00	1.1	7.1	25.9	22	9	0.8	北
2025/03/10 04:00:00	1.1	6.3	30.3	28	9	1.1	北北東
2025/03/10 05:00:00	0.9	4.4	43.8	32	7	2.4	北北東
2025/03/10 06:00:00	1	6.5	39.3	38	5	2.1	北北東
2025/03/10 07:00:00	1	7	37.1	46	10	1.5	北北東
2025/03/10 08:00:00	1	9.3	33.3	50	13	1.8	北北東
2025/03/10 09:00:00	1	9.8	28	35	9	1.5	北北東
2025/03/10 10:00:00	1	11.4	28.7	33	10	1.5	北北東
2025/03/10 11:00:00	1	10.9	37.1	46	18	2.3	北
2025/03/10 12:00:00	1	10.3	38.9	60	20	2.1	北
2025/03/10 13:00:00	1	8.1	45.4	58	16	1.6	北
2025/03/10 14:00:00	1.1	6.1	51.6	61	13	2.3	北北西
2025/03/10 15:00:00	1.1	6.2	54.5	56	15	2.1	北北西
2025/03/10 16:00:00	1.1	7.4	56.3	57	14	2.1	北北西
2025/03/10 17:00:00	1.1	7.7	58.1	55	17	2.2	北
2025/03/10 18:00:00	0.9	10	55.8	61	17	1.6	北
2025/03/10 19:00:00	0.9	10.4	53.4	64	20	1.3	北北東
2025/03/10 20:00:00	1	9.9	49.9	76	19	0.6	北北東
2025/03/10 21:00:00	1	8.8	42.7	75	24	0.7	東
2025/03/10 22:00:00	0.7	10.7	32.1	67	21	0.6	東
2025/03/10 23:00:00	0.9	9.6	34.7	61	22	0.4	東北

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/11 00:00:00	0.7	11.4	27.1	67	19	0.7	東北東
2025/03/11 01:00:00	0.7	14.7	21.1	63	24	1.1	東北
2025/03/11 02:00:00	1	8.9	32.2	71	22	1.5	北北東
2025/03/11 03:00:00	1	9.6	30.5	63	22	1.7	東北
2025/03/11 04:00:00	0.9	12.5	21	74	27	1.4	東北
2025/03/11 05:00:00	0.7	17.3	17.6	56	33	1.6	北北東
2025/03/11 06:00:00	0.7	18.3	11.4	59	29	1.2	北北東
2025/03/11 07:00:00	0.9	19.7	7.2	58	31	0.6	西北
2025/03/11 08:00:00	1	15.5	8.4	61	26	0.8	北
2025/03/11 09:00:00	1	14.5	12.9	53	27	0.6	北
2025/03/11 10:00:00	1.2	17.8	14.4	59	33	1.1	北
2025/03/11 11:00:00	1.3	19.9	13.7	60	33	1	北北西
2025/03/11 12:00:00	1.5	18.2	26.6	66	32	1.7	北北西
2025/03/11 13:00:00	1.2	12.2	41.3	67	32	1.8	北北西
2025/03/11 14:00:00	1.2	9	62.1	59	30	0.8	北
2025/03/11 15:00:00	1	10.9	63.9	42	21	1	西北西
2025/03/11 16:00:00	1.3	27.4	45.3	44	20	1.2	西
2025/03/11 17:00:00	2.1	38	41.5	48	18	1.6	西北西
2025/03/11 18:00:00	2.1	22.5	47.1	63	28	1	北北西
2025/03/11 19:00:00	1.1	15.1	42.9	44	20	1	東北
2025/03/11 20:00:00	0.9	17.7	38.6	37	19	1.1	北北東
2025/03/11 21:00:00	0.9	10.7	49.1	47	20	1.4	北北東
2025/03/11 22:00:00	0.9	11.4	40	53	24	0.8	東北
2025/03/11 23:00:00	0.9	14.8	26.9	56	22	0.6	東北東
2025/03/12 00:00:00	0.9	12.7	25.6	44	17	0.5	東北東
2025/03/12 01:00:00	0.9	14.2	19.8	41	17	0.5	東北
2025/03/12 02:00:00	1	14.3	19.3	48	24	0.7	東北
2025/03/12 03:00:00	0.9	13.7	13.7	52	21	0.2	西北西
2025/03/12 04:00:00	1	14.4	9.5	52	27	0.1	西
2025/03/12 05:00:00	1	17.6	6.1	52	26	0.6	東北
2025/03/12 06:00:00	0.9	15.6	9.5	53	22	0.5	北北東
2025/03/12 07:00:00	1	14.8	9.9	52	23	0.7	東北
2025/03/12 08:00:00	1	15.9	12	54	25	0.5	東北
2025/03/12 09:00:00	1.2	19.8	13.1	68	31	0.3	西北
2025/03/12 10:00:00	1.5	22.1	18.2	69	33	0.6	北北西
2025/03/12 11:00:00	1.7	21.1	23.6	80	36	0.7	北北西
2025/03/12 12:00:00	1.3	9.2	33.9	62	29	1.1	北北西
2025/03/12 13:00:00	1.1	6.3	36	24	7	1.3	北北西
2025/03/12 14:00:00	1.1	6.7	30.8	19	5	1.7	西北西
2025/03/12 15:00:00	1.1	6.7	28.4	17	3	1.4	西南西
2025/03/12 16:00:00	5.5	13.6	23.9	19	7	1.6	西南
2025/03/12 17:00:00	3.2	19.9	19.8	27	6	1.9	西
2025/03/12 18:00:00	3.2	22	18.9	38	7	1.8	西南
2025/03/12 19:00:00	2.1	24.9	14	51	10	0.9	西南
2025/03/12 20:00:00	2.2	27	7.2	33	10	0.7	南
2025/03/12 21:00:00	1.6	25.8	10.7	32	12	0.9	南南西
2025/03/12 22:00:00	1.5	21	14.8	42	12	0.7	南南東
2025/03/12 23:00:00	1.8	23.2	10.6	43	11	0.8	南南東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/13 00:00:00	1.8	22.6	11.2	48	13	0.8	西南
2025/03/13 01:00:00	2.4	17.1	14.8	43	17	1.1	南南東
2025/03/13 02:00:00	1.5	15.4	10	44	11	0.3	東北東
2025/03/13 03:00:00	1.6	17.9	8.7	34	16	0.7	東北東
2025/03/13 04:00:00	1.5	15.6	14.3	35	12	0.9	東北
2025/03/13 05:00:00	1.1	10.4	18.4	29	11	0.9	東北
2025/03/13 06:00:00	1.1	15.5	13.1	31	13	0.2	東南
2025/03/13 07:00:00	1.7	22.8	8.7	37	15	0.5	西南西
2025/03/13 08:00:00	2	26.5	6.6	46	21	0.6	北北西
2025/03/13 09:00:00	1.3	15.9	17.7	52	20	1	北北東
2025/03/13 10:00:00	1.1	10.9	25.6	45	15	1.6	北
2025/03/13 11:00:00	1.2	12	23.2	31	8	2.2	北
2025/03/13 12:00:00	1.1	17.3	13.6	25	9	3.8	北北東
2025/03/13 13:00:00	1	19.2	11	22	6	1.4	北北東
2025/03/13 14:00:00	1.2	16.8	12.1	9	3	2.7	東南東
2025/03/13 15:00:00	1.1	16	12.8	6	4	3	東南東
2025/03/13 16:00:00	1.2	23.4	7.8	10	2	0.5	南南西
2025/03/13 17:00:00	1.3	21.7	8.2	11	2	0.2	東北
2025/03/13 18:00:00	1.5	24.2	5.3	13	6	0.5	西北西
2025/03/13 19:00:00	1.3	27.1	2.4	21	9	0.3	西北
2025/03/13 20:00:00	1.3	22.6	6.6	17	5	1.4	北北東
2025/03/13 21:00:00	1.1	13.3	17.2	14	6	1.6	北北東
2025/03/13 22:00:00	1	13.9	15.4	26	7	1.9	北北東
2025/03/13 23:00:00	1.1	12.3	16.8	35	9	1.8	北北東
2025/03/14 00:00:00	1	13.3	14.2	41	14	2.2	北北東
2025/03/14 01:00:00	1.1	17.2	8.4	50	23	2.2	北北東
2025/03/14 02:00:00	1.3	11.8	17.1	47	23	2.8	北北東
2025/03/14 03:00:00	1.2	12.1	18.9	59	23	2.2	北北東
2025/03/14 04:00:00	1.1	7.8	26.7	44	18	2.2	北北東
2025/03/14 05:00:00	1	6.2	28.8	42	15	2.5	北北東
2025/03/14 06:00:00	1.1	6.8	30	33	11	2.8	北北東
2025/03/14 07:00:00	1	8.2	26.1	31	10	2.4	北北東
2025/03/14 08:00:00	1.1	13.7	19	30	12	0.8	北
2025/03/14 09:00:00	1.2	11.1	25.2	26	12	1.2	北
2025/03/14 10:00:00	1.1	9.3	30.5	33	13	3.1	北北東
2025/03/14 11:00:00	1.1	8.8	33.3	37	14	4.1	北北東
2025/03/14 12:00:00	1	9.3	35.8	25	11	2.3	北北東
2025/03/14 13:00:00	1.2	12.1	35.9	21	10	1.6	北
2025/03/14 14:00:00	1.3	12.8	34.9	28	8	1.5	北北東
2025/03/14 15:00:00	0.9	9.8	44.3	34	11	1.3	北北西
2025/03/14 16:00:00	1.1	12.3	45.7	29	9	1.8	北北西
2025/03/14 17:00:00	1.1	13.8	54.7	38	11	2.1	北
2025/03/14 18:00:00	1.2	12.7	45.3	44	15	2.3	北
2025/03/14 19:00:00	1.1	15.1	36.6	30	10	2.3	北北東
2025/03/14 20:00:00	1.1	14.4	31.1	36	10	1.8	北北東
2025/03/14 21:00:00	1.1	12.1	29.7	41	16	1.7	北
2025/03/14 22:00:00	1.1	12.5	27.8	51	23	2.3	北北東
2025/03/14 23:00:00	1.1	14.9	22.5	56	22	2.1	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/15 00:00:00	1.1	11.8	20.3	59	24	0.7	東北
2025/03/15 01:00:00	1	11.1	20.9	63	29	1	北
2025/03/15 02:00:00	1.2	8.8	22.2	61	24	0.6	北北東
2025/03/15 03:00:00	1.1	9.2	18.8	66	24	0.2	東南
2025/03/15 04:00:00	1.1	10.3	14.3	65	28	0.2	北北西
2025/03/15 05:00:00	1.1	9.4	15.8	61	26	1.3	北北東
2025/03/15 06:00:00	1.1	10.3	15.6	61	23	1.9	北北東
2025/03/15 07:00:00	1.1	12.8	11.7	33	11	0.5	東北東
2025/03/15 08:00:00	1.3	16.8	9.8	23	11	0.6	西
2025/03/15 09:00:00	1.5	15.8	9.9	33	17	0.5	北北西
2025/03/15 10:00:00	3.8	19.8	13.2	37	9	0.8	西南西
2025/03/15 11:00:00	2.1	17.3	22.2	48	14	2	北北西
2025/03/15 12:00:00	1.2	12	30.6	26	4	2.4	北北東
2025/03/15 13:00:00	1.2	10.6	31.1	19	4	3.2	東北東
2025/03/15 14:00:00	1.2	9.5	31	9	1	2.9	東
2025/03/15 15:00:00	1.3	10.4	32.8	6	0	1.3	北
2025/03/15 16:00:00	1.2	8.4	35.5	6	1	2.8	東
2025/03/15 17:00:00	1.3	10.5	33.3	6	3	1.5	北
2025/03/15 18:00:00	1.2	11.7	31.5	15	1	3.1	北北東
2025/03/15 19:00:00	1.1	11.4	28.4	16	0	2.5	北北東
2025/03/15 20:00:00	1.2	12.1	26.3	21	5	3.2	北北東
2025/03/15 21:00:00	1.1	8.9	31	35	12	3.7	北北東
2025/03/15 22:00:00	1.2	7.9	31.9	34	11	4.3	北北東
2025/03/15 23:00:00	1.2	7.1	32.7	29	9	4	北北東
2025/03/16 00:00:00	1	5.5	34.3	20	4	4.6	北北東
2025/03/16 01:00:00	1	4.4	34.3	17	2	4.6	北北東
2025/03/16 02:00:00	1.1	3.9	33.9	13	3	4.5	東北
2025/03/16 03:00:00	1.1	4	33.5	8	3	4.9	北北東
2025/03/16 04:00:00	1	3.5	37.4	6	1	5.5	北北東
2025/03/16 05:00:00	1	2.9	37.9	4	0	5.5	北北東
2025/03/16 06:00:00	1.1	3.5	35.7	5	0	5	北北東
2025/03/16 07:00:00	1.1	4.2	34.4	4	4	5.1	北北東
2025/03/16 08:00:00	1.1	5	32.6	8	2	5.2	北北東
2025/03/16 09:00:00	1	5.1	33	9	0	5.5	北北東
2025/03/16 10:00:00	1	5.1	35.3	11	2	6	北北東
2025/03/16 11:00:00	1	5.3	37.9	16	1	6	北北東
2025/03/16 12:00:00	1.1	4.9	39.9	14	1	6	北北東
2025/03/16 13:00:00	1.1	4	44.2	16	3	5.9	北北東
2025/03/16 14:00:00	0.9	4	48.2	15	4	4.9	北北東
2025/03/16 15:00:00	1	4.4	49.7	19	6	6	北北東
2025/03/16 16:00:00	1.1	4	51.3	27	5	6.5	北北東
2025/03/16 17:00:00	1.1	4.4	50.8	22	6	5.9	北北東
2025/03/16 18:00:00	1.2	5.6	51.8	21	6	5.4	北北東
2025/03/16 19:00:00	1.2	5.9	54.1	30	7	5.6	北北東
2025/03/16 20:00:00	1.1	4.8	55.4	40	15	5.7	東北
2025/03/16 21:00:00	1	3.7	58.5	48	19	7.2	東北
2025/03/16 22:00:00	1	2.9	57.4	45	17	6.7	東北
2025/03/16 23:00:00	0.9	2.9	56.3	38	14	4.9	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/17 00:00:00	1	2.8	55.8	35	13	4.3	北北東
2025/03/17 01:00:00	1	2.7	55.2	32	14	3.7	北北東
2025/03/17 02:00:00	1.2	3.7	54.5	35	18	5	北北東
2025/03/17 03:00:00	1.2	4.3	49.8	53	21	4.3	北北東
2025/03/17 04:00:00	0.9	4.8	45.1	59	27	4.6	北北東
2025/03/17 05:00:00	1.1	4.8	45.8	58	26	4.3	北北東
2025/03/17 06:00:00	1	4.6	46.3	51	23	4.4	北北東
2025/03/17 07:00:00	1	5.5	45.2	53	22	4.7	北北東
2025/03/17 08:00:00	0.9	7	43.7	45	20	4.2	北北東
2025/03/17 09:00:00	1	8.5	43.3	41	21	4.5	北北東
2025/03/17 10:00:00	1.1	10.9	41.9	44	18	4.5	北北東
2025/03/17 11:00:00	1	9.2	43.6	45	21	5.2	東北
2025/03/17 12:00:00	1	7.8	44.6	46	19	5.4	東北
2025/03/17 13:00:00	1	8.9	44	40	13	5.2	東北
2025/03/17 14:00:00	1	8.1	44.1	42	14	4.9	東北
2025/03/17 15:00:00	1	9.8	41.9	43	15	4.2	東北
2025/03/17 16:00:00	1	9	41.9	42	17	4.2	東北
2025/03/17 17:00:00	1	9.4	40.7	40	19	3.6	東北
2025/03/17 18:00:00	1	9.9	39.7	37	15	3.6	東北
2025/03/17 19:00:00	1	9.9	38.2	27	11	3.2	東北
2025/03/17 20:00:00	0.9	9.5	36.6	35	13	2.7	東北
2025/03/17 21:00:00	0.9	10	35.4	35	16	2.4	北北東
2025/03/17 22:00:00	1	8.8	34.8	38	15	2	北北東
2025/03/17 23:00:00	1	7.8	33.9	37	15	2	北北東
2025/03/18 00:00:00	0.9	6.7	33.6	36	14	2.2	北北東
2025/03/18 01:00:00	0.9	5.7	37	32	14	2	北北東
2025/03/18 02:00:00	1.3	8.7	36	28	15	2.2	北北東
2025/03/18 03:00:00	1.3	8.1	36.8	33	14	3.8	東北
2025/03/18 04:00:00	1.3	8.3	36.6	31	11	3.3	北北東
2025/03/18 05:00:00	1.2	8.3	35.4	29	13	3.2	東北
2025/03/18 06:00:00	1	7.2	33.7	29	13	1.7	東北
2025/03/18 07:00:00	1	8.3	29.3	22	10	1.7	北北東
2025/03/18 08:00:00	1.1	13.7	24.1	24	12	1.3	北北東
2025/03/18 09:00:00	1.1	21.9	17.1	21	5	1	北
2025/03/18 10:00:00	1.5	18.7	25.3	22	11	2.5	北北東
2025/03/18 11:00:00	1.6	19.3	27.8	29	6	2.5	北北東
2025/03/18 12:00:00	1.3	14.7	36.4	24	8	3.5	東北
2025/03/18 13:00:00	1.1	7.6	49.2	17	9	4.7	東北
2025/03/18 14:00:00	1	6.8	49.7	26	7	4.1	東北
2025/03/18 15:00:00	1.1	8.1	47.5	25	7	3.7	東北
2025/03/18 16:00:00	1.1	9.5	46.9	20	9	3.2	東北
2025/03/18 17:00:00	1	11.1	45.7	21	10	2.8	北北東
2025/03/18 18:00:00	1.1	10.3	46.5	29	13	3.3	東北
2025/03/18 19:00:00	1.1	13.7	41.1	27	10	2	東北
2025/03/18 20:00:00	1.1	17.3	32.5	25	12	0.9	東北
2025/03/18 21:00:00	1.1	18.2	28.1	32	16	1	東北東
2025/03/18 22:00:00	1.1	17.7	26.5	35	16	0.4	東北
2025/03/18 23:00:00	1	18.1	18.6	32	14	0.9	東北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/19 00:00:00	1	17.2	10.1	28	13	0.5	東北東
2025/03/19 01:00:00	1.1	14.4	12.5	17	11	1	東北東
2025/03/19 02:00:00	1.2	13.7	10.1	20	11	1.1	東北東
2025/03/19 03:00:00	1.2	15	8.2	17	7	1.3	東北
2025/03/19 04:00:00	1.1	6.5	40.3	19	7	1.9	東北
2025/03/19 05:00:00	1	7.1	33.8	10	9	1.6	東北東
2025/03/19 06:00:00	1	8.1	39.2	14	9	1.7	東北東
2025/03/19 07:00:00	1.1	12.3	24.8	16	8	1.3	東北
2025/03/19 08:00:00	1.2	13.1	19.3	17	8	1.8	東北
2025/03/19 09:00:00	1.2	9.8	45.3	22	9	2.9	東北
2025/03/19 10:00:00	1.1	7.1	49.5	27	7	2.5	東北
2025/03/19 11:00:00	1	6.2	53.5	27	7	1.7	北
2025/03/19 12:00:00	1.2	6.8	59.5	25	10	1.7	北北西
2025/03/19 13:00:00	1.1	8.1	67.8	35	10	2.7	北
2025/03/19 14:00:00	1.1	7.7	72.3	48	15	3.5	北
2025/03/19 15:00:00	1	7.4	73	52	17	4.3	北北東
2025/03/19 16:00:00	1.1	8.8	72.2	58	19	3.8	北北東
2025/03/19 17:00:00	1.1	9.4	70.7	69	21	3.9	北北東
2025/03/19 18:00:00	1	12.1	64	63	17	3.8	北北東
2025/03/19 19:00:00	1.1	14.2	55.8	61	19	3	北北東
2025/03/19 20:00:00	1.2	11.5	52	52	21	2.6	東北
2025/03/19 21:00:00	1.2	11.6	47.1	48	19	1.9	東北
2025/03/19 22:00:00	1	12.6	39.1	48	18	0.9	東北
2025/03/19 23:00:00	1	12.6	32	38	20	1.1	東北東
2025/03/20 00:00:00	1	12.3	27.1	40	17	1.1	東北東
2025/03/20 01:00:00	1	14.3	21.6	34	15	1.1	東北東
2025/03/20 02:00:00	1	14.3	18.7	37	16	1.1	東北東
2025/03/20 03:00:00	1.1	14	16.6	37	16	1	東北東
2025/03/20 04:00:00	1	10.4	22.2	33	15	1	東北東
2025/03/20 05:00:00	1	8.1	27.1	28	15	1.5	東北
2025/03/20 06:00:00	1	7.4	32.5	23	12	1.7	東北
2025/03/20 07:00:00	1	12.3	28.6	16	10	2	東北
2025/03/20 08:00:00	1	13.3	30.2	23	10	1.8	東北
2025/03/20 09:00:00	1.2	8.1	41.8	21	10	2.6	北北東
2025/03/20 10:00:00	1.1	7.1	50.3	24	11	3.3	北北東
2025/03/20 11:00:00	1.1	8.8	57	31	10	3.1	北北東
2025/03/20 12:00:00	1.3	10.3	70	34	13	3.1	北
2025/03/20 13:00:00	1.6	8.2	75.6	45	16	3.4	北
2025/03/20 14:00:00	1.7	5.9	73.6	49	15	4.2	北北東
2025/03/20 15:00:00	1.3	6	70.9	48	11	4	北北東
2025/03/20 16:00:00	1.3	7.1	70.2	44	10	3.5	北北東
2025/03/20 17:00:00	1.2	8.7	69.5	42	9	3.2	北北東
2025/03/20 18:00:00	1.2	11.2	65	41	13	3.1	北北東
2025/03/20 19:00:00	1.3	15.6	55.1	48	15	1.9	北北東
2025/03/20 20:00:00	1.3	17.5	47.9	45	17	1.6	東北
2025/03/20 21:00:00	1.5	16.1	45.7	45	18	0.6	北北東
2025/03/20 22:00:00	1.2	16.1	37.6	39	17	0.6	東北東
2025/03/20 23:00:00	1.2	17.2	31.5	40	17	0.8	東北

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/21 00:00:00	1.3	14.2	30	37	16	1	東北東
2025/03/21 01:00:00	1.1	14.5	27.5	26	17	0.4	東北東
2025/03/21 02:00:00	1.1	12.1	27.7	30	13	0.8	東北東
2025/03/21 03:00:00	1.2	16.1	23.1	29	13	1	東北
2025/03/21 04:00:00	1	14.7	25.2	29	16	1.7	東北東
2025/03/21 05:00:00	1	13.6	25.6	29	15	1.6	東北東
2025/03/21 06:00:00	1	15.9	21.4	21	10	1.3	東北東
2025/03/21 07:00:00	1.1	18.9	20.6	20	8	1.2	東北東
2025/03/21 08:00:00	1.2	16.4	22.6	14	10	0.9	東北
2025/03/21 09:00:00	1.3	14.8	29.3	21	9	1.1	北
2025/03/21 10:00:00	1.5	10.9	41	22	7	1.9	北
2025/03/21 11:00:00	1.6	12.2	46.3	21	7	1.9	北
2025/03/21 12:00:00	1.6	13.1	60.1	28	9	2.1	北
2025/03/21 13:00:00	1.6	7.7	72.3	39	12	2.7	北
2025/03/21 14:00:00	1.8	6.6	--	42	10	2.3	北
2025/03/21 15:00:00	1.7	5.6	72.3	36	8	3.1	北北東
2025/03/21 16:00:00	1.6	4.8	71.3	37	8	3.1	北北東
2025/03/21 17:00:00	1.6	6	68.7	34	8	3	北北東
2025/03/21 18:00:00	1.3	9.9	65.3	35	10	2.7	北北東
2025/03/21 19:00:00	--	7.4	58.5	37	11	1.7	北北東
2025/03/21 20:00:00	0.9	14.7	45.4	39	11	1.3	東北東
2025/03/21 21:00:00	0.9	15.1	46.5	33	12	1.5	東北東
2025/03/21 22:00:00	1	13.6	48.1	38	14	1	東北
2025/03/21 23:00:00	1.1	13.8	43.1	41	13	2.4	東南東
2025/03/22 00:00:00	0.9	20.1	33.6	41	13	0.2	北北東
2025/03/22 01:00:00	0.9	31.7	18.3	43	11	0.7	東北東
2025/03/22 02:00:00	1.2	34.3	16.6	44	22	0.6	東北東
2025/03/22 03:00:00	1.2	29.8	17.2	46	21	0.7	東北東
2025/03/22 04:00:00	1	15.4	33.9	47	24	0.7	東
2025/03/22 05:00:00	0.9	9.5	34.7	34	13	0.8	東
2025/03/22 06:00:00	1	12.8	29.5	26	9	1.6	東北東
2025/03/22 07:00:00	1	15.6	26.9	29	13	2	東北東
2025/03/22 08:00:00	1.6	19.2	28.2	33	15	1.6	東北東
2025/03/22 09:00:00	2.3	12.9	39.4	40	16	0.6	東北東
2025/03/22 10:00:00	3.2	14.2	44.2	35	11	0.9	北
2025/03/22 11:00:00	1.8	11.8	59.2	31	18	1.9	西北
2025/03/22 12:00:00	1.8	11.5	73.1	52	18	2.2	西北
2025/03/22 13:00:00	1.3	8.1	70.5	66	37	2.2	西北
2025/03/22 14:00:00	1.1	5.5	70.5	48	15	2.2	北北西
2025/03/22 15:00:00	1.2	5.7	69.5	42	14	2.2	北北西
2025/03/22 16:00:00	1.2	5.4	70.2	35	13	2.1	北北西
2025/03/22 17:00:00	1.3	7.1	73.3	36	11	2.1	北
2025/03/22 18:00:00	1.5	9.9	69.8	36	8	1.7	北
2025/03/22 19:00:00	1.1	11.5	60.9	37	13	1.2	北北東
2025/03/22 20:00:00	0.9	11.1	46.6	55	16	1.6	東北東
2025/03/22 21:00:00	0.7	18.2	35.5	44	20	1	東北東
2025/03/22 22:00:00	1	19.8	34.7	41	19	0.2	東北
2025/03/22 23:00:00	1.1	38.2	22.7	49	21	1.1	南

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/23 00:00:00	1	38.7	14.9	64	32	0.6	東北東
2025/03/23 01:00:00	0.7	35.9	13.7	62	34	0.3	東南東
2025/03/23 02:00:00	1.3	16.2	25.4	61	29	0.4	東南
2025/03/23 03:00:00	1.3	18.2	33.8	58	26	1.1	東南東
2025/03/23 04:00:00	1	15.3	31.3	51	23	1.2	東南東
2025/03/23 05:00:00	0.9	20.4	23.9	46	20	0.5	西北
2025/03/23 06:00:00	0.7	33	13.3	47	21	0.1	東南東
2025/03/23 07:00:00	0.7	35.3	14.5	51	29	0.4	東
2025/03/23 08:00:00	1	29.4	19.7	52	29	0.6	東北東
2025/03/23 09:00:00	1.6	29.4	31.5	53	29	0.2	西北西
2025/03/23 10:00:00	1.7	15	54.3	60	31	1.3	西南西
2025/03/23 11:00:00	2.2	11.6	65.2	55	24	1.4	西南西
2025/03/23 12:00:00	4.8	20.8	63.9	57	22	1.9	西北西
2025/03/23 13:00:00	5.1	18.9	73.7	74	38	2.1	西北西
2025/03/23 14:00:00	3.8	14.8	72.6	72	32	2.2	西北西
2025/03/23 15:00:00	1.8	9.4	79.6	49	16	1.9	西北西
2025/03/23 16:00:00	1.8	9.3	78.4	44	13	2	西北西
2025/03/23 17:00:00	1.2	6.2	73.4	43	13	1.7	西北
2025/03/23 18:00:00	1.1	8.3	76.7	21	10	1.3	北北西
2025/03/23 19:00:00	0.7	8.1	67.8	26	9	0.7	東北東
2025/03/23 20:00:00	0.6	16.6	53.6	24	10	0.7	東
2025/03/23 21:00:00	0.7	16.6	50.7	33	15	0.4	東
2025/03/23 22:00:00	0.9	18.3	49.6	26	9	0.7	南南東
2025/03/23 23:00:00	1.6	19.2	43.3	29	12	0.2	東南
2025/03/24 00:00:00	2.3	25.4	39.3	33	15	1.4	東南
2025/03/24 01:00:00	1.5	13.7	54.1	45	21	1.5	東南
2025/03/24 02:00:00	1	6.6	58	37	17	0.8	南南西
2025/03/24 03:00:00	1	5.5	60.9	32	19	1.5	東南
2025/03/24 04:00:00	1	9.5	51.4	31	13	2.4	東南
2025/03/24 05:00:00	1.1	14.9	47.4	33	19	2.4	東南
2025/03/24 06:00:00	1	13.7	48.2	38	16	1.8	東南
2025/03/24 07:00:00	0.9	13.8	47.1	32	17	1.9	東南
2025/03/24 08:00:00	1.1	32.6	33.3	27	11	1.8	東南
2025/03/24 09:00:00	1.5	13.8	52.5	50	22	1.4	南
2025/03/24 10:00:00	2.2	17	56.2	34	15	1.7	南南西
2025/03/24 11:00:00	1.8	12	67	32	10	2.6	西南西
2025/03/24 12:00:00	1.8	11.4	75.1	36	11	2.6	西南西
2025/03/24 13:00:00	2.4	11.6	69.4	58	21	3	西
2025/03/24 14:00:00	3.4	13.4	63	54	16	2.7	西南西
2025/03/24 15:00:00	3.2	13.7	58.2	40	11	2.5	西南西
2025/03/24 16:00:00	3.4	14.9	51.6	43	14	2.5	西南西
2025/03/24 17:00:00	5.9	20.5	47.1	42	11	2.6	西南西
2025/03/24 18:00:00	2.8	16.5	44.1	44	11	2	西南西
2025/03/24 19:00:00	2.2	12	46.3	34	7	2	南南西
2025/03/24 20:00:00	1	12.1	39.2	30	10	1.1	南南東
2025/03/24 21:00:00	1.1	12.8	37.1	33	11	1.8	南南東
2025/03/24 22:00:00	0.9	8.3	39.9	32	8	2	南南東
2025/03/24 23:00:00	1	9.5	37.2	32	12	1.8	南南東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/25 00:00:00	0.9	9.8	34.2	37	14	1.6	南南東
2025/03/25 01:00:00	0.9	8.3	35.3	41	13	1.3	南
2025/03/25 02:00:00	0.9	3.9	40.2	40	13	1.4	南
2025/03/25 03:00:00	0.9	3.9	40.9	19	6	2.5	南南東
2025/03/25 04:00:00	1	4.3	40.9	25	7	2.8	南南東
2025/03/25 05:00:00	0.7	5.3	39.4	30	8	2.9	東南
2025/03/25 06:00:00	0.7	6.6	37.6	28	7	2.7	東南
2025/03/25 07:00:00	0.9	7.7	36.8	26	5	2.7	南南東
2025/03/25 08:00:00	0.9	7.6	38.9	29	4	2.5	南南東
2025/03/25 09:00:00	1	8.1	40.3	22	11	2.4	南
2025/03/25 10:00:00	1.2	8.5	46	26	11	2.9	南南西
2025/03/25 11:00:00	1.2	9	53.4	31	10	3	西南
2025/03/25 12:00:00	1.2	8.2	59.7	33	10	2.9	西南西
2025/03/25 13:00:00	3.2	13.4	56.7	43	15	3.1	西
2025/03/25 14:00:00	4.3	14.3	58.2	45	11	2.8	西南西
2025/03/25 15:00:00	2.7	10.7	63.9	45	9	3.2	西南西
2025/03/25 16:00:00	2	9.2	65.7	50	14	3.4	西南西
2025/03/25 17:00:00	4.3	12.3	56.5	51	14	2.8	西南西
2025/03/25 18:00:00	2.7	12.6	44.1	42	14	2.5	西南
2025/03/25 19:00:00	2.1	13.4	35.4	30	6	2	西南
2025/03/25 20:00:00	1.8	10.5	32.5	30	4	2	南南西
2025/03/25 21:00:00	1.5	13.2	25.6	27	4	1.6	南
2025/03/25 22:00:00	1.1	11.6	25.4	27	9	1.3	南
2025/03/25 23:00:00	1	8.1	29.2	27	10	2	南
2025/03/26 00:00:00	1	6	28.4	22	10	1.6	南
2025/03/26 01:00:00	1	4.5	30.4	26	10	1.8	南
2025/03/26 02:00:00	1.2	4.3	32.6	26	8	2.6	南
2025/03/26 03:00:00	1.1	5.7	34.6	24	9	2.4	南
2025/03/26 04:00:00	1.2	5.9	38.2	33	9	2.6	南
2025/03/26 05:00:00	1.3	7.6	37.9	37	14	2.1	南南西
2025/03/26 06:00:00	1.6	11.7	30.5	42	12	1.5	南南西
2025/03/26 07:00:00	1.6	15	27.2	41	18	1.5	南
2025/03/26 08:00:00	2.1	12	29.1	38	19	2.4	南
2025/03/26 09:00:00	1.8	11.1	31.6	42	15	2.6	南
2025/03/26 10:00:00	1.7	9.4	36.6	39	14	4.1	南南西
2025/03/26 11:00:00	1.5	7.7	43.5	28	12	3.8	西南
2025/03/26 12:00:00	1.6	7.6	51.2	36	14	3.8	西南
2025/03/26 13:00:00	2.2	10.6	52.4	43	12	4.2	西南西
2025/03/26 14:00:00	2.3	9.5	48	44	15	4.5	西南西
2025/03/26 15:00:00	2.3	8.2	37.7	42	12	4.1	西南西
2025/03/26 16:00:00	2.2	7.9	34.1	39	6	3.9	西南西
2025/03/26 17:00:00	2	10	32.8	31	6	3.1	西南西
2025/03/26 18:00:00	2.2	10.6	28.7	34	6	3.1	西南
2025/03/26 19:00:00	2.3	10.5	25.8	29	7	3	南南西
2025/03/26 20:00:00	1.8	10.3	22.6	27	11	2.7	南南西
2025/03/26 21:00:00	1.7	7.2	26.5	34	7	3.2	南南西
2025/03/26 22:00:00	1.6	5.7	26.6	26	10	3.4	南南西
2025/03/26 23:00:00	1.6	4.9	25.5	21	6	3.4	南南西

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/27 00:00:00	1.2	4.8	23.4	21	7	3.6	南南西
2025/03/27 01:00:00	1.2	4.5	22.8	23	6	3.4	南
2025/03/27 02:00:00	1.3	3.2	23	22	8	3.2	南
2025/03/27 03:00:00	1.3	3.4	22.5	12	7	2.7	南
2025/03/27 04:00:00	1.3	3.9	21.5	16	6	2.3	南
2025/03/27 05:00:00	1.3	5	20	23	6	2.3	南
2025/03/27 06:00:00	1.6	7.1	17.9	23	5	2.2	南
2025/03/27 07:00:00	1.6	8.8	17.6	17	7	2.3	南南東
2025/03/27 08:00:00	1.6	6.7	20.6	23	10	3.2	南南東
2025/03/27 09:00:00	1.7	9.6	22	26	11	3.2	南
2025/03/27 10:00:00	1.8	9	30.6	30	12	3.9	南
2025/03/27 11:00:00	2	8.5	38.5	35	7	5.4	南南西
2025/03/27 12:00:00	2.2	10.9	46.8	36	9	4	西南
2025/03/27 13:00:00	2.4	11.1	41.3	51	10	3.9	西南西
2025/03/27 14:00:00	2	8.9	38.9	48	12	4	西南
2025/03/27 15:00:00	1.8	7.9	30.2	43	10	4.8	西南西
2025/03/27 16:00:00	1.5	7.8	26	57	10	4.5	西南西
2025/03/27 17:00:00	1.7	8.2	25.5	55	9	3.8	西南
2025/03/27 18:00:00	1.5	6.8	20.1	34	9	4.4	西南
2025/03/27 19:00:00	1.2	8.2	17	22	5	3.4	南南西
2025/03/27 20:00:00	1.6	9.8	14.5	20	5	3	南南西
2025/03/27 21:00:00	1.6	10.3	12.7	15	5	2.2	南
2025/03/27 22:00:00	1.5	8.2	13.6	17	5	1.9	南
2025/03/27 23:00:00	1.5	7	15.5	16	6	2.4	南
2025/03/28 00:00:00	1.8	6.7	16.8	15	6	2.2	南
2025/03/28 01:00:00	2	6.2	17.5	11	3	2.6	南南東
2025/03/28 02:00:00	1.8	6.8	17	9	4	3.2	南南東
2025/03/28 03:00:00	1.8	12.1	11.4	10	4	3.4	東南
2025/03/28 04:00:00	1.6	11.6	13.8	13	3	3.4	東南
2025/03/28 05:00:00	1.5	16	10.7	17	4	2.8	東南東
2025/03/28 06:00:00	1.5	14.4	8.8	16	6	1	東北
2025/03/28 07:00:00	1.6	10	17.3	17	6	1.8	東北
2025/03/28 08:00:00	1.2	11.2	23.8	29	14	2.4	北北東
2025/03/28 09:00:00	1.2	10.5	30.3	57	21	3.2	北北東
2025/03/28 10:00:00	1.1	8.7	32.6	67	24	4.4	北北東
2025/03/28 11:00:00	1.2	8.8	34.4	75	29	4.7	北北東
2025/03/28 12:00:00	1.1	8.9	36.4	55	17	5	北北東
2025/03/28 13:00:00	1	8.1	38.1	41	9	4.8	北北東
2025/03/28 14:00:00	1.1	7.3	39.7	36	10	5	北北東
2025/03/28 15:00:00	1.2	9.5	37.2	29	9	4.6	北北東
2025/03/28 16:00:00	1.3	9.6	35.9	34	11	4.7	北北東
2025/03/28 17:00:00	1.2	8.2	36.1	39	10	4.8	北北東
2025/03/28 18:00:00	1.1	8.2	35.9	39	16	5	北北東
2025/03/28 19:00:00	1.1	11.5	31.7	29	11	3.8	北北東
2025/03/28 20:00:00	1.1	10.3	32	26	7	4.1	北北東
2025/03/28 21:00:00	1.1	7.9	33.8	20	6	4.2	北北東
2025/03/28 22:00:00	1	4.6	36.1	17	5	3.8	北北東
2025/03/28 23:00:00	1	4.2	36.4	14	3	4.3	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/29 00:00:00	1.1	4	36.5	20	6	4.8	北北東
2025/03/29 01:00:00	0.9	3.3	36.5	15	5	4.9	北北東
2025/03/29 02:00:00	1.1	3.9	36.1	15	2	4.5	北北東
2025/03/29 03:00:00	1	3.5	37.9	13	3	4.8	北北東
2025/03/29 04:00:00	1	2.9	41	14	5	5.4	北北東
2025/03/29 05:00:00	0.9	2.1	41.4	9	5	5.1	北北東
2025/03/29 06:00:00	0.9	3.1	40.5	11	2	4.7	北北東
2025/03/29 07:00:00	1.8	4	39.4	12	2	4.7	北北東
2025/03/29 08:00:00	1.8	5.7	38	13	2	4.5	北北東
2025/03/29 09:00:00	2	7.1	37.4	12	2	4.2	北北東
2025/03/29 10:00:00	1.8	5.6	38.8	14	5	4.7	東北
2025/03/29 11:00:00	1.8	5.7	38.2	12	2	4.1	北北東
2025/03/29 12:00:00	2.1	6.2	39.2	15	1	4.9	北北東
2025/03/29 13:00:00	2.1	6.2	41.3	28	3	4.6	北北東
2025/03/29 14:00:00	2.1	6.6	39.9	26	5	4.4	北北東
2025/03/29 15:00:00	2	6.2	38	25	3	5.4	北北東
2025/03/29 16:00:00	2	6.3	38.9	19	2	4.7	北北東
2025/03/29 17:00:00	2	7.3	38.8	19	2	4.8	北北東
2025/03/29 18:00:00	2	9.2	37.2	15	1	4.4	北北東
2025/03/29 19:00:00	2	7.4	38	16	1	4.5	北北東
2025/03/29 20:00:00	2	6	39.3	21	2	4.7	北北東
2025/03/29 21:00:00	1.8	5.5	39.7	21	4	4.3	北北東
2025/03/29 22:00:00	1.8	4.6	40.4	17	6	4.3	北北東
2025/03/29 23:00:00	2	4.3	40.5	13	4	3.9	北北東
2025/03/30 00:00:00	2	4.2	40.7	13	5	4.5	北北東
2025/03/30 01:00:00	1.8	3.7	42	12	3	4.4	北北東
2025/03/30 02:00:00	2	3.4	40.3	17	3	3.9	北北東
2025/03/30 03:00:00	1.8	3.1	37	9	4	4.5	北北東
2025/03/30 04:00:00	1.7	3.1	33.3	6	3	4.4	北北東
2025/03/30 05:00:00	1.6	2.7	33.1	7	4	4.1	北北東
2025/03/30 06:00:00	1.6	3.2	33.1	8	1	4	北北東
2025/03/30 07:00:00	1.6	3.3	33.7	6	0	3.9	北北東
2025/03/30 08:00:00	1.6	4.9	32.2	6	0	3.2	北北東
2025/03/30 09:00:00	1.6	5.1	32.6	5	0	3	北北東
2025/03/30 10:00:00	1.6	6	35	2	0	3.8	北北東
2025/03/30 11:00:00	1.7	6.3	36.8	6	0	4	北北東
2025/03/30 12:00:00	1.8	6.8	36.5	7	1	3.9	北北東
2025/03/30 13:00:00	1.8	6	37.7	9	4	4.5	北北東
2025/03/30 14:00:00	1.8	6.1	38.2	8	2	3.8	北北東
2025/03/30 15:00:00	1.8	5.1	40.3	9	1	4.8	北北東
2025/03/30 16:00:00	1.8	4.4	41.1	8	1	5	北北東
2025/03/30 17:00:00	1.7	3.9	41.3	10	2	5.7	北北東
2025/03/30 18:00:00	1.8	5.3	39.2	7	1	5.1	北北東
2025/03/30 19:00:00	1.8	4.9	38.8	8	1	5.1	北北東
2025/03/30 20:00:00	1.8	4.6	39.3	8	0	5.1	北北東
2025/03/30 21:00:00	1.8	4	40.2	10	0	4.9	北北東
2025/03/30 22:00:00	1.8	3.5	40.5	8	0	3.9	北北東
2025/03/30 23:00:00	1.8	3.2	39.7	12	0	3.4	北北東

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/03/31 00:00:00	1.8	3.3	38	2	0	2.8	北北東
2025/03/31 01:00:00	1.8	3.4	36.6	3	0	3.1	北北東
2025/03/31 02:00:00	2	3.7	35.5	3	0	2.8	北北東
2025/03/31 03:00:00	2	3.5	34.1	6	0	2.3	北北東
2025/03/31 04:00:00	2	3.3	34.3	4	0	2.8	北北東
2025/03/31 05:00:00	2	3.5	34.3	6	3	2.8	北北東
2025/03/31 06:00:00	2	2.9	36.9	8	2	4.4	東北
2025/03/31 07:00:00	1.8	4	36.6	6	0	3.5	北北東
2025/03/31 08:00:00	2	6.3	35	3	0	3.1	北北東
2025/03/31 09:00:00	1.3	8.5	33.5	6	2	3.3	北北東
2025/03/31 10:00:00	1.5	9.4	33.7	12	3	3.7	北北東
2025/03/31 11:00:00	1.3	9.9	32.5	12	5	3.4	北北東
2025/03/31 12:00:00	1.5	12.5	30.3	16	6	3.7	東北
2025/03/31 13:00:00	1.5	11.7	30.8	18	6	4.1	東北
2025/03/31 14:00:00	1.5	10.9	31.3	14	9	3.8	北北東
2025/03/31 15:00:00	1.5	10.9	30.9	10	7	3.5	北北東
2025/03/31 16:00:00	1.5	11.1	31.1	11	6	3.8	北北東
2025/03/31 17:00:00	1.6	10.6	32	13	8	4.3	北北東
2025/03/31 18:00:00	1.5	10	32.6	18	7	4.1	北北東
2025/03/31 19:00:00	1.5	6.3	37.1	12	9	4.9	北北東
2025/03/31 20:00:00	1.3	4.6	39.1	12	7	4.7	北北東
2025/03/31 21:00:00	1.5	4.5	38.6	11	6	4.2	北北東
2025/03/31 22:00:00	1.5	5.1	37.4	8	6	3.8	北北東
2025/03/31 23:00:00	1.3	5.9	36.6	8	6	3.6	北北東