

臺中市政府環境保護局
空氣品質監測月報表

測站名稱： 清水

監測時間: 2025/6/1 ~ 2025/6/30

項目 日期	二氧化氮(NO ₂)ppb				二氧化硫(SO ₂)ppb				懸浮微粒(PM-10) $\mu\text{g}/\text{m}^3$			臭氧(O ₃)ppb		懸浮微粒(PM-2.5) $\mu\text{g}/\text{m}^3$			風速	風向
	每日	小時	小時	超限	每日	小時	小時	超限	每日	小時	超限	每日	小時	每日	小時	超限	每日	每日
	平均值	最大值	最小值	次數	平均值	最大值	最小值	次數	平均值	最大值	次數	平均值	最大值	平均值	最大值	次數	平均值	平均值
01	7.1	21.9	1.7	0	2.11	4.9	1	0	34.5	53	0	39.45	61.8	13.2	24	0	1.79	南南西
02	5.04	10.6	0.2	0	1.33	1.6	1.1	0	18.3	29	0	27.57	54	3.4	7	0	2.95	南南西
03	8.61	15.1	2.1	0	1.44	2.1	1.1	0	18.3	29	0	18.81	28.4	3.1	10	0	1.99	南
04	6.86	12.7	2.7	0	1.47	1.7	1.2	0	17.5	25	0	30.41	57.3	4.6	9	0	1.94	北北東
05	10.57	14.8	6.5	0	1.6	3.9	0.1	0	23.1	35	0	18.9	55.9	5.7	11	0	0.91	東北
06	10.71	18.2	4.8	0	1.16	2.3	0.1	0	21.9	34	0	18.27	37.7	4	11	0	0.83	南南東
07	7.55	17.9	4.9	0	-	-	-	0	20.5	28	0	14.6	25.6	3.5	12	0	2.11	西南西
08	7.84	18.1	3.8	0	-	-	-	0	18.6	29	0	11.54	19	2.2	7	0	1.8	南南東
09	9.48	16.1	4.4	0	-	-	-	0	19.4	34	0	7.89	22	2.5	6	0	1.21	西北西
10	7.68	13.7	2.4	0	0.97	1.6	0.6	0	21.1	39	0	14.73	39.8	2.7	8	0	1.39	東北東
11	4.16	7.4	2.6	0	0.54	1	0.2	0	24.6	39	0	22.76	30.5	4.2	8	0	1.6	北
12	7.4	12.9	3.7	0	0.69	2.2	0.1	0	39.8	61	0	32.87	59.3	11.1	17	0	1.52	北北西
13	5.3	7.8	3.8	0	0.82	1.2	0.1	0	13.5	27	0	18.75	23	1.7	8	0	3.02	南
14	5.23	9.6	2.9	0	1.14	1.5	0.9	0	19	26	0	22.15	34.4	1.9	5	0	2.79	南南西
15	4.78	10.6	2	0	1.11	2	0.7	0	23.8	30	0	23.45	39.6	5.3	10	0	3.75	西南
16	4.97	9.6	3.1	0	1.19	4.4	0.6	0	19.5	28	0	19.69	37.1	3	6	0	2.91	南南西
17	8.37	16.1	3.5	0	1.2	2.3	0.7	0	20.4	28	0	16.85	32.7	3.2	6	0	1.71	南
18	14.1	27.4	3.9	0	1.05	2.1	0.1	0	25.5	40	0	19.87	65	5.3	11	0	1	西北
19	5.62	11.7	2.7	0	1	1.7	0.5	0	18.1	25	0	25.86	49.8	3.2	7	0	2.04	北
20	9.37	17.1	5.4	0	1.2	2.4	0.5	0	20.4	27	0	25.98	56.7	4.3	10	0	1.73	東
21	8.06	21.1	4.2	0	1.54	4.5	0.5	0	19.2	33	0	17.26	36	1.6	5	0	2.05	南南東
22	5.55	7.9	3.4	0	1.24	3.7	0.5	0	16.1	22	0	16.74	32.2	1.6	4	0	2.24	南
23	6.04	12.7	3.4	0	1.04	1.8	0.4	0	19.1	29	0	18.76	31.6	3.4	8	0	2.75	南
24	8.02	12.1	5.4	0	1.44	3.2	0.5	0	19.6	27	0	18.74	37.9	5.5	11	0	1.96	南南東
25	11.26	18.6	7.2	0	1.16	3.7	0.1	0	16.2	44	0	16.33	28.2	5.8	15	0	1.5	西北西
26	7.33	20.8	2	0	0.84	1.7	0.2	0	15.5	61	0	20.81	39.4	4	10	0	1.7	北北西
27	9.41	19	3.5	0	1.48	2.8	0.5	0	13.8	22	0	18.07	32.8	2.7	9	0	1.72	東南東
28	6.11	23	2.9	0	1.01	1.6	0.7	0	14.5	25	0	28.74	48.7	4.4	12	0	2.06	東南東
29	6.19	12.8	2.8	0	1	1.5	0.7	0	14.1	23	0	25.95	48.1	3.6	6	0	1.58	北北西
30	9.67	27.7	3.2	0	1.11	2.7	0.6	0	16.7	35	0	26.37	45.5	5.7	14	0	1.12	東南東
31																		
月平均值	7.6				1.2				20.1			21.3		4.2			1.9	
最大值	14.1				2.11				39.8					13.2			3.75	
發生日期	18				1				12			39.45		1			15	
超標準次數				0				0			0	1				0		
日標準值									75					30				
時標準值		100				65												

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/01 00:00:00	1.6	5.3	36.6	41	19	0.8	東北東
2025/06/01 01:00:00	1.6	4	37.2	46	17	1	東北東
2025/06/01 02:00:00	1.7	1.7	43.1	43	23	0.8	東
2025/06/01 03:00:00	1.7	2.1	48.6	38	20	0.8	東
2025/06/01 04:00:00	1.6	3.1	37.5	40	15	0.4	東北
2025/06/01 05:00:00	1.5	4	30.5	48	21	0.4	東
2025/06/01 06:00:00	1.5	21.5	15.3	47	18	0.5	南南西
2025/06/01 07:00:00	1.7	21.9	19.2	53	23	0.1	西北西
2025/06/01 08:00:00	1.5	12.2	28.2	53	24	0.6	北北西
2025/06/01 09:00:00	1.6	8.1	37.9	48	23	0	南
2025/06/01 10:00:00	1.5	5.6	53.7	40	20	0.3	南南東
2025/06/01 11:00:00	1.6	5.1	59.6	30	11	2.3	西
2025/06/01 12:00:00	3.7	14.8	59.1	32	15	2	西
2025/06/01 13:00:00	4	11	61.8	49	17	2.9	西
2025/06/01 14:00:00	4.9	7.4	55.9	42	16	3.2	西南西
2025/06/01 15:00:00	2.2	3.2	38.7	32	13	3.3	西南
2025/06/01 16:00:00	3.1	5.1	35.7	12	7	3.1	西南
2025/06/01 17:00:00	1.7	4.4	51	14	3	2.6	西南
2025/06/01 18:00:00	2.4	6	56.3	26	4	2.4	西南西
2025/06/01 19:00:00	4.6	7	57.3	33	8	2.4	西南西
2025/06/01 20:00:00	2.1	7.6	33.6	32	7	1.7	南南西
2025/06/01 21:00:00	1.5	5.5	21.5	21	6	2.9	南南西
2025/06/01 22:00:00	1.1	3.8	21.4	21	4	3.2	南南西
2025/06/01 23:00:00	1	3.2	22.3	15	1	3.1	南南西
2025/06/02 00:00:00	1	2.3	21.5	15	1	2.9	南南西
2025/06/02 01:00:00	1.2	2.1	22.1	12	3	4	南南西
2025/06/02 02:00:00	1.3	0.9	23.3	11	4	4.4	南南西
2025/06/02 03:00:00	1.3	--	26.5	14	3	4.7	南南西
2025/06/02 04:00:00	1.5	0.2	25.4	11	3	3.7	南南西
2025/06/02 05:00:00	1.5	0.9	25.6	12	2	3	西南
2025/06/02 06:00:00	1.6	2.1	26.9	15	1	2.6	西南
2025/06/02 07:00:00	1.6	3.9	21.4	21	1	2.1	南南西
2025/06/02 08:00:00	1.6	5	21.2	17	1	2.3	南
2025/06/02 09:00:00	1.2	5.1	25.5	14	1	3.4	南南西
2025/06/02 10:00:00	1.2	4.4	29.7	14	5	3.7	南南西
2025/06/02 11:00:00	1.3	5	28.4	16	4	3.6	西南
2025/06/02 12:00:00	1.6	5.7	29.7	20	2	3.4	西南
2025/06/02 13:00:00	1.3	3.7	32.4	26	4	3.9	西南西
2025/06/02 14:00:00	1.6	5.5	24.4	21	3	2.5	南南西
2025/06/02 15:00:00	1.3	5.9	35.3	19	4	2.6	南
2025/06/02 16:00:00	1.2	8.1	54	16	5	2.3	南
2025/06/02 17:00:00	1.3	8.7	28.1	22	7	2.1	南南西
2025/06/02 18:00:00	1.2	10	49.9	24	4	2.2	南南西
2025/06/02 19:00:00	1.1	10.6	32	29	3	2	南南西
2025/06/02 20:00:00	1.3	7.4	12.3	22	5	2	南
2025/06/02 21:00:00	1.2	6.5	23.1	22	4	2.5	南
2025/06/02 22:00:00	1.2	5.7	23.6	27	6	2.4	南

台電 台中電廠 清水測站

2025/06/02 23:00:00	1.2	4.8	21.7	18	5	2.6	南
---------------------	-----	-----	------	----	---	-----	---

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/03 00:00:00	1.3	3.9	19.3	18	3	2.8	南
2025/06/03 01:00:00	1.7	2.4	18.6	19	2	2.3	南
2025/06/03 02:00:00	2.1	3.1	18.2	18	1	2.3	南
2025/06/03 03:00:00	1.8	2.8	21	15	1	2.4	南南西
2025/06/03 04:00:00	1.7	2.1	20.3	19	2	2.6	南
2025/06/03 05:00:00	1.8	3.2	18.9	20	2	2.1	南
2025/06/03 06:00:00	1.8	3.7	18.4	20	3	2.8	南南東
2025/06/03 07:00:00	1.5	5.6	17.1	21	3	2.4	南
2025/06/03 08:00:00	1.2	6.3	15.9	13	1	2.3	南
2025/06/03 09:00:00	1.1	8.3	12.9	16	1	3.3	東南
2025/06/03 10:00:00	1.2	7.2	20.8	16	2	2.5	南南東
2025/06/03 11:00:00	1.3	10.5	14.2	15	4	2	南
2025/06/03 12:00:00	1.3	12.1	14.5	16	3	2.4	南南東
2025/06/03 13:00:00	1.3	14.7	18.8	17	1	2.2	東南
2025/06/03 14:00:00	1.3	15.1	16	20	3	0.7	南南東
2025/06/03 15:00:00	1.5	9.3	18.9	19	3	1.7	東南
2025/06/03 16:00:00	1.5	13.6	13.8	13	0	1.2	東南
2025/06/03 17:00:00	1.6	11.1	18.7	11	1	1	北北東
2025/06/03 18:00:00	1.5	9.2	28.4	13	2	2.3	東北
2025/06/03 19:00:00	1.2	11	25.3	20	3	2.4	東北
2025/06/03 20:00:00	1.2	12.6	21.1	24	5	1.5	北北東
2025/06/03 21:00:00	1.2	12.3	18.4	22	6	1.1	北北東
2025/06/03 22:00:00	1.3	10.9	21.9	29	10	2.1	東北
2025/06/03 23:00:00	1.3	10.9	19.4	23	8	0.8	北
2025/06/04 00:00:00	1.3	8.7	20	22	7	1.3	北北東
2025/06/04 01:00:00	1.5	7.8	20.9	19	6	1.8	北北東
2025/06/04 02:00:00	1.7	5.1	20.6	21	5	1.4	北北東
2025/06/04 03:00:00	1.7	4.3	21.4	19	3	1.6	北北東
2025/06/04 04:00:00	1.6	3.7	23	14	3	2	北北東
2025/06/04 05:00:00	1.6	4.2	21.2	12	3	2	北北東
2025/06/04 06:00:00	1.6	5.4	22.2	11	3	2.1	北北東
2025/06/04 07:00:00	1.6	5.6	24.8	7	2	2.9	東北
2025/06/04 08:00:00	1.3	4.9	28.6	7	2	2.7	東北
2025/06/04 09:00:00	--	2.7	28.1	8	2	2.3	東北
2025/06/04 10:00:00	1.3	6.7	30.4	11	3	1.8	北北東
2025/06/04 11:00:00	1.2	5.6	38.9	13	2	2	北北東
2025/06/04 12:00:00	1.2	6	51	11	2	2.7	北
2025/06/04 13:00:00	1.2	--	57.1	--	--	2.1	北
2025/06/04 14:00:00	1.5	--	57.3	20	5	2.7	北北東
2025/06/04 15:00:00	1.7	--	48.8	24	6	2.9	北北東
2025/06/04 16:00:00	1.6	9.9	40.5	21	5	2.7	北北東
2025/06/04 17:00:00	1.7	--	37.2	22	5	2.6	北北東
2025/06/04 18:00:00	1.7	--	32.6	23	5	2	東北
2025/06/04 19:00:00	1.6	--	28	24	7	1.3	北北東
2025/06/04 20:00:00	1.3	12.7	24.4	23	8	1	北北東
2025/06/04 21:00:00	1.5	10.5	23.1	24	9	1.2	北北東

台電 台中電廠 清水測站

2025/06/04 22:00:00	1.3	9.2	20.9	22	8	1.2	東北
2025/06/04 23:00:00	1.3	8.9	18.3	23	7	0.9	東北東

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/05 00:00:00	1.3	10.3	10.6	25	7	0.6	東北東
2025/06/05 01:00:00	1.3	13.1	5.5	29	8	0.5	東
2025/06/05 02:00:00	1.6	14.8	3.3	31	9	0.8	西南
2025/06/05 03:00:00	1.7	12.6	3.3	35	10	0.1	東北
2025/06/05 04:00:00	1.6	11.7	4.4	31	8	0.3	東北
2025/06/05 05:00:00	1.6	10.1	4.5	31	10	0.4	東北東
2025/06/05 06:00:00	1.7	10.3	5	30	7	0.5	東北
2025/06/05 07:00:00	2	11.5	6.5	26	9	0.5	東北
2025/06/05 08:00:00	2	9.2	12	24	8	1.3	北北東
2025/06/05 09:00:00	1.6	6.6	18.6	27	9	0.9	北
2025/06/05 10:00:00	1.5	7.3	31.7	21	7	1.4	西北西
2025/06/05 11:00:00	--	--	49.2	21	6	2.2	西北
2025/06/05 12:00:00	--	--	55.9	34	11	1.5	西北
2025/06/05 13:00:00	--	--	40.2	29	7	1.5	北北西
2025/06/05 14:00:00	3.9	7.1	--	21	6	1	北北西
2025/06/05 15:00:00	2.8	6.5	--	16	4	0.7	北
2025/06/05 16:00:00	2.3	6.5	--	20	6	1.2	東北
2025/06/05 17:00:00	2.6	12.8	34.4	17	4	0.7	西
2025/06/05 18:00:00	1.7	8.5	24.2	19	3	1.5	西南
2025/06/05 19:00:00	1.1	10.1	20.5	12	1	1.3	西南
2025/06/05 20:00:00	0.9	10.1	19.2	12	0	1.4	西南
2025/06/05 21:00:00	0.6	13.2	15	12	0	0.7	南南東
2025/06/05 22:00:00	0.6	14.3	13.6	20	0	0.6	南南西
2025/06/05 23:00:00	0.4	12.6	17.5	20	1	0.4	南南東
2025/06/06 00:00:00	0.1	13.1	12.5	18	0	0.4	南南東
2025/06/06 01:00:00	0.1	13.8	10	20	1	0.3	東南東
2025/06/06 02:00:00	0.2	18.2	4.9	15	1	0.6	南南東
2025/06/06 03:00:00	--	13.9	4.9	16	3	0.5	南南西
2025/06/06 04:00:00	--	7.2	14.2	18	3	0.6	南南西
2025/06/06 05:00:00	--	6.5	16.5	13	1	0.3	南南東
2025/06/06 06:00:00	--	7.4	11.8	13	0	0.2	東
2025/06/06 07:00:00	--	13.1	13.3	21	0	0.1	南
2025/06/06 08:00:00	--	10.4	16.4	13	0	0.4	西
2025/06/06 09:00:00	2.3	13.8	20.5	12	0	0.8	西北
2025/06/06 10:00:00	2.3	9.8	27.1	20	2	1.7	西北
2025/06/06 11:00:00	--	6.6	--	21	3	1.7	西北
2025/06/06 12:00:00	1.5	5.3	37.7	24	2	1.7	北北西
2025/06/06 13:00:00	1.5	5.6	30.9	26	4	1.3	北北西
2025/06/06 14:00:00	1.6	4.8	31.9	28	10	0.6	北北西
2025/06/06 15:00:00	1.8	8.9	29.1	23	11	0.8	西北西
2025/06/06 16:00:00	2.1	14.9	27.6	26	9	1.5	西北西
2025/06/06 17:00:00	1.5	11	25.4	34	11	0.8	南南東
2025/06/06 18:00:00	1.1	8.4	25.9	21	6	1.3	南南西
2025/06/06 19:00:00	1	12.2	16.4	24	7	1.1	南
2025/06/06 20:00:00	0.7	12.7	12.8	21	7	0.7	東南東

台電 台中電廠 清水測站

2025/06/06 21:00:00	0.6	8.2	16.7	28	3	1.3	東北東
2025/06/06 22:00:00	0.5	12.1	12.7	30	3	0.9	東
2025/06/06 23:00:00	0.5	14.7	8.5	32	3	0.3	東北東

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/07 00:00:00	0.5	17.6	5.1	27	2	0.3	南南東
2025/06/07 01:00:00	0.5	17.9	5.6	25	12	0.6	南南東
2025/06/07 02:00:00	0.7	11.1	8.7	27	7	0.4	南南東
2025/06/07 03:00:00	0.6	11.2	7.6	25	10	0.1	南南西
2025/06/07 04:00:00	0.6	9.6	5.9	25	7	0.2	南
2025/06/07 05:00:00	0.5	7	8.3	28	4	0.9	南
2025/06/07 06:00:00	0.4	7.2	7.3	22	3	1.2	南南東
2025/06/07 07:00:00	0.4	7.4	8.2	25	5	1.1	南南東
2025/06/07 08:00:00	0.1	6.8	10.4	25	10	1.3	南
2025/06/07 09:00:00	0.1	5	15.9	20	4	2.5	南南西
2025/06/07 10:00:00	--	6	19.4	17	0	2.8	西南
2025/06/07 11:00:00	--	4.9	20.9	19	1	3.1	西南
2025/06/07 12:00:00	--	6.6	22.2	22	2	3.1	西南西
2025/06/07 13:00:00	--	4.9	25.6	26	5	3.2	西南西
2025/06/07 14:00:00	0.5	8.2	20.5	18	2	3.7	西南西
2025/06/07 15:00:00	1.5	10.6	18.7	27	3	4.1	西南西
2025/06/07 16:00:00	0.9	5.3	22.1	25	2	4.2	西南西
2025/06/07 17:00:00	0.2	5	21.5	19	1	3.8	西南西
2025/06/07 18:00:00	0.5	4.9	18.9	15	0	3.3	西南西
2025/06/07 19:00:00	0.1	4.9	17.8	16	0	2.9	西南西
2025/06/07 20:00:00	--	6	16.1	13	0	2.1	西南
2025/06/07 21:00:00	--	8.1	14.2	14	0	1.6	南
2025/06/07 22:00:00	--	8.5	12	13	0	1.5	南
2025/06/07 23:00:00	--	7.2	12.3	17	0	1.9	南南東
2025/06/08 00:00:00	--	7	10.4	11	0	1.1	南
2025/06/08 01:00:00	--	5.5	10.7	17	2	0.7	南
2025/06/08 02:00:00	--	5.6	10.3	12	1	0.6	南
2025/06/08 03:00:00	--	6.1	9.2	18	1	0.8	南南東
2025/06/08 04:00:00	--	6.1	8.1	18	1	1.3	南南東
2025/06/08 05:00:00	--	5.9	9	20	4	2.4	南南東
2025/06/08 06:00:00	--	8.5	6.1	18	3	1.6	南
2025/06/08 07:00:00	--	7.9	7.2	17	3	1.9	南南西
2025/06/08 08:00:00	--	7	10.6	29	7	2.8	南南西
2025/06/08 09:00:00	--	6.7	13.3	21	4	2.5	西南
2025/06/08 10:00:00	--	4.8	17.8	20	0	2.8	西南
2025/06/08 11:00:00	--	10.3	13.7	18	2	2.5	西
2025/06/08 12:00:00	--	9.6	15	18	1	2.5	西
2025/06/08 13:00:00	--	8.1	15.5	23	0	2.9	西南
2025/06/08 14:00:00	--	7.8	15.9	15	1	2.6	西南西
2025/06/08 15:00:00	--	9	16.7	22	0	2.5	西
2025/06/08 16:00:00	0.5	6.7	15.3	21	3	2.5	西南西
2025/06/08 17:00:00	--	3.8	17.7	20	3	3	西南西
2025/06/08 18:00:00	--	4	19	13	1	2.4	西南西
2025/06/08 19:00:00	--	6.5	14.5	11	0	1.4	西南

台電 台中電廠 清水測站

2025/06/08 20:00:00	--	18.1	8.8	18	1	1	南
2025/06/08 21:00:00	--	10.3	7.2	21	0	1	南南東
2025/06/08 22:00:00	--	10.4	6.5	20	4	0.6	南
2025/06/08 23:00:00	--	12.2	3.7	19	4	0.6	南南東

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/09 00:00:00	--	7.3	5.3	19	3	0.4	南南東
2025/06/09 01:00:00	--	9	3.8	16	1	0.3	東南
2025/06/09 02:00:00	--	9.6	2.6	13	0	0.2	東南
2025/06/09 03:00:00	--	10.6	2.7	20	6	0.7	南南東
2025/06/09 04:00:00	--	10.6	2.6	25	6	0.5	南南東
2025/06/09 05:00:00	--	10	2.4	24	6	0.6	南南東
2025/06/09 06:00:00	--	9.9	2.6	23	5	0.9	南南東
2025/06/09 07:00:00	--	7.7	3.4	24	3	1	南南西
2025/06/09 08:00:00	--	6.8	7	29	1	1.5	南
2025/06/09 09:00:00	0.6	6.8	11.8	22	2	1.8	南南西
2025/06/09 10:00:00	1.5	7.4	16.7	22	0	1.7	西南
2025/06/09 11:00:00	1.8	12.2	19.8	20	0	1.5	西
2025/06/09 12:00:00	1.7	8.2	13.7	34	3	2.9	西北西
2025/06/09 13:00:00	1.2	6	16.6	17	3	2.7	西北西
2025/06/09 14:00:00	1.1	4.8	22	13	0	2.2	西北西
2025/06/09 15:00:00	--	--	--	19	2	1.5	西北西
2025/06/09 16:00:00	0.9	4.4	12.5	16	3	2	西
2025/06/09 17:00:00	0.5	5	11.1	10	2	1.8	西北西
2025/06/09 18:00:00	0.9	6.5	9.9	19	3	1.2	西北西
2025/06/09 19:00:00	1.3	12.1	6.8	12	2	0.9	西北
2025/06/09 20:00:00	1	9.3	6.3	13	3	1	東
2025/06/09 21:00:00	1.1	15.5	2.7	18	1	0.5	東
2025/06/09 22:00:00	1.5	16.1	1.6	19	1	0.4	東北東
2025/06/09 23:00:00	1.2	15	1.8	20	2	0.5	東
2025/06/10 00:00:00	1.3	14.7	1.2	18	3	0.8	東
2025/06/10 01:00:00	1.2	13.7	1	20	0	1.1	東北東
2025/06/10 02:00:00	1.2	12.7	1.3	39	0	1	東北東
2025/06/10 03:00:00	1.1	10	1.6	24	1	1.2	東北東
2025/06/10 04:00:00	1	7.8	3.5	15	2	1	東北東
2025/06/10 05:00:00	0.9	9.5	2.2	19	0	1.2	東
2025/06/10 06:00:00	1	10.3	1.6	18	0	1	東北東
2025/06/10 07:00:00	1.2	8.9	4.2	19	2	0.4	東北
2025/06/10 08:00:00	1.6	10.1	7.9	28	5	0.7	北北東
2025/06/10 09:00:00	1.5	7.1	15.1	24	8	1.5	東北
2025/06/10 10:00:00	1.6	7.3	21.4	17	4	1.5	北北西
2025/06/10 11:00:00	1.5	5.9	27.2	21	1	1.8	北北西
2025/06/10 12:00:00	1.3	6.8	39.8	21	1	2.3	北北西
2025/06/10 13:00:00	0.9	4.5	26.4	28	6	1.6	北
2025/06/10 14:00:00	0.6	2.9	23.8	13	4	2.2	北
2025/06/10 15:00:00	0.6	2.4	22.3	15	1	2.2	北
2025/06/10 16:00:00	0.6	3.1	26.3	14	1	2	北
2025/06/10 17:00:00	0.6	3.8	27.5	14	3	1.8	北
2025/06/10 18:00:00	0.7	6.6	19.3	18	1	1.4	北

台電 台中電廠 清水測站

2025/06/10 19:00:00	0.9	13.6	8.9	18	3	1.9	北北西
2025/06/10 20:00:00	0.6	8.3	13.8	22	2	1.5	北北東
2025/06/10 21:00:00	0.6	7	17.5	25	3	1.5	北北東
2025/06/10 22:00:00	0.6	7.1	15.8	23	3	0.5	東北東
2025/06/10 23:00:00	0.7	7.7	12.7	26	5	0.9	東北東

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/11 00:00:00	0.9	7.4	12.6	27	6	1.2	東北
2025/06/11 01:00:00	0.9	6.1	16.8	25	5	1.1	北北東
2025/06/11 02:00:00	1	3.4	20.9	22	3	0.6	北
2025/06/11 03:00:00	0.9	4	23	20	3	1.1	北
2025/06/11 04:00:00	0.9	3.3	20.8	22	1	1	北
2025/06/11 05:00:00	0.7	2.9	18.7	24	0	1	東北東
2025/06/11 06:00:00	0.6	3.4	16.4	22	1	1.4	東北
2025/06/11 07:00:00	0.6	5.9	13.2	18	1	1.3	北北東
2025/06/11 08:00:00	0.7	6.3	13.1	22	5	2.1	北北東
2025/06/11 09:00:00	0.6	5.3	15.5	26	6	2.3	北北東
2025/06/11 10:00:00	0.7	4.4	18.3	17	5	1.9	北
2025/06/11 11:00:00	0.5	3.3	20.4	13	1	2.1	北北西
2025/06/11 12:00:00	0.5	3.3	22.1	16	1	2.1	北北西
2025/06/11 13:00:00	0.5	3.7	22.3	18	5	2.1	北北西
2025/06/11 14:00:00	0.4	2.6	27	22	6	2.5	北北西
2025/06/11 15:00:00	0.4	2.8	27.7	21	6	2.4	北
2025/06/11 16:00:00	0.4	3.1	29.8	28	6	2.2	北
2025/06/11 17:00:00	0.4	3.8	30.5	32	8	1.9	北
2025/06/11 18:00:00	0.4	5	27.8	26	6	1.8	北
2025/06/11 19:00:00	0.4	6	26.3	25	6	1.4	北北東
2025/06/11 20:00:00	0.2	5	28.1	30	4	1.6	北北東
2025/06/11 21:00:00	0.4	7.4	25.9	39	3	1.1	北
2025/06/11 22:00:00	0.2	3.3	27.5	37	6	1.5	北北西
2025/06/11 23:00:00	0.4	2.9	27.2	35	5	1.2	北北東
2025/06/12 00:00:00	0.4	2.8	27	32	7	0.6	北北西
2025/06/12 01:00:00	0.4	3.7	24.3	37	8	0.8	西南西
2025/06/12 02:00:00	1.8	11.4	16.8	37	7	1.1	西南西
2025/06/12 03:00:00	1.1	6.2	21.5	61	12	0.6	南南西
2025/06/12 04:00:00	0.7	12	7.6	49	12	0.6	東
2025/06/12 05:00:00	0.5	7.3	13.7	36	10	1	東北
2025/06/12 06:00:00	0.5	5.3	17.6	43	6	0.8	東
2025/06/12 07:00:00	0.7	8.9	10.5	51	9	0.8	東
2025/06/12 08:00:00	2.2	8.8	14.2	44	10	1.1	東
2025/06/12 09:00:00	2.2	6.5	23.6	28	12	0.9	東北東
2025/06/12 10:00:00	0.7	5.7	43.7	28	7	2	北北西
2025/06/12 11:00:00	0.9	5.3	50.7	34	7	1.9	北北西
2025/06/12 12:00:00	0.7	5.6	55.4	38	11	2.1	北北西
2025/06/12 13:00:00	0.6	4.2	53	47	16	2.5	北北西
2025/06/12 14:00:00	0.4	3.9	54.5	44	12	2.2	西北
2025/06/12 15:00:00	0.2	3.7	57.4	38	15	1.5	西北
2025/06/12 16:00:00	0.2	4.6	59.3	37	12	1.3	北北西
2025/06/12 17:00:00	0.4	9.5	54.7	43	15	0.8	西

台電 台中電廠 清水測站

2025/06/12 18:00:00	1.1	12.9	48.1	39	15	2.1	西南
2025/06/12 19:00:00	0.6	10.1	46.9	48	16	2.6	西南
2025/06/12 20:00:00	0.2	10	31	47	17	2.5	南南西
2025/06/12 21:00:00	0.1	8.3	25.9	47	13	2.2	南
2025/06/12 22:00:00	0.2	7.2	25.2	28	10	2	南
2025/06/12 23:00:00	0.1	7.6	17.1	28	8	1.6	南南西

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/13 00:00:00	0.1	9	16.4	24	8	1.4	南
2025/06/13 01:00:00	--	3.8	20.4	27	8	2.2	南南西
2025/06/13 02:00:00	0.4	4.9	18.7	18	3	2.7	南
2025/06/13 03:00:00	0.6	4.6	20.3	17	0	3.7	南南西
2025/06/13 04:00:00	0.1	3.8	21.1	19	1	2.1	南
2025/06/13 05:00:00	0.2	3.8	19.5	15	2	2.2	南
2025/06/13 06:00:00	0.2	5.5	16.4	17	6	2.8	南南西
2025/06/13 07:00:00	0.2	6.2	13.1	17	3	2.8	南南西
2025/06/13 08:00:00	0.1	5.9	15.1	17	0	4	南南西
2025/06/13 09:00:00	1.1	6.5	12.8	16	0	2.9	南
2025/06/13 10:00:00	1.2	7.8	12.5	14	0	2.7	南
2025/06/13 11:00:00	1.1	6.7	14.4	11	0	3	南
2025/06/13 12:00:00	1.1	6.2	18.2	10	0	4.5	南南西
2025/06/13 13:00:00	1.1	6.3	18.8	9	0	3.1	南南西
2025/06/13 14:00:00	1.1	6.2	18.8	7	0	2.7	南南西
2025/06/13 15:00:00	1.1	5.3	20.8	11	0	3.7	南
2025/06/13 16:00:00	1.1	4.4	22.5	12	0	4	南
2025/06/13 17:00:00	1.1	5.4	22.6	11	0	3.7	南
2025/06/13 18:00:00	1.1	4.3	22.6	8	0	3.4	南
2025/06/13 19:00:00	1	4.2	23	10	0	3.6	南
2025/06/13 20:00:00	1	5.6	20.8	9	0	2.7	南
2025/06/13 21:00:00	1	6.5	18.9	10	0	2	南
2025/06/13 22:00:00	1	5.3	19.3	15	0	2.6	南
2025/06/13 23:00:00	1	4.4	19.9	14	0	2.6	南
2025/06/14 00:00:00	1	3.8	19.5	11	2	2.7	南
2025/06/14 01:00:00	1	2.9	19.9	13	5	2.4	南
2025/06/14 02:00:00	1.5	3.1	18.9	11	4	2.3	南
2025/06/14 03:00:00	1.2	3.5	16.5	11	0	2.2	南
2025/06/14 04:00:00	1	3.7	16.6	12	0	2	南
2025/06/14 05:00:00	1.1	3.5	16.6	17	1	2.4	南
2025/06/14 06:00:00	1.2	4.2	15.8	17	0	3.1	南南西
2025/06/14 07:00:00	1.3	5.5	15.3	20	0	2.5	南南西
2025/06/14 08:00:00	1.2	6.6	16	19	2	2.5	南南西
2025/06/14 09:00:00	1.1	6	18.1	23	1	3.5	南南西
2025/06/14 10:00:00	1.1	6.3	20.5	18	0	2.8	南南西
2025/06/14 11:00:00	1.1	5	25.5	19	2	3.3	南南西
2025/06/14 12:00:00	1	4.6	29.2	19	2	4.3	南南西
2025/06/14 13:00:00	1	3.7	28.7	15	0	4	西南
2025/06/14 14:00:00	1.1	4	34.4	15	0	4	西南
2025/06/14 15:00:00	1.5	6.3	32.6	20	2	2.6	西南
2025/06/14 16:00:00	1.1	4.4	25.2	26	3	3.5	西南

台電 台中電廠 清水測站

2025/06/14 17:00:00	1.3	4	29.1	20	2	4.5	西南
2025/06/14 18:00:00	1.2	5.7	24.5	26	1	3.2	西南
2025/06/14 19:00:00	1.1	5.7	23.2	22	2	2.5	南
2025/06/14 20:00:00	0.9	5.4	20.9	25	2	2	南
2025/06/14 21:00:00	0.9	5.9	20.4	21	1	2.5	南南東
2025/06/14 22:00:00	1	7.2	20.4	21	3	2.1	南南西
2025/06/14 23:00:00	1.3	9.6	20.3	22	3	1.9	南南西

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/15 00:00:00	1.3	8.9	23.1	25	3	0.9	南
2025/06/15 01:00:00	1.2	10.6	16.7	26	7	1.1	南南西
2025/06/15 02:00:00	2	9.3	17.6	30	8	0.9	南南西
2025/06/15 03:00:00	1.3	6	17.5	26	10	1.2	南
2025/06/15 04:00:00	1.5	5.3	16.8	25	6	1.8	南
2025/06/15 05:00:00	1.3	6.6	13.7	26	8	2.7	南
2025/06/15 06:00:00	1.3	8.7	12	22	5	2.5	南
2025/06/15 07:00:00	1.2	5.7	15.4	28	4	3.1	南
2025/06/15 08:00:00	1.3	5	19.7	26	5	3.4	南南西
2025/06/15 09:00:00	1.3	4	25.4	17	4	4.6	南南西
2025/06/15 10:00:00	1.1	3.2	27.7	23	3	4.7	南南西
2025/06/15 11:00:00	1	2.8	27.4	21	1	4.7	西南
2025/06/15 12:00:00	0.9	2.8	26.1	18	2	5.6	西南
2025/06/15 13:00:00	0.9	2.8	35.9	18	2	5	西南
2025/06/15 14:00:00	0.9	2.7	39.6	21	4	5.5	西南
2025/06/15 15:00:00	0.7	2.1	32	27	3	5.3	西南
2025/06/15 16:00:00	0.9	2	30.8	23	3	5.6	西南
2025/06/15 17:00:00	1	2.4	30	24	4	4.7	西南
2025/06/15 18:00:00	1.2	3.5	31.9	27	4	4.4	西南
2025/06/15 19:00:00	1.1	5.7	29.7	29	6	3.5	西南
2025/06/15 20:00:00	0.9	6	23.8	28	9	3.6	南南西
2025/06/15 21:00:00	0.9	5.4	18.7	27	9	3.7	西南
2025/06/15 22:00:00	0.9	4.3	18.6	21	8	3.9	南南西
2025/06/15 23:00:00	1	3.9	18.6	22	7	4.4	南南西
2025/06/16 00:00:00	0.9	4	17.2	17	6	4.1	南南西
2025/06/16 01:00:00	1.2	4.8	15.8	19	3	3.2	南
2025/06/16 02:00:00	1.6	3.7	15.6	17	2	3.4	南南西
2025/06/16 03:00:00	1.3	3.1	16.1	18	1	3.7	南南西
2025/06/16 04:00:00	1.5	3.4	15.6	14	0	2.7	南南西
2025/06/16 05:00:00	1.2	4.5	13.9	16	2	2.3	南南西
2025/06/16 06:00:00	0.9	5.1	14.2	20	3	2.3	西南
2025/06/16 07:00:00	0.7	4.4	16.6	22	4	3.8	南南西
2025/06/16 08:00:00	0.7	6.3	14.7	12	2	3.5	南南西
2025/06/16 09:00:00	0.6	5.4	16.7	13	0	3.1	南南西
2025/06/16 10:00:00	0.9	5.5	17.5	10	0	3.3	南
2025/06/16 11:00:00	0.7	4	19.2	14	0	3.7	南
2025/06/16 12:00:00	0.7	4.3	22.2	11	0	2.9	南
2025/06/16 13:00:00	0.7	4.2	27.5	14	0	2.5	南
2025/06/16 14:00:00	0.9	4.8	32.5	18	0	2.4	南
2025/06/16 15:00:00	1	5.7	33.3	18	5	2.1	南南西

台電 台中電廠 清水測站

2025/06/16 16:00:00	1.7	5.6	37.1	25	4	4	西南西
2025/06/16 17:00:00	2.6	5.1	22.7	24	6	4.2	西南西
2025/06/16 18:00:00	4.4	9.6	18.3	28	5	3.7	西南西
2025/06/16 19:00:00	0.9	3.7	21.1	28	5	3.3	西南
2025/06/16 20:00:00	1	5.4	18.3	27	6	2.5	西南
2025/06/16 21:00:00	1	5.4	18.1	27	5	2	南南西
2025/06/16 22:00:00	0.7	4	17	28	5	1.6	南
2025/06/16 23:00:00	0.9	5.9	14.3	23	4	1.9	南

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/17 00:00:00	0.9	5.4	14.3	24	4	1.7	南
2025/06/17 01:00:00	0.9	5	14.9	25	4	1.7	南
2025/06/17 02:00:00	1.3	3.5	16.1	14	2	2.1	南
2025/06/17 03:00:00	1.2	5.5	13.6	17	0	2.2	南
2025/06/17 04:00:00	1.3	6.7	12.2	19	2	2.8	南南東
2025/06/17 05:00:00	1	3.9	13.7	15	4	2.5	南南東
2025/06/17 06:00:00	0.9	4.2	14.3	17	5	2.5	南南東
2025/06/17 07:00:00	0.9	5.6	13.6	18	3	2.2	南
2025/06/17 08:00:00	1.1	8.8	10.1	15	2	1.9	南南西
2025/06/17 09:00:00	1.7	7	18.9	18	3	2.6	西南
2025/06/17 10:00:00	2.3	7.6	20	23	2	2.8	西南西
2025/06/17 11:00:00	2.1	7.9	20.4	24	1	2.6	西南西
2025/06/17 12:00:00	1.1	7.7	20	24	5	2.2	西
2025/06/17 13:00:00	0.9	7	17	22	4	0.9	西
2025/06/17 14:00:00	1.2	5	22.7	20	0	1.3	南南東
2025/06/17 15:00:00	0.7	7.3	32.7	16	0	1.3	南
2025/06/17 16:00:00	0.9	7.4	25	19	3	2	南南西
2025/06/17 17:00:00	0.7	7.7	20.5	18	3	1.3	西南
2025/06/17 18:00:00	1.8	12	20.3	19	3	1	西南西
2025/06/17 19:00:00	1.2	12.2	14.9	21	4	1.3	東北東
2025/06/17 20:00:00	1.1	12	17	28	6	1.3	東北
2025/06/17 21:00:00	1.1	13.1	12.8	27	6	1.1	東北東
2025/06/17 22:00:00	1.2	16.1	10.7	25	5	0.4	東
2025/06/17 23:00:00	1.1	15.4	9.9	26	3	0.1	東南
2025/06/18 00:00:00	1.1	12.3	13.3	20	5	1	東南
2025/06/18 01:00:00	1.8	23.2	6	21	6	0.7	南南西
2025/06/18 02:00:00	1.3	21.2	2.6	31	9	0.8	西南
2025/06/18 03:00:00	1.1	16.4	3.5	31	6	0.4	北
2025/06/18 04:00:00	1.3	17.5	2.8	26	4	0.3	東南
2025/06/18 05:00:00	1.3	16.2	2.2	27	5	0.4	南
2025/06/18 06:00:00	1.1	15.3	2.6	29	5	0.3	東南東
2025/06/18 07:00:00	1.2	18.2	4	29	6	0.2	西南
2025/06/18 08:00:00	1.1	12.2	9.3	28	7	0.6	南
2025/06/18 09:00:00	0.9	11.4	17.6	23	4	1	西南西
2025/06/18 10:00:00	0.9	9.3	29.1	24	1	0.8	西
2025/06/18 11:00:00	2.1	9.9	44.8	27	2	1	西北
2025/06/18 12:00:00	2.1	9.8	59	39	7	1.8	西北
2025/06/18 13:00:00	2	7.1	65	40	11	1.8	北北西
2025/06/18 14:00:00	1	3.9	41	38	8	1.8	北北西

台電 台中電廠 清水測站

2025/06/18 15:00:00	0.9	4	33.1	20	5	1.6	西北
2025/06/18 16:00:00	1	7.1	25.8	16	4	2.3	西北西
2025/06/18 17:00:00	1.3	10.9	25.8	18	6	1.4	西南
2025/06/18 18:00:00	0.1	7.2	31.1	22	6	2.4	東南東
2025/06/18 19:00:00	0.6	10.1	23.9	21	3	0.9	東南東
2025/06/18 20:00:00	0.5	13.9	20.3	13	1	0.8	東南
2025/06/18 21:00:00	0.4	20.3	11.5	19	3	0.9	南南東
2025/06/18 22:00:00	0.4	21	8.4	24	4	0.7	南南東
2025/06/18 23:00:00	0.4	27.4	3.1	25	8	0.4	東

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/19 00:00:00	0.6	25	4.4	22	8	0.6	東
2025/06/19 01:00:00	0.6	11.5	8.3	25	7	3.3	東南東
2025/06/19 02:00:00	0.5	4.5	10.6	20	6	3.6	東南東
2025/06/19 03:00:00	0.5	3.8	12.2	19	1	3.7	東南東
2025/06/19 04:00:00	1.7	7.3	8.4	21	0	1.5	東
2025/06/19 05:00:00	1.3	5.5	9.2	17	1	3.6	東南東
2025/06/19 06:00:00	--	3.5	8.3	19	0	2.8	東南東
2025/06/19 07:00:00	1	5	9.3	15	1	1.6	東
2025/06/19 08:00:00	1.3	6.1	16.4	16	1	1	東北東
2025/06/19 09:00:00	--	--	--	--	--	1.3	北
2025/06/19 10:00:00	1.5	5.1	29.7	17	3	1.5	北
2025/06/19 11:00:00	1.3	4.5	41.8	14	4	1.9	北北西
2025/06/19 12:00:00	1.1	4	46.4	22	7	1.8	北
2025/06/19 13:00:00	0.9	3.2	49.8	19	6	2.4	北
2025/06/19 14:00:00	1.1	2.8	--	18	5	2.6	北
2025/06/19 15:00:00	1.6	3.1	47.4	14	5	2.6	北
2025/06/19 16:00:00	1.2	2.7	40.7	20	4	2.4	北
2025/06/19 17:00:00	0.9	3.5	47.9	14	4	2.1	北
2025/06/19 18:00:00	0.9	3.7	40.8	17	3	1.8	北北東
2025/06/19 19:00:00	0.7	3.8	39.2	18	3	1.1	東北
2025/06/19 20:00:00	0.7	5.6	28	16	2	1.4	東
2025/06/19 21:00:00	0.7	10.9	20.5	18	2	1.1	東
2025/06/19 22:00:00	0.7	11.7	17.9	20	3	1.2	東北東
2025/06/19 23:00:00	0.9	8.3	20.3	22	4	1.3	東北東
2025/06/20 00:00:00	1.1	9.3	16	16	1	1.3	東
2025/06/20 01:00:00	1.1	8.2	17.2	14	1	1.1	東
2025/06/20 02:00:00	1.5	8.4	16.5	13	2	1.1	東
2025/06/20 03:00:00	1.5	8.3	16.1	15	2	1.2	東
2025/06/20 04:00:00	--	6.1	11	22	4	0.7	東
2025/06/20 05:00:00	1.1	12.3	8.2	18	6	0.7	東
2025/06/20 06:00:00	1.1	11.8	7.2	22	6	0.9	東
2025/06/20 07:00:00	1.1	7	8.4	20	4	1.6	東南東
2025/06/20 08:00:00	1	6.3	11.5	17	4	1	東北東
2025/06/20 09:00:00	1.2	7.7	18.3	21	4	0.5	東
2025/06/20 10:00:00	0.9	9.8	36	21	3	0.6	西南
2025/06/20 11:00:00	1.5	7.3	49.2	24	3	2	西南西
2025/06/20 12:00:00	2	11.4	56.7	25	7	1.8	西北西
2025/06/20 13:00:00	1.5	7.9	56.2	26	9	2.6	西北西

台電 台中電廠 清水測站

2025/06/20 14:00:00	1.5	6.3	54	27	7	2.6	西北西
2025/06/20 15:00:00	2	8.3	47	20	6	3	西
2025/06/20 16:00:00	1.5	5.4	52	22	10	3.5	西
2025/06/20 17:00:00	2.4	8.8	42.2	24	5	2.9	西
2025/06/20 18:00:00	1.3	6	26	23	2	3.1	西南西
2025/06/20 19:00:00	0.9	5.7	16.2	21	0	2.3	西南
2025/06/20 20:00:00	0.6	17	24.4	16	0	1.9	東南
2025/06/20 21:00:00	0.5	14.3	16.8	21	4	1.5	南
2025/06/20 22:00:00	0.5	10.7	15	22	5	1.7	南南東
2025/06/20 23:00:00	0.5	17.1	8.7	19	6	1.6	南南東

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/21 00:00:00	0.6	12.8	8.9	18	3	1.6	南南東
2025/06/21 01:00:00	1.6	21.1	4.3	15	0	1.1	南南東
2025/06/21 02:00:00	1.1	12.9	6.3	19	2	0.9	南
2025/06/21 03:00:00	1	5.4	12.3	15	5	1.2	南南東
2025/06/21 04:00:00	1.3	4.9	11	14	1	1.9	南南東
2025/06/21 05:00:00	1.1	12	4.6	15	0	1.4	南南東
2025/06/21 06:00:00	0.9	10.6	6.1	21	1	1.5	南南東
2025/06/21 07:00:00	1.5	7	10.3	17	0	1.4	南
2025/06/21 08:00:00	2	6.6	13.8	20	0	1.9	南南西
2025/06/21 09:00:00	2	6.8	21.5	20	0	2.3	南南西
2025/06/21 10:00:00	2	6.8	26.9	33	1	2.5	西南西
2025/06/21 11:00:00	1.5	6.1	35.8	24	4	2.5	西南西
2025/06/21 12:00:00	1.6	6.3	36	24	5	2.5	西
2025/06/21 13:00:00	2.1	7.2	32.1	24	4	3.1	西
2025/06/21 14:00:00	2.1	7	32.2	20	2	3.1	西
2025/06/21 15:00:00	2.6	6.8	25.6	23	0	3.3	西
2025/06/21 16:00:00	0.6	4.2	21.6	22	0	3	西
2025/06/21 17:00:00	1	7.1	19.2	15	1	2.9	西
2025/06/21 18:00:00	4.5	12.3	14.2	20	1	2.5	西南西
2025/06/21 19:00:00	2.8	10.1	12.7	19	1	2.1	西南
2025/06/21 20:00:00	0.5	7.1	15	20	1	1.6	西南
2025/06/21 21:00:00	0.5	6.5	15	15	0	1.4	南
2025/06/21 22:00:00	1	6.1	13.7	14	0	1.3	南
2025/06/21 23:00:00	0.9	6	13.1	17	0	1.8	南南東
2025/06/22 00:00:00	0.9	6.6	11.1	15	1	2	南南東
2025/06/22 01:00:00	0.9	7.2	8.2	20	0	1.5	南南東
2025/06/22 02:00:00	1.1	5.7	9.9	19	0	1.7	南
2025/06/22 03:00:00	0.9	4.9	10.9	20	1	1.6	南
2025/06/22 04:00:00	1	6	10.9	18	0	1.5	南
2025/06/22 05:00:00	0.7	5.3	11	13	0	1.3	南
2025/06/22 06:00:00	0.5	4.5	11.8	13	0	1.7	南南東
2025/06/22 07:00:00	0.6	5.5	11.6	15	0	1.7	南
2025/06/22 08:00:00	0.6	4.8	14	14	0	2.1	南
2025/06/22 09:00:00	0.9	4.5	18.3	11	1	2.5	南南西
2025/06/22 10:00:00	1	4.4	24.7	15	1	2.8	西南
2025/06/22 11:00:00	0.7	3.5	26.9	18	0	2.8	西南西
2025/06/22 12:00:00	1.7	4.2	31.5	22	1	3.4	西南西

台電 台中電廠 清水測站

2025/06/22 13:00:00	2.9	5.6	32.2	21	2	3.6	西南西
2025/06/22 14:00:00	3.4	5.9	20.4	18	2	3.4	西南西
2025/06/22 15:00:00	1.1	3.8	27.5	18	2	3	西
2025/06/22 16:00:00	3.7	7.2	19.4	17	3	3.3	西南西
2025/06/22 17:00:00	3.4	6.3	18.1	18	2	3.3	西南
2025/06/22 18:00:00	0.6	3.4	18.7	16	0	2.7	西南
2025/06/22 19:00:00	0.6	4.3	16.7	8	0	1.9	南南西
2025/06/22 20:00:00	0.5	5	14.8	16	1	1.5	南南東
2025/06/22 21:00:00	1	7.9	11.4	11	3	1.6	南南東
2025/06/22 22:00:00	1.1	7.7	12.6	16	4	1.9	南南西
2025/06/22 23:00:00	0.5	7.9	11	15	3	1.6	南

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/23 00:00:00	0.5	7.7	9.4	16	4	1.4	南
2025/06/23 01:00:00	0.5	5.7	9.3	18	0	1.3	南
2025/06/23 02:00:00	1.1	5	9.3	18	0	1.4	南
2025/06/23 03:00:00	0.9	4	12.6	21	2	1.4	南
2025/06/23 04:00:00	1.7	6.5	11	17	2	2	南南東
2025/06/23 05:00:00	1.7	7.3	10	16	0	2	南
2025/06/23 06:00:00	1.2	6.7	9.8	15	0	2	南南東
2025/06/23 07:00:00	1	4.9	13.1	16	1	2.2	南南東
2025/06/23 08:00:00	1.5	5.3	15.5	19	1	2.7	南
2025/06/23 09:00:00	1.8	6.2	18.6	11	2	3.5	南南西
2025/06/23 10:00:00	0.6	4.4	24.1	17	3	3.3	西南
2025/06/23 11:00:00	0.4	3.4	28.1	20	4	3.7	西南
2025/06/23 12:00:00	1.3	5.1	31.6	17	8	4.1	西南西
2025/06/23 13:00:00	1.2	4	29.8	28	5	4.6	西南西
2025/06/23 14:00:00	1.3	4.2	29.1	29	3	4.7	西南西
2025/06/23 15:00:00	1.2	4.4	29.8	20	4	4.5	西南西
2025/06/23 16:00:00	1.3	4.4	25.9	26	5	4.1	西南西
2025/06/23 17:00:00	1.3	5.1	24.3	22	4	3.5	西南
2025/06/23 18:00:00	0.9	6.2	24.5	22	5	2.8	西南西
2025/06/23 19:00:00	0.4	6.6	22.7	23	5	2.4	西南
2025/06/23 20:00:00	0.4	6.5	20.5	20	5	1.8	南
2025/06/23 21:00:00	0.9	8.3	15.3	16	4	2.3	南南東
2025/06/23 22:00:00	1.2	12.7	12.2	15	3	1.4	南
2025/06/23 23:00:00	0.7	10.3	11.5	18	5	2	南南西
2025/06/24 00:00:00	0.5	7.9	11.7	16	7	2.2	西南
2025/06/24 01:00:00	0.9	7.3	10.7	22	7	2.1	南南西
2025/06/24 02:00:00	1.5	8.7	8.5	19	7	1.9	南南西
2025/06/24 03:00:00	1.2	6.5	11.4	25	7	1.9	南南東
2025/06/24 04:00:00	1.3	7.3	12.3	20	8	2.8	南南東
2025/06/24 05:00:00	1	7	10.7	17	6	2.2	南南東
2025/06/24 06:00:00	0.7	7.3	10.9	18	6	2.2	南南東
2025/06/24 07:00:00	0.7	5.7	14.8	20	6	2.1	南南東
2025/06/24 08:00:00	0.6	5.4	17.8	19	4	2	南
2025/06/24 09:00:00	0.9	5.6	21.5	16	4	2.1	南南西
2025/06/24 10:00:00	1.7	7.3	24.5	20	5	2.1	西南西
2025/06/24 11:00:00	1	5.5	35.4	24	7	2.1	西南

台電 台中電廠 清水測站

2025/06/24 12:00:00	1.5	6.5	37.9	22	9	2.7	西南西
2025/06/24 13:00:00	3.2	7.8	27.7	27	11	2.9	西南西
2025/06/24 14:00:00	2.9	8.8	20.9	24	8	2.5	西
2025/06/24 15:00:00	1.6	8.2	22.6	--	4	2	西
2025/06/24 16:00:00	3.2	9.8	20	24	3	2.1	西南
2025/06/24 17:00:00	2.1	7.8	25.2	26	5	2	西南西
2025/06/24 18:00:00	1.7	10	23.3	20	4	2	西
2025/06/24 19:00:00	1.6	10.3	20.6	21	5	1.8	西南西
2025/06/24 20:00:00	2.3	11.5	17.2	16	4	1	西南
2025/06/24 21:00:00	0.5	8.3	17.2	16	1	1.2	南南東
2025/06/24 22:00:00	1	12.1	12	11	2	1	南南東
2025/06/24 23:00:00	1	9.5	14.5	13	6	1	南南西

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/25 00:00:00	0.6	8.5	12.3	11	5	1.4	南南東
2025/06/25 01:00:00	0.6	9.6	12.3	11	3	1.2	南南東
2025/06/25 02:00:00	1.3	10	10.4	15	4	1.9	南南東
2025/06/25 03:00:00	0.7	8.7	8.7	20	7	1.7	南南東
2025/06/25 04:00:00	0.9	8.9	10.3	20	8	1.2	南南東
2025/06/25 05:00:00	0.6	11.6	9.4	14	8	1.5	東南
2025/06/25 06:00:00	0.6	13.2	8.9	12	7	1.4	東南
2025/06/25 07:00:00	0.7	8.2	12.9	18	8	1.2	南南東
2025/06/25 08:00:00	1.6	8.3	16.4	14	5	0.8	西南
2025/06/25 09:00:00	2.6	14.5	13.3	15	3	1.1	西北西
2025/06/25 10:00:00	2.4	14	18.4	23	4	1	西北西
2025/06/25 11:00:00	3.3	17.8	22.5	26	9	1.2	西北西
2025/06/25 12:00:00	3.7	15.1	26.9	44	15	1.8	西北西
2025/06/25 13:00:00	1.7	10.1	27.5	24	9	2.4	西北西
2025/06/25 14:00:00	0.6	7.4	28.2	12	6	2.4	西北西
2025/06/25 15:00:00	0.2	7.2	25.5	14	7	2.3	西北西
2025/06/25 16:00:00	0.4	8.3	21.2	12	6	2	西北西
2025/06/25 17:00:00	0.4	8.1	19.5	12	7	1.6	西北西
2025/06/25 18:00:00	1.1	11.8	14.8	10	4	1.5	西北西
2025/06/25 19:00:00	3.2	15.3	8.3	8	1	0.9	西南西
2025/06/25 20:00:00	0.5	18.6	16.7	14	2	1.3	南南東
2025/06/25 21:00:00	0.4	11.7	18.6	12	2	1.8	東南
2025/06/25 22:00:00	0.2	13.2	14.4	13	3	0.8	南南東
2025/06/25 23:00:00	0.1	9.9	14.4	14	6	1	東南東
2025/06/26 00:00:00	0.1	8.9	12.6	12	6	1.9	東南東
2025/06/26 01:00:00	0.2	10.6	9.9	11	4	0.4	東南
2025/06/26 02:00:00	0.9	18.3	6.5	10	5	0.9	東南東
2025/06/26 03:00:00	0.9	16.4	6.3	17	8	1.5	東南東
2025/06/26 04:00:00	0.6	11.2	8.4	18	8	1.2	東南東
2025/06/26 05:00:00	0.7	19.8	2.7	17	7	0.3	南南西
2025/06/26 06:00:00	0.7	20.8	4.5	19	8	0.2	東
2025/06/26 07:00:00	0.7	11.6	7.8	21	10	0.8	東
2025/06/26 08:00:00	1.1	6.3	16.1	20	9	0.9	東北東
2025/06/26 09:00:00	1.7	4.6	21.2	18	3	1.3	北北西
2025/06/26 10:00:00	1.3	3.7	23.8	11	1	1.6	北北西

台電 台中電廠 清水測站

2025/06/26 11:00:00	1	3.3	28	11	1	1.9	北北西
2025/06/26 12:00:00	0.9	2.9	32.8	11	2	2	北北西
2025/06/26 13:00:00	0.7	2.7	30.4	11	3	1.8	北北西
2025/06/26 14:00:00	1	2.3	39.4	13	4	1.9	北北西
2025/06/26 15:00:00	1	2.3	34.9	12	6	1.9	北北西
2025/06/26 16:00:00	1	2	32.4	14	6	1.7	北
2025/06/26 17:00:00	0.9	2.7	24.3	11	3	1.8	北北西
2025/06/26 18:00:00	0.7	2.6	20.4	10	1	1.4	北
2025/06/26 19:00:00	0.7	3.5	18.6	8	2	1.5	西北
2025/06/26 20:00:00	1	6.8	11.4	10	1	1.4	西
2025/06/26 21:00:00	0.9	6	28.4	18	1	3.3	南南東
2025/06/26 22:00:00	0.6	3.5	32.7	61	1	5.7	東南東
2025/06/26 23:00:00	0.5	3.7	31.7	7	1	4.1	東南東

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/27 00:00:00	0.5	8.4	27	15	1	1.2	南南東
2025/06/27 01:00:00	0.5	9.5	22.6	11	2	0.3	南南東
2025/06/27 02:00:00	1.1	13.4	16.5	9	2	1	東南東
2025/06/27 03:00:00	1.2	12.9	16.2	11	3	2	東南東
2025/06/27 04:00:00	1.1	12.1	15	11	4	2.5	東南東
2025/06/27 05:00:00	1.8	9	16	11	4	1.5	東南東
2025/06/27 06:00:00	1	6.1	14.9	11	2	1.8	東
2025/06/27 07:00:00	1.2	6.6	13.4	14	1	2.7	東南東
2025/06/27 08:00:00	2.2	8.1	14.8	17	2	--	東南東
2025/06/27 09:00:00	2.8	8.5	20.4	14	2	0.7	北北西
2025/06/27 10:00:00	2.1	6.5	26.3	11	1	1.1	北北西
2025/06/27 11:00:00	1.5	4.5	29.4	18	1	1.8	北北西
2025/06/27 12:00:00	2.3	4.8	31.5	9	1	1.8	北北西
2025/06/27 13:00:00	1.3	4	30.5	11	1	1.9	北北西
2025/06/27 14:00:00	1.1	3.5	32.8	7	1	2	北北西
2025/06/27 15:00:00	1	3.5	32.1	8	1	1.6	北北西
2025/06/27 16:00:00	0.9	4	26.6	9	5	1.4	北北東
2025/06/27 17:00:00	0.9	8.4	25	18	4	1.7	東
2025/06/27 18:00:00	1.6	17.5	7.7	18	2	2.5	東南東
2025/06/27 19:00:00	1.5	19	7.9	22	7	1.7	東南東
2025/06/27 20:00:00	1.2	17.1	4.3	21	9	1.3	東
2025/06/27 21:00:00	2.1	13.1	7.4	17	7	2.5	東南東
2025/06/27 22:00:00	1.7	11.1	7.2	17	2	2.3	東南東
2025/06/27 23:00:00	2	10.5	8.2	21	1	1.1	東
2025/06/28 00:00:00	1.5	12.3	7	17	1	2.4	東南東
2025/06/28 01:00:00	1.3	23	2.4	15	1	3.8	東南東
2025/06/28 02:00:00	1.1	7.7	8.2	17	6	3.2	東南東
2025/06/28 03:00:00	0.9	6.7	12.5	22	5	0.9	東南東
2025/06/28 04:00:00	0.7	5	14.4	17	7	3	東南東
2025/06/28 05:00:00	0.9	5.3	14.2	16	6	2.1	東南東
2025/06/28 06:00:00	0.9	7.8	9.5	25	11	4.6	東南東
2025/06/28 07:00:00	1	7.3	12.3	22	12	3.3	東南東
2025/06/28 08:00:00	1.6	6.8	15.6	17	8	2.1	東南東
2025/06/28 09:00:00	1.5	5.7	28.2	15	4	0.7	東北

台電 台中電廠 清水測站

2025/06/28 10:00:00	1.1	4.6	33.1	9	1	1.4	北北西
2025/06/28 11:00:00	1.1	4.3	33.6	8	1	2.2	北北西
2025/06/28 12:00:00	1.1	4.2	38.1	8	1	3	西北
2025/06/28 13:00:00	1.2	4.2	43.2	10	1	2.4	西北
2025/06/28 14:00:00	1.2	4.5	46.4	12	1	2.4	西北
2025/06/28 15:00:00	1	3.4	44.4	12	2	2.1	北北西
2025/06/28 16:00:00	0.9	3.1	44	10	5	1.8	北北西
2025/06/28 17:00:00	0.9	2.9	47.4	13	5	2	北北西
2025/06/28 18:00:00	1.1	4.5	48.7	14	6	2.1	北北西
2025/06/28 19:00:00	0.7	3.8	42.2	11	6	1.3	北北西
2025/06/28 20:00:00	0.7	4.2	40.7	10	4	0.9	東北東
2025/06/28 21:00:00	0.7	5.7	30.6	18	3	0.9	東
2025/06/28 22:00:00	0.9	6	29.8	16	4	1	東
2025/06/28 23:00:00	0.9	7.9	27	15	4	1.2	東

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2025/06/29 00:00:00	0.9	8.1	23.3	16	3	1	東北東
2025/06/29 01:00:00	0.9	7.9	21.2	10	6	0.8	東北東
2025/06/29 02:00:00	1.3	7.4	21.6	12	4	0.9	東
2025/06/29 03:00:00	1.1	10	17.1	17	1	0.9	東北東
2025/06/29 04:00:00	1.2	7.3	23	15	3	0.7	東北東
2025/06/29 05:00:00	1.1	7.1	19.2	16	5	0.9	東北東
2025/06/29 06:00:00	1.1	7.8	12.8	16	5	1.4	東
2025/06/29 07:00:00	1.3	6.5	14.5	19	5	1.1	東
2025/06/29 08:00:00	1.5	5.4	24.7	23	5	0.7	東北
2025/06/29 09:00:00	1.2	4.3	29.3	13	6	1.4	北北東
2025/06/29 10:00:00	1.3	4.5	33.3	20	4	2	北
2025/06/29 11:00:00	1	3.4	32.7	14	1	1.9	北北西
2025/06/29 12:00:00	0.9	3.4	32	11	1	2.3	北北西
2025/06/29 13:00:00	1	2.9	40.2	13	2	2.5	北北西
2025/06/29 14:00:00	0.9	3.2	48.1	9	2	2.4	北北西
2025/06/29 15:00:00	0.7	2.8	39.6	9	3	2.4	北北西
2025/06/29 16:00:00	0.9	2.8	35.9	11	3	2.3	北北西
2025/06/29 17:00:00	0.7	2.8	38.5	8	6	2.3	北北西
2025/06/29 18:00:00	0.7	3.2	39.9	16	6	1.5	北北西
2025/06/29 19:00:00	0.9	4.8	34.9	10	4	1.8	東北東
2025/06/29 20:00:00	0.9	8.2	18.8	13	3	2.5	東南東
2025/06/29 21:00:00	0.9	7	17.6	18	4	1.9	東南東
2025/06/29 22:00:00	0.9	10.4	12.8	17	4	0.8	東
2025/06/29 23:00:00	0.7	12.8	8.5	16	2	0.9	東南東
2025/06/30 00:00:00	0.9	12.8	6.6	14	2	1.5	東南東
2025/06/30 01:00:00	0.9	16.6	5.3	17	6	0.7	東南
2025/06/30 02:00:00	1.2	22.2	3.8	10	7	0.2	東
2025/06/30 03:00:00	1.2	21	7.7	16	6	0.4	東南東
2025/06/30 04:00:00	1.1	27.7	5	16	6	0.5	東南東
2025/06/30 05:00:00	0.9	18.7	4.6	24	14	0.6	東南東
2025/06/30 06:00:00	0.9	9.4	7.2	20	12	1.9	東南東
2025/06/30 07:00:00	1.2	8.7	10.7	19	8	1.3	東南東
2025/06/30 08:00:00	2.4	8.8	21	16	4	0.7	東南東

台電 台中電廠 清水測站

2025/06/30 09:00:00	2.7	9	28.7	21	5	0.4	西北
2025/06/30 10:00:00	1.6	8.9	33.9	26	6	1.4	北北西
2025/06/30 11:00:00	1.1	4.9	36.8	35	4	1.4	西北
2025/06/30 12:00:00	1	5.7	39.4	11	4	2	西北
2025/06/30 13:00:00	0.9	4.5	39.2	23	2	1.9	西北
2025/06/30 14:00:00	0.9	3.2	38.3	15	2	1.9	北
2025/06/30 15:00:00	0.9	3.2	40.2	14	3	1.6	北
2025/06/30 16:00:00	0.9	3.3	41.9	12	3	1.7	北北西
2025/06/30 17:00:00	0.7	3.8	45.5	13	4	1.9	北北西
2025/06/30 18:00:00	1	5.3	42.4	17	8	1.7	北北西
2025/06/30 19:00:00	1	5.7	41.6	12	7	1.1	北
2025/06/30 20:00:00	0.9	5.9	35.4	9	4	0.8	東北東
2025/06/30 21:00:00	0.6	5.5	30.9	10	4	0.6	東
2025/06/30 22:00:00	0.7	6.7	29.9	14	4	0.9	東
2025/06/30 23:00:00	0.9	10.6	23.2	16	7	0.5	東南東