

台電 台中電廠 線西測站

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/01 00:00:00	1.2	8.9	18.7	25	9	1.49	東北
2026/03/01 01:00:00	1	7.1	16.8	25	9	1.47	東北
2026/03/01 02:00:00	1.2	7.8	13.9	21	8	1	北北東
2026/03/01 03:00:00	1.6	5.2	21.4	29	8	1.83	北北東
2026/03/01 04:00:00	1.6	4.4	21.4	21	9	1.44	北
2026/03/01 05:00:00	1.8	7.7	18.7	15	9	1.37	北北東
2026/03/01 06:00:00	1.7	4.9	19	16	8	1.42	東北
2026/03/01 07:00:00	1.1	5	20.5	21	9	1.56	北北東
2026/03/01 08:00:00	1.5	4.9	21.6	14	9	0.95	北
2026/03/01 09:00:00	2.2	6.8	19	17	10	1.37	北
2026/03/01 10:00:00	2.5	8.7	24.8	18	7	2	北
2026/03/01 11:00:00	2.1	6.7	26.5	23	9	2.61	北
2026/03/01 12:00:00	2	7	31	37	16	2.66	北北西
2026/03/01 13:00:00	1.4	6.3	36.3	--	13	2.91	西北
2026/03/01 14:00:00	1.6	6.2	39.1	45	14	2.54	北北西
2026/03/01 15:00:00	2	4.6	40.8	30	14	2.66	北北西
2026/03/01 16:00:00	1.4	4.9	41	42	10	2.32	北北西
2026/03/01 17:00:00	1.1	4.4	42.7	40	21	2.86	北北西
2026/03/01 18:00:00	1	5	40	37	15	2.34	北
2026/03/01 19:00:00	2.5	10.5	31.4	32	12	1.42	北北東
2026/03/01 20:00:00	2.5	10.5	27.2	42	13	0.56	東北
2026/03/01 21:00:00	2	9.6	25.5	40	11	0.12	西南西
2026/03/01 22:00:00	1.7	9.7	22.3	42	18	0.12	南
2026/03/01 23:00:00	1.4	12.5	14.9	46	13	0.17	東南
2026/03/02 00:00:00	1.4	8.4	27.5	52	19	1.95	北北西
2026/03/02 01:00:00	1.1	8.1	26	30	12	1.83	北
2026/03/02 02:00:00	1.6	12.4	19.9	26	9	1.66	北北東
2026/03/02 03:00:00	1.4	8.4	21.6	34	11	1.22	東北
2026/03/02 04:00:00	1.1	6.8	19.8	35	12	0.93	北北西
2026/03/02 05:00:00	1	7	15.5	30	12	0.66	東
2026/03/02 06:00:00	1	12.6	7.6	32	16	0.93	東南
2026/03/02 07:00:00	1	14.5	3.2	41	20	0.12	西南西
2026/03/02 08:00:00	1.2	14.7	4.9	38	15	1.32	東南
2026/03/02 09:00:00	1.6	15.1	11.8	45	--	1.05	南南東
2026/03/02 10:00:00	1.4	5.9	25.3	37	27	1.93	南南西
2026/03/02 11:00:00	1.5	3.8	29.1	35	13	1.34	西南
2026/03/02 12:00:00	2.2	3.6	28	33	16	1.81	西南西
2026/03/02 13:00:00	2.7	4.5	33.6	32	14	1.49	西南西
2026/03/02 14:00:00	2.7	4.2	39.1	34	20	2	西
2026/03/02 15:00:00	1.5	2.8	36.5	28	18	2.22	西
2026/03/02 16:00:00	1	2.6	34.7	28	8	2.2	西
2026/03/02 17:00:00	1	1.5	32.2	20	4	1.54	西
2026/03/02 18:00:00	1.1	2.6	31.5	19	1	0.98	西
2026/03/02 19:00:00	1	4.6	28.1	22	5	1.83	西北
2026/03/02 20:00:00	1.2	6.6	27.1	18	6	2.71	北
2026/03/02 21:00:00	1.6	7.5	24.8	26	9	2.12	北北東
2026/03/02 22:00:00	1.5	6.2	22.8	30	12	1.95	北北東

台電 台中電廠 線西測站

2026/03/02 23:00:00	1.2	6.1	22.1	32	17	1.83	北北東
---------------------	-----	-----	------	----	----	------	-----

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/03 00:00:00	1.2	7.6	21.2	21	14	2.56	北
2026/03/03 01:00:00	1.1	5.9	18.9	22	10	2.37	北北東
2026/03/03 02:00:00	1.4	9.8	16	25	15	3.32	北北東
2026/03/03 03:00:00	1.1	4.1	27.5	25	21	3.61	北北東
2026/03/03 04:00:00	1.6	3	30.8	21	6	3.86	北北東
2026/03/03 05:00:00	1.1	2.4	30.9	19	7	4.52	北北東
2026/03/03 06:00:00	1	2.6	31.9	21	5	4.98	北北東
2026/03/03 07:00:00	1.1	3.3	31.7	22	5	5.42	北北東
2026/03/03 08:00:00	1.2	4.9	29.3	28	10	6.37	北北東
2026/03/03 09:00:00	1.1	6.1	28.7	26	8	6.2	北北東
2026/03/03 10:00:00	1	5.5	29.7	21	4	5.23	北北東
2026/03/03 11:00:00	1.1	4.6	30.4	22	8	5.74	北北東
2026/03/03 12:00:00	1.1	5.6	30	22	9	5.01	北北東
2026/03/03 13:00:00	1.2	4.6	32.7	21	4	5.03	北北東
2026/03/03 14:00:00	1.1	6.7	33.8	22	1	5.93	北北東
2026/03/03 15:00:00	1.1	7.9	33.1	26	1	6.01	北北東
2026/03/03 16:00:00	1	5.9	34.3	22	7	5.37	北北東
2026/03/03 17:00:00	1	4.7	33.8	17	4	5.52	北北東
2026/03/03 18:00:00	1.2	7.2	31.5	19	1	5.01	北北東
2026/03/03 19:00:00	1.1	7.6	31	17	3	5.1	北北東
2026/03/03 20:00:00	1	4.6	34.2	19	4	5.47	北北東
2026/03/03 21:00:00	1.2	5.1	34.2	18	7	4.79	北北東
2026/03/03 22:00:00	1.1	4.2	35.8	18	6	5.4	北北東
2026/03/03 23:00:00	1	3.3	38.1	11	1	5.37	北北東
2026/03/04 00:00:00	1	3.1	38.8	14	1	5.76	北北東
2026/03/04 01:00:00	1.5	3.8	37.9	15	1	5.54	北北東
2026/03/04 02:00:00	1.2	3	39.1	17	6	6.35	北北東
2026/03/04 03:00:00	1.1	3.1	39.6	21	4	5.32	東北
2026/03/04 04:00:00	1.4	2.8	40.5	19	7	4.69	北北東
2026/03/04 05:00:00	1.4	1.8	40.7	16	5	4.96	北北東
2026/03/04 06:00:00	1.1	2.3	37.6	19	1	3.25	北北東
2026/03/04 07:00:00	1.5	4.7	35	17	1	4.2	北北東
2026/03/04 08:00:00	1.2	6.6	33.8	21	1	4.88	北北東
2026/03/04 09:00:00	1.4	9.1	32.8	20	1	5.08	北北東
2026/03/04 10:00:00	1.2	7.9	34.4	21	8	5.05	北北東
2026/03/04 11:00:00	1.2	8.2	33.2	22	9	4.91	東北
2026/03/04 12:00:00	1.1	7.3	33.6	18	9	3.96	北北東
2026/03/04 13:00:00	1.7	9.8	33.5	18	8	3.86	北北東
2026/03/04 14:00:00	1.5	9.2	35.3	21	6	3.52	北北東
2026/03/04 15:00:00	1.6	12.6	33.1	23	7	3.64	北
2026/03/04 16:00:00	1.5	11.9	32.4	27	12	3.64	北北東
2026/03/04 17:00:00	1.5	14.4	28.4	24	11	3.69	北
2026/03/04 18:00:00	1.4	13	27.4	23	9	3.98	北北東
2026/03/04 19:00:00	1.2	11.4	29.3	20	6	4.18	北北東
2026/03/04 20:00:00	1.1	9.7	29.8	17	5	3.69	東北
2026/03/04 21:00:00	1.4	10.2	26	18	4	2.54	北北東

台電 台中電廠 線西測站

2026/03/04 22:00:00	1.6	9.6	25.2	20	4	2.74	北北東
2026/03/04 23:00:00	1.8	8.4	26	19	9	2.76	北北東

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/05 00:00:00	1.1	8.8	25.4	16	8	2.91	東北
2026/03/05 01:00:00	1.4	7.2	25.8	17	10	1.98	東北
2026/03/05 02:00:00	1	5.9	23.6	15	9	1.88	東北
2026/03/05 03:00:00	1	7.3	19.3	20	9	1.64	東北
2026/03/05 04:00:00	1	8.9	13.7	16	9	0.37	北北東
2026/03/05 05:00:00	1.1	7.9	12.6	19	6	0.07	西南
2026/03/05 06:00:00	1	8.6	9.8	17	8	0.02	南
2026/03/05 07:00:00	1.1	12.8	4.9	20	12	0.27	東
2026/03/05 08:00:00	2.1	16.8	6.1	21	11	0.46	北北東
2026/03/05 09:00:00	2.1	17	10.7	26	11	0.93	北
2026/03/05 10:00:00	2.6	17.8	11.8	23	17	0.83	北北東
2026/03/05 11:00:00	2.6	14.6	22	32	12	1.83	北北西
2026/03/05 12:00:00	1.5	6.5	33.1	39	15	3.1	北北西
2026/03/05 13:00:00	1.2	6.1	34.8	--	14	3	北北西
2026/03/05 14:00:00	1.1	5.7	36	--	19	3.13	北
2026/03/05 15:00:00	0.9	5.7	38.3	37	16	3.39	北北西
2026/03/05 16:00:00	1.1	4.6	38.8	45	21	3.76	北
2026/03/05 17:00:00	1.2	7.6	34.8	37	16	3.32	北
2026/03/05 18:00:00	1.6	9.3	33.6	34	11	3.42	北
2026/03/05 19:00:00	1.6	9.9	31.5	33	8	3.08	北北東
2026/03/05 20:00:00	1.4	7.5	31.3	30	13	2.78	北
2026/03/05 21:00:00	1.1	4.6	33.1	52	14	2.59	東北
2026/03/05 22:00:00	1.4	5.5	31.1	39	9	1.73	北北東
2026/03/05 23:00:00	1.1	2.4	33.5	34	14	3.93	北
2026/03/06 00:00:00	1.2	4.2	30.8	26	10	3.37	北
2026/03/06 01:00:00	1.5	4.6	32.1	29	6	3.37	北
2026/03/06 02:00:00	1.2	2.9	33.5	36	12	2.95	北
2026/03/06 03:00:00	1.1	3.3	33	29	13	3.35	北
2026/03/06 04:00:00	1.4	3.9	30.3	33	14	3.1	北
2026/03/06 05:00:00	1.4	5.2	28	33	12	3.52	北北東
2026/03/06 06:00:00	1.5	5.5	24.3	32	10	2.88	北北東
2026/03/06 07:00:00	1.4	6	22.7	35	9	3.05	北北東
2026/03/06 08:00:00	1.4	8.2	22.7	30	12	3.69	北北東
2026/03/06 09:00:00	1.2	5.5	27.7	19	16	5.1	北北東
2026/03/06 10:00:00	1.4	6	28.7	17	11	5.67	北北東
2026/03/06 11:00:00	1.2	7.2	32.2	18	11	5.42	北北東
2026/03/06 12:00:00	1.2	6.2	31.9	21	10	6.47	北北東
2026/03/06 13:00:00	1.4	7.3	32.4	25	9	6.79	北北東
2026/03/06 14:00:00	1.5	7	36.3	27	7	7.2	北北東
2026/03/06 15:00:00	1.5	6.1	38.8	34	15	7.13	北北東
2026/03/06 16:00:00	1.5	5.4	39.2	29	10	7.2	北北東
2026/03/06 17:00:00	1.5	6.8	38.2	26	4	6.64	北北東
2026/03/06 18:00:00	1.5	8.7	35.9	33	11	7.01	北北東
2026/03/06 19:00:00	1.6	7	36.6	27	11	6.42	北北東
2026/03/06 20:00:00	1.5	6	39.8	31	12	6.47	北北東

台電 台中電廠 線西測站

2026/03/06 21:00:00	1.6	6.3	41	21	13	6.52	北北東
2026/03/06 22:00:00	1.2	4.7	41.3	15	9	6.03	北北東
2026/03/06 23:00:00	1.2	3.1	42.2	15	9	6.08	北北東

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/07 00:00:00	1.2	2.6	44.3	16	7	6.15	北北東
2026/03/07 01:00:00	1.2	1.2	44.7	16	5	6.37	北北東
2026/03/07 02:00:00	1.4	1.8	44.6	20	14	5.89	北北東
2026/03/07 03:00:00	1.2	1.7	45.3	24	10	4.84	北北東
2026/03/07 04:00:00	1.5	1.9	45.3	29	18	5.08	北北東
2026/03/07 05:00:00	1.2	2.4	44.9	31	17	4.69	北北東
2026/03/07 06:00:00	1.4	2.2	44.7	29	15	5.1	北北東
2026/03/07 07:00:00	1.6	3.8	44.6	33	14	6.01	北北東
2026/03/07 08:00:00	1.4	3.8	45.8	37	23	6.18	北北東
2026/03/07 09:00:00	1.5	4.4	45.9	40	25	6.5	北北東
2026/03/07 10:00:00	1.4	3.4	47.9	38	15	6.13	北北東
2026/03/07 11:00:00	1.6	4.6	49.9	34	16	5.4	北北東
2026/03/07 12:00:00	1.6	5.5	54.6	40	22	6.11	北北東
2026/03/07 13:00:00	1.6	4.4	59.1	52	21	6.81	北北東
2026/03/07 14:00:00	2.1	5.5	58	54	23	6.79	北北東
2026/03/07 15:00:00	2.1	5.2	56.9	59	21	7.06	北
2026/03/07 16:00:00	1.8	5.1	55.6	55	26	6.57	北
2026/03/07 17:00:00	1.6	5.5	50.8	50	19	6.13	北北東
2026/03/07 18:00:00	1.4	6.6	45.7	50	22	6.11	北
2026/03/07 19:00:00	1.7	7.8	42.4	44	18	4.86	北北東
2026/03/07 20:00:00	1.4	5.7	41	41	21	5.23	北北東
2026/03/07 21:00:00	1.4	4.7	40.8	32	16	4.59	北北東
2026/03/07 22:00:00	1.4	4.6	40.5	26	14	4.54	北北東
2026/03/07 23:00:00	1.4	4.1	40	20	12	4.32	北北東
2026/03/08 00:00:00	1.2	3	38.7	24	8	3.27	北北東
2026/03/08 01:00:00	1.4	2.8	38.1	24	9	3.42	北北東
2026/03/08 02:00:00	1.5	4.5	37.1	23	8	2.95	北北東
2026/03/08 03:00:00	1.5	3.5	33.9	19	11	2.37	北北東
2026/03/08 04:00:00	1.4	2.6	33.8	17	10	2.27	北北東
2026/03/08 05:00:00	1.7	3.3	30.3	18	9	1.22	東北
2026/03/08 06:00:00	1.4	4.2	26.5	18	11	0.85	北北西
2026/03/08 07:00:00	1.7	5.9	22.6	16	8	0.71	東北
2026/03/08 08:00:00	2.5	7.6	24.3	19	7	1.54	東北
2026/03/08 09:00:00	2.7	5.6	31.3	20	10	3.52	東北
2026/03/08 10:00:00	1.7	5.1	34.4	16	14	3.42	北北東
2026/03/08 11:00:00	4.3	8.4	36	18	12	4.57	北
2026/03/08 12:00:00	2.1	3.4	45.8	28	12	5.08	北北東
2026/03/08 13:00:00	3.1	5.5	46.5	33	17	4.74	北
2026/03/08 14:00:00	3.1	5.2	48.8	47	20	5.59	北
2026/03/08 15:00:00	2.2	5	48.7	47	18	5.69	北
2026/03/08 16:00:00	2	4.9	47.9	47	21	6.67	北北東
2026/03/08 17:00:00	1.4	3.6	47	46	18	6.2	北北東
2026/03/08 18:00:00	1.5	5.9	43.7	42	12	5.91	北北東
2026/03/08 19:00:00	1.5	7.2	39.7	53	25	4.98	北北東

台電 台中電廠 線西測站

2026/03/08 20:00:00	1.2	6.3	38.1	52	28	4.81	北北東
2026/03/08 21:00:00	1.1	4.4	38	35	15	4.42	北北東
2026/03/08 22:00:00	0.9	3.8	36.5	21	12	4.32	北北東
2026/03/08 23:00:00	1	4.5	35.7	21	10	4.03	北北東

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/09 00:00:00	1	3.9	36.5	21	11	4.13	北北東
2026/03/09 01:00:00	1.4	4.9	34.3	21	10	2.88	東北
2026/03/09 02:00:00	1.4	4.7	33.6	22	12	2.15	東北
2026/03/09 03:00:00	1.2	3.9	32.6	27	11	2.2	北北東
2026/03/09 04:00:00	1.5	4.4	31.3	21	12	2.34	東北
2026/03/09 05:00:00	1.2	3.8	32.1	20	13	2.81	東北
2026/03/09 06:00:00	1.4	2.8	33.1	20	9	2.78	北北東
2026/03/09 07:00:00	1.4	5.4	32.7	20	4	3.49	北北東
2026/03/09 08:00:00	1.2	7.3	30.4	19	14	3.44	北北東
2026/03/09 09:00:00	1.4	8.7	31.3	16	9	3.98	北北東
2026/03/09 10:00:00	1.2	7.3	36.4	19	4	4.98	北北東
2026/03/09 11:00:00	1.2	5.5	39.4	23	5	4.84	北北東
2026/03/09 12:00:00	1.5	9.4	39.1	24	15	5.35	北北東
2026/03/09 13:00:00	1.1	7	41.6	28	12	5.93	北北東
2026/03/09 14:00:00	1.4	7.3	43.2	31	10	6.54	北北東
2026/03/09 15:00:00	1.1	7	45.2	34	11	7.16	北北東
2026/03/09 16:00:00	1.4	5.9	45.1	38	14	6.64	北北東
2026/03/09 17:00:00	1.2	6.8	44.7	33	14	6.67	北北東
2026/03/09 18:00:00	1.2	7.9	42.1	28	10	6.84	北北東
2026/03/09 19:00:00	1.1	7	41.4	26	8	7.25	北北東
2026/03/09 20:00:00	1.2	5	42.9	16	8	6.98	北北東
2026/03/09 21:00:00	1.2	4.2	44	13	4	7.57	北北東
2026/03/09 22:00:00	1.2	3.3	46.4	16	4	6.94	北北東
2026/03/09 23:00:00	1.2	2.8	46.4	17	5	7.28	北北東
2026/03/10 00:00:00	1.4	3.5	45.7	12	1	6.25	北北東
2026/03/10 01:00:00	1.5	1.8	45.9	12	1	6.37	北北東
2026/03/10 02:00:00	1.5	1.9	44.9	74	1	7.06	北北東
2026/03/10 03:00:00	1.6	1.9	44.9	21	3	6.76	北北東
2026/03/10 04:00:00	1.6	1.8	44.7	16	8	6.23	北北東
2026/03/10 05:00:00	1.5	0.9	46.4	19	10	6.94	北北東
2026/03/10 06:00:00	1.5	2.6	45.5	18	12	6.37	北北東
2026/03/10 07:00:00	1.6	3.5	43.5	22	9	5.86	北北東
2026/03/10 08:00:00	1.2	6.1	40.5	20	8	5.08	北北東
2026/03/10 09:00:00	1.1	6.2	40.2	12	12	4.49	北北東
2026/03/10 10:00:00	1.2	7.6	39.6	16	10	4.86	北北東
2026/03/10 11:00:00	1.4	8.9	40.8	16	10	4.86	北北東
2026/03/10 12:00:00	1.4	10.9	38.8	17	12	4.76	北北東
2026/03/10 13:00:00	1.2	8.6	42	22	12	5.57	北北東
2026/03/10 14:00:00	1.4	8.1	43.7	15	13	5.79	北北東
2026/03/10 15:00:00	1.4	8.4	42.7	20	12	5.23	北北東
2026/03/10 16:00:00	1.4	8.6	43.3	22	14	5.18	北北東
2026/03/10 17:00:00	1.2	8.4	42.7	25	18	4.88	北北東
2026/03/10 18:00:00	1.4	9.2	42	25	13	4.98	北北東

台電 台中電廠 線西測站

2026/03/10 19:00:00	1.4	5.9	44	19	10	4.91	北北東
2026/03/10 20:00:00	1.5	5.1	43.7	25	12	4.86	北北東
2026/03/10 21:00:00	1.6	4.7	42.1	29	10	3.79	北北東
2026/03/10 22:00:00	1.5	4.1	41.3	27	12	3.74	北北東
2026/03/10 23:00:00	1.4	5	39.3	22	11	3.49	北北東

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/11 00:00:00	1.4	5.2	37.9	27	7	3.59	北北東
2026/03/11 01:00:00	1.4	3.6	37.2	23	7	3.39	北北東
2026/03/11 02:00:00	1.6	5.7	36.1	23	10	3.81	北北東
2026/03/11 03:00:00	2.1	7.2	34.7	27	11	3.83	東北
2026/03/11 04:00:00	2.2	6.7	36	37	27	3.91	北北東
2026/03/11 05:00:00	1.7	4.5	38.8	28	17	4.27	北北東
2026/03/11 06:00:00	1.8	4.4	38.1	23	10	3.81	北北東
2026/03/11 07:00:00	1.6	5.7	36.6	24	9	3.88	北北東
2026/03/11 08:00:00	1.5	7.7	35.4	23	10	4.18	北北東
2026/03/11 09:00:00	1.6	5.5	37.9	24	10	4.59	北北東
2026/03/11 10:00:00	2	7	38.7	19	11	4.64	北北東
2026/03/11 11:00:00	2.3	11.3	38.3	23	13	4.22	北
2026/03/11 12:00:00	2.7	11.4	44.1	35	10	4.71	北
2026/03/11 13:00:00	3.2	8.8	52.9	40	12	5.05	北
2026/03/11 14:00:00	3.4	7.6	56.7	44	18	5.86	北
2026/03/11 15:00:00	2.3	5.6	58.7	42	18	5.64	北
2026/03/11 16:00:00	2	6.5	57	42	15	5.18	北北東
2026/03/11 17:00:00	1.7	6.7	56.4	44	13	4.98	北
2026/03/11 18:00:00	1.6	8.1	52.4	38	10	4.15	北北東
2026/03/11 19:00:00	1.6	8.1	48.2	41	10	4.18	北
2026/03/11 20:00:00	2.3	9.4	42.1	33	8	3.91	北北東
2026/03/11 21:00:00	2.8	11	37	26	9	3.22	北北東
2026/03/11 22:00:00	3.3	10.8	33.8	31	11	2.93	北北東
2026/03/11 23:00:00	3.4	9.9	33.3	26	8	3.54	北北東
2026/03/12 00:00:00	2.6	9.6	33.3	21	9	3.47	北北東
2026/03/12 01:00:00	3.4	9.1	31.3	24	10	3.15	北北東
2026/03/12 02:00:00	2.3	13.1	28.8	24	10	3.52	北北東
2026/03/12 03:00:00	2	7	36.4	19	14	4.4	北北東
2026/03/12 04:00:00	2	6.2	35.3	16	12	4.98	北北東
2026/03/12 05:00:00	1.8	5.7	35.5	19	11	5.15	北北東
2026/03/12 06:00:00	1.7	5.1	37.1	15	8	4.98	北北東
2026/03/12 07:00:00	1.7	7.2	36.3	17	7	4.93	北北東
2026/03/12 08:00:00	2	8.3	38.1	15	6	5.98	北北東
2026/03/12 09:00:00	1.8	5.7	41.8	23	6	6.67	北北東
2026/03/12 10:00:00	2	6.3	42.4	23	8	5.4	北北東
2026/03/12 11:00:00	1.8	6.6	45.3	24	7	6.03	北北東
2026/03/12 12:00:00	1.8	5.4	49.3	39	18	6.52	北
2026/03/12 13:00:00	1.6	4.2	54.7	42	15	7.37	北北東
2026/03/12 14:00:00	1.6	3.1	55.8	47	15	6.91	北北東
2026/03/12 15:00:00	1.7	4	56.7	45	13	7.64	北北東
2026/03/12 16:00:00	1.4	3.6	57	50	13	7.23	北北東
2026/03/12 17:00:00	1.5	5.6	57.4	62	14	7.37	北北東

台電 台中電廠 線西測站

2026/03/12 18:00:00	1.6	6.5	54.5	63	20	7.62	北北東
2026/03/12 19:00:00	1.6	5.7	53.4	56	15	7.96	北北東
2026/03/12 20:00:00	1.4	5.1	54.5	38	17	7.67	北北東
2026/03/12 21:00:00	1.6	2.3	56.7	33	14	8.11	北北東
2026/03/12 22:00:00	1.8	2.8	61.7	37	10	8.67	北北東
2026/03/12 23:00:00	1.4	1.9	65.7	46	12	9.21	北北東

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/13 00:00:00	1.5	1.2	65	48	13	8.62	北北東
2026/03/13 01:00:00	1.7	1.7	62.4	44	15	9.26	北北東
2026/03/13 02:00:00	1.7	1.2	62.3	45	15	8.64	北北東
2026/03/13 03:00:00	1.6	1.2	62	36	23	9.4	北北東
2026/03/13 04:00:00	1.6	2.4	62.5	36	16	8.52	北北東
2026/03/13 05:00:00	1.6	2.4	62.6	40	23	8.01	北北東
2026/03/13 06:00:00	1.6	2.6	61.1	41	30	7.67	北北東
2026/03/13 07:00:00	1.6	3.4	58.9	40	22	7.64	北北東
2026/03/13 08:00:00	1.7	5.5	56.5	37	33	7.28	北北東
2026/03/13 09:00:00	2	6.2	55.1	43	30	6.59	北北東
2026/03/13 10:00:00	2	7.1	56.2	41	25	6.81	北北東
2026/03/13 11:00:00	1.7	6	58.5	49	27	6.72	北北東
2026/03/13 12:00:00	--	--	57.9	48	23	5.57	北北東
2026/03/13 13:00:00	0.6	5	59.3	67	29	6.74	北北東
2026/03/13 14:00:00	0.7	4.4	56.4	69	29	6.72	北北東
2026/03/13 15:00:00	0.7	4.6	53.6	65	22	6.5	北北東
2026/03/13 16:00:00	0.7	4.1	53	61	19	6.08	北北東
2026/03/13 17:00:00	0.9	6.1	50.8	60	14	5.67	北北東
2026/03/13 18:00:00	0.9	8.3	47.5	59	19	6.03	北北東
2026/03/13 19:00:00	1	9.4	43.6	45	18	4.84	北北東
2026/03/13 20:00:00	1	9.7	40.8	36	15	3.74	北
2026/03/13 21:00:00	0.9	8.1	40.5	37	18	3.39	北北東
2026/03/13 22:00:00	1.6	6.7	40.4	32	16	2.76	北北東
2026/03/13 23:00:00	0.9	5.6	38.8	28	14	2.03	北北東
2026/03/14 00:00:00	0.9	6.6	36.4	26	11	1.76	北北東
2026/03/14 01:00:00	1.7	8.2	32.6	31	21	0.98	北北東
2026/03/14 02:00:00	1.1	8.1	30.5	28	22	1.39	東北
2026/03/14 03:00:00	1	10.2	22.2	31	20	1.05	北北東
2026/03/14 04:00:00	1.4	11.4	19.2	32	20	0.95	北北東
2026/03/14 05:00:00	1	14.2	13.4	31	19	0.68	東北東
2026/03/14 06:00:00	0.7	16.5	9	35	23	0.78	東北
2026/03/14 07:00:00	0.7	14.7	10.4	32	21	1.05	東北東
2026/03/14 08:00:00	1.4	21.4	9.4	35	21	1.37	東北
2026/03/14 09:00:00	4.3	21.6	20.5	48	35	1.2	東北
2026/03/14 10:00:00	4.8	17.4	29.9	54	31	1.37	北北西
2026/03/14 11:00:00	4	15.1	42.5	54	23	2.12	西北
2026/03/14 12:00:00	1.6	4.6	51.8	53	23	3.03	北北西
2026/03/14 13:00:00	1.2	5.1	62.8	36	16	2.98	北北西
2026/03/14 14:00:00	1.2	3.5	64.6	44	19	3.47	北北西
2026/03/14 15:00:00	2.7	7.3	52	40	22	4.59	北
2026/03/14 16:00:00	3.3	7.1	50.5	38	20	4.91	北

台電 台中電廠 線西測站

2026/03/14 17:00:00	2	5.9	49.3	38	12	5.27	北北東
2026/03/14 18:00:00	1.6	4.9	48.6	35	11	5.64	北北東
2026/03/14 19:00:00	2	5.9	45.9	33	13	4.44	北北東
2026/03/14 20:00:00	1.4	6.2	44.3	33	11	2.76	北北東
2026/03/14 21:00:00	0.9	5.4	41.3	43	19	1.88	北北東
2026/03/14 22:00:00	3.5	8.6	35.5	40	9	2.32	北北東
2026/03/14 23:00:00	2.7	9.1	33.2	45	21	2.12	東北

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/15 00:00:00	3.4	13.1	27.7	44	30	1.9	北北東
2026/03/15 01:00:00	2.9	12.8	26.9	46	21	1.64	北北東
2026/03/15 02:00:00	1.4	10.3	26	40	27	0.76	北
2026/03/15 03:00:00	1.1	8.6	26	32	15	0.9	東北
2026/03/15 04:00:00	0.9	10.8	22.8	31	14	1.2	東北
2026/03/15 05:00:00	1	11.6	19	36	22	0.68	北北東
2026/03/15 06:00:00	2.6	10.8	20.8	33	20	1.17	北北東
2026/03/15 07:00:00	1.8	10.4	21.9	38	26	1.15	東北
2026/03/15 08:00:00	1.4	10	23	39	25	1.44	東北
2026/03/15 09:00:00	1.6	6.8	29.9	42	21	1.54	北北東
2026/03/15 10:00:00	2.2	7	35.8	38	19	0.85	北北西
2026/03/15 11:00:00	3.5	9.6	38.9	41	17	2.27	北北西
2026/03/15 12:00:00	1.7	5.4	46.2	46	18	3.08	北北西
2026/03/15 13:00:00	1.8	3.9	54.1	39	21	3	北北西
2026/03/15 14:00:00	1.5	2.6	60.1	45	20	2.76	北北西
2026/03/15 15:00:00	4.8	9.7	49.5	39	22	3.3	北北西
2026/03/15 16:00:00	7	12	44.7	39	13	3.08	北北西
2026/03/15 17:00:00	6.8	12.4	41.5	43	15	2.64	北
2026/03/15 18:00:00	2.8	7.8	44.3	44	12	2.54	北北東
2026/03/15 19:00:00	0.9	4.1	46	39	19	2.2	北北東
2026/03/15 20:00:00	1.1	6.5	39.1	34	13	1.66	北北東
2026/03/15 21:00:00	1.1	6.5	33.8	33	13	1.86	北北東
2026/03/15 22:00:00	1.2	6.8	32.8	36	12	1.68	北北東
2026/03/15 23:00:00	0.7	6.1	34.1	32	14	1	北北東
2026/03/16 00:00:00	0.7	5.9	28.4	34	12	0.12	西北西
2026/03/16 01:00:00	0.7	5	26.6	29	14	0.42	西北
2026/03/16 02:00:00	0.5	6.6	21.6	28	17	0.17	東
2026/03/16 03:00:00	0.5	8.8	15.4	29	20	0.44	東
2026/03/16 04:00:00	0.5	15.5	8.4	34	14	0.2	東北
2026/03/16 05:00:00	0.5	13.9	6.3	40	23	0.22	北北西
2026/03/16 06:00:00	0.5	15.7	6.7	40	22	0.29	北
2026/03/16 07:00:00	0.6	16.3	7.7	38	22	0.27	東
2026/03/16 08:00:00	0.9	20.7	9.6	42	23	0.76	東北東
2026/03/16 09:00:00	1.7	21.9	18.3	51	29	0.85	北北東
2026/03/16 10:00:00	4	16.5	25	68	37	1.37	北北西
2026/03/16 11:00:00	3.1	12.1	33.1	68	37	2.42	北北西
2026/03/16 12:00:00	2.1	7.9	37.9	55	31	2.74	西北
2026/03/16 13:00:00	2.5	8.6	46.4	42	16	2.71	西北
2026/03/16 14:00:00	2.3	4.6	58.5	43	18	3.13	北北西
2026/03/16 15:00:00	1.4	4.6	51.8	44	25	3.71	北北西

台電 台中電廠 線西測站

2026/03/16 16:00:00	3.8	8.9	47.3	38	11	3.86	北
2026/03/16 17:00:00	4.3	9.9	45.8	39	17	3.79	北
2026/03/16 18:00:00	1.4	8.7	49	42	14	3.96	北
2026/03/16 19:00:00	0.7	6.5	49.9	39	10	3.15	北
2026/03/16 20:00:00	0.9	5.7	48.2	37	14	2.71	北北東
2026/03/16 21:00:00	0.9	4.6	46.6	36	17	2.44	北北東
2026/03/16 22:00:00	1.2	4.1	44.6	36	12	2.1	北北東
2026/03/16 23:00:00	1	3.8	44.2	38	17	1.95	北北東

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/17 00:00:00	0.6	2.8	41.3	32	15	1.56	北北東
2026/03/17 01:00:00	0.5	3.8	38.6	34	18	1.25	北北東
2026/03/17 02:00:00	1.5	4	38.2	37	14	1.27	北
2026/03/17 03:00:00	0.9	5.4	34.2	36	12	0.95	北北東
2026/03/17 04:00:00	0.9	5.2	30.2	40	15	1.03	北北東
2026/03/17 05:00:00	0.9	7.2	27	39	20	0.71	北
2026/03/17 06:00:00	1.2	9.1	23.3	40	14	0.76	北北東
2026/03/17 07:00:00	1.2	9.9	23.1	39	13	1.05	北北西
2026/03/17 08:00:00	1.5	12.3	29.7	40	16	1.98	北北西
2026/03/17 09:00:00	2	10	33.5	40	20	2.08	北北西
2026/03/17 10:00:00	2	8.8	36.1	39	16	2	西北
2026/03/17 11:00:00	1.8	7.6	40	50	17	2.27	北北西
2026/03/17 12:00:00	2	5.6	45.7	44	18	2.15	北北西
2026/03/17 13:00:00	1.8	4.9	49.1	42	18	2.59	北北西
2026/03/17 14:00:00	1.6	4.9	52.4	41	21	2.83	北北西
2026/03/17 15:00:00	2.9	4.2	54.3	46	18	2.91	北北西
2026/03/17 16:00:00	3.5	6.1	50.5	39	20	2.78	北北西
2026/03/17 17:00:00	7.2	7	49.3	38	21	3.03	北北西
2026/03/17 18:00:00	4.5	12.6	42.9	37	15	1.95	北北西
2026/03/17 19:00:00	4.9	20.9	31.3	41	21	0.9	北北西
2026/03/17 20:00:00	3.7	20.4	28.2	53	18	1.27	北北西
2026/03/17 21:00:00	3.7	--	16.8	49	24	0.76	北
2026/03/17 22:00:00	3.8	26.1	14.9	58	27	0.49	北
2026/03/17 23:00:00	3.3	--	20.1	54	31	0.2	西北西
2026/03/18 00:00:00	2.5	16.8	14.3	53	29	0.44	東南東
2026/03/18 01:00:00	2.1	18.6	9	57	33	0.54	東南
2026/03/18 02:00:00	1.6	--	6.1	60	34	1.03	東
2026/03/18 03:00:00	1.6	9.8	18.4	32	16	1.81	東南東
2026/03/18 04:00:00	1.6	7.7	21	26	13	1.49	東南東
2026/03/18 05:00:00	1.6	7.5	23.3	25	13	1.51	東
2026/03/18 06:00:00	1.5	7.1	21.4	25	13	1.32	東南東
2026/03/18 07:00:00	1.6	12	16.4	26	14	1.34	東南東
2026/03/18 08:00:00	2.2	15.1	16.1	28	15	1.15	東
2026/03/18 09:00:00	2.2	13.9	23.4	32	18	0.88	東南
2026/03/18 10:00:00	2.7	9.3	38.9	30	19	0.85	南南西
2026/03/18 11:00:00	2.7	4.6	54.3	38	19	1.12	西南
2026/03/18 12:00:00	2.8	2.5	56.5	43	26	1.34	西南
2026/03/18 13:00:00	3.4	3.6	63.9	36	16	2.37	西
2026/03/18 14:00:00	2.7	1.8	56.9	39	26	2.44	西

台電 台中電廠 線西測站

2026/03/18 15:00:00	2.3	--	57	24	15	2.76	西
2026/03/18 16:00:00	2.1	--	60.9	25	15	2.64	西
2026/03/18 17:00:00	2.1	--	66.8	32	18	2.1	西
2026/03/18 18:00:00	1.8	--	66.9	29	23	1.68	西
2026/03/18 19:00:00	1.7	1.9	64.1	33	19	1.07	西南西
2026/03/18 20:00:00	1.7	2.6	59.2	31	20	0.9	西南西
2026/03/18 21:00:00	1.8	4.2	53	33	19	0.73	南南西
2026/03/18 22:00:00	1.7	3.9	50.3	39	19	1.15	南南東
2026/03/18 23:00:00	1.6	7.3	44.2	40	20	1.88	南南東

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/19 00:00:00	2	8.7	41.6	47	25	1.95	南南東
2026/03/19 01:00:00	1.8	6.2	47.7	44	23	1.12	南南東
2026/03/19 02:00:00	1.8	8.2	40.5	43	24	0.54	南南東
2026/03/19 03:00:00	1.8	9.8	30.4	43	36	0.88	東南
2026/03/19 04:00:00	1.8	14.6	20.4	44	27	1.25	東南東
2026/03/19 05:00:00	1.7	9.8	20.8	40	26	1.17	東
2026/03/19 06:00:00	1.6	11.3	18.6	38	20	1.17	東
2026/03/19 07:00:00	1.8	14.7	16.8	33	21	1.25	東北
2026/03/19 08:00:00	2	12.6	22.1	40	30	2.47	北北東
2026/03/19 09:00:00	2.7	13.9	21.9	47	25	2.44	北
2026/03/19 10:00:00	3.8	17.2	24.2	65	32	2.78	北
2026/03/19 11:00:00	5.3	16.2	32	51	26	3.37	北北西
2026/03/19 12:00:00	5	13.5	40.2	55	24	4.76	北
2026/03/19 13:00:00	3.9	11	43.7	53	15	4.69	北
2026/03/19 14:00:00	5.1	13.6	48.4	47	12	5.05	北
2026/03/19 15:00:00	2.7	10.4	52.5	50	20	5.64	北
2026/03/19 16:00:00	2.6	12.9	49.8	36	13	4.91	北
2026/03/19 17:00:00	2.5	15.2	41.9	40	23	3.71	北
2026/03/19 18:00:00	3.1	20.9	34.1	46	20	3.47	北
2026/03/19 19:00:00	2.7	19	34.7	41	9	4.25	北
2026/03/19 20:00:00	1.7	11.6	38.1	24	10	4.08	北北東
2026/03/19 21:00:00	1.7	10.5	37	25	10	4.25	北北東
2026/03/19 22:00:00	1.8	10	35.7	24	9	3.61	北北東
2026/03/19 23:00:00	2	9.7	34.7	19	12	3.96	北北東
2026/03/20 00:00:00	1.7	9.1	36.1	21	8	4.05	北北東
2026/03/20 01:00:00	1.7	8.2	35.9	23	9	4	北北東
2026/03/20 02:00:00	1.8	7.2	37.1	14	7	3.81	北北東
2026/03/20 03:00:00	1.8	7.7	36.8	15	8	3.64	北北東
2026/03/20 04:00:00	2	6.6	36.8	24	15	3.42	北北東
2026/03/20 05:00:00	2.3	8.1	34.8	21	14	2.56	東北
2026/03/20 06:00:00	1.8	7.6	35.3	23	19	3.1	東北
2026/03/20 07:00:00	1.8	9.3	32.1	29	10	2.76	東北
2026/03/20 08:00:00	1.8	10.5	33.7	26	16	3.42	北北東
2026/03/20 09:00:00	1.8	10.3	38.2	32	14	3.91	東北
2026/03/20 10:00:00	1.8	10.2	43.3	27	17	4.13	北北東
2026/03/20 11:00:00	2.2	11.6	45.4	35	21	3.57	東北
2026/03/20 12:00:00	2.7	13.4	49.8	39	15	3.05	北北東
2026/03/20 13:00:00	4.5	14.6	54.7	41	19	3.52	北北西

台電 台中電廠 線西測站

2026/03/20 14:00:00	2.2	9.8	65	48	23	4.4	北北西
2026/03/20 15:00:00	2	8.2	59.7	51	24	4.62	北北西
2026/03/20 16:00:00	2.1	9.4	52.7	51	22	4.59	北
2026/03/20 17:00:00	2.7	11.4	48.4	61	21	4.49	北
2026/03/20 18:00:00	2.6	11.3	46.5	63	23	4.35	北北東
2026/03/20 19:00:00	2	9.8	47.3	66	23	3.13	北北東
2026/03/20 20:00:00	2	9.4	44.8	59	18	2.12	北北東
2026/03/20 21:00:00	1.6	10.4	41.8	61	20	1.76	北北東
2026/03/20 22:00:00	3.1	10.4	37.9	53	18	1.64	北
2026/03/20 23:00:00	2.7	10.9	36	50	22	2	北北東

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/21 00:00:00	2.2	9.2	43.8	52	24	3.59	北北東
2026/03/21 01:00:00	2.7	10.4	45.8	43	14	4.64	北北東
2026/03/21 02:00:00	1.8	7.7	47.9	52	19	4.49	北北東
2026/03/21 03:00:00	1.8	6.2	47.5	42	18	4.35	北北東
2026/03/21 04:00:00	1.6	6.5	46.3	28	18	3.49	北北東
2026/03/21 05:00:00	1.4	6	44.1	24	14	3.69	北北東
2026/03/21 06:00:00	1.4	7.2	39.8	17	9	2.83	北北東
2026/03/21 07:00:00	2.1	10.7	32.5	19	14	1.98	北
2026/03/21 08:00:00	2.8	14	28.6	20	11	2.54	北北東
2026/03/21 09:00:00	2.5	11	34.4	27	10	4.27	北北東
2026/03/21 10:00:00	2.3	10.2	38.8	28	13	3.71	北北東
2026/03/21 11:00:00	2	9.2	43.8	28	13	4.15	北北東
2026/03/21 12:00:00	4	13	41.1	26	13	4	北
2026/03/21 13:00:00	3.8	12.3	45.5	34	12	4.4	北
2026/03/21 14:00:00	4.8	11.4	51.4	35	17	4.86	北
2026/03/21 15:00:00	3.1	9.4	52.6	32	20	5.08	北
2026/03/21 16:00:00	2.1	8.9	50.4	40	18	5.01	北
2026/03/21 17:00:00	1.8	9.8	45.9	40	18	4.66	北
2026/03/21 18:00:00	1.7	10.8	43.3	36	23	4.59	北
2026/03/21 19:00:00	1.7	10.8	40.2	26	15	4.27	北北東
2026/03/21 20:00:00	1.7	10.7	37.1	24	16	3.57	北北東
2026/03/21 21:00:00	1.7	11	35.3	26	16	3.32	北
2026/03/21 22:00:00	2.1	9.6	36.3	25	14	3.86	北北東
2026/03/21 23:00:00	1.8	9.6	35.8	22	21	3.44	北北東
2026/03/22 00:00:00	1.6	7.8	36.3	24	19	3.76	北北東
2026/03/22 01:00:00	1.7	7.7	36	20	9	3	北北東
2026/03/22 02:00:00	1.8	7.5	35.5	16	6	3.1	北北東
2026/03/22 03:00:00	1.5	6.3	34.9	19	10	2.98	東北
2026/03/22 04:00:00	1.5	7	31.4	17	8	2.54	北北東
2026/03/22 05:00:00	1.7	7.6	31.5	21	7	2.86	北北東
2026/03/22 06:00:00	1.8	7.1	32.4	16	8	2.52	北北東
2026/03/22 07:00:00	1.6	7.8	30.2	13	7	2.3	北北東
2026/03/22 08:00:00	2.2	8.7	28.3	11	11	1.42	東北
2026/03/22 09:00:00	3.3	9.8	29.5	15	13	1.56	北北西
2026/03/22 10:00:00	4.5	13.6	31.7	16	14	2.47	北
2026/03/22 11:00:00	4.8	11.8	37.2	18	12	1.9	北
2026/03/22 12:00:00	2.2	7.2	46.5	21	14	3.52	北北西

台電 台中電廠 線西測站

2026/03/22 13:00:00	1.8	7.3	50.1	15	9	3.98	北北西
2026/03/22 14:00:00	1.6	6.3	49.6	12	5	4.03	北北西
2026/03/22 15:00:00	1.7	6.7	49.5	24	12	3.79	北北西
2026/03/22 16:00:00	1.5	6.6	52.5	42	22	3.27	北北西
2026/03/22 17:00:00	2.1	7.6	52.5	40	13	2.32	北北西
2026/03/22 18:00:00	2	8.3	51	40	18	2.54	北北西
2026/03/22 19:00:00	1.8	7.2	51.3	42	23	2.56	北北西
2026/03/22 20:00:00	2.3	10.8	46.5	40	16	2.1	北北東
2026/03/22 21:00:00	2.1	7.7	47.6	38	19	1.88	東北
2026/03/22 22:00:00	2	8.9	40	47	23	0.63	北北東
2026/03/22 23:00:00	1.8	8.7	38.1	52	25	0.34	西北

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/23 00:00:00	2.1	12	31.4	49	21	0.17	北北東
2026/03/23 01:00:00	2.2	12.1	26.3	54	24	0.56	北北東
2026/03/23 02:00:00	2	10.2	28.1	55	30	1.03	東北
2026/03/23 03:00:00	1.7	10.5	30	53	28	1.12	東北
2026/03/23 04:00:00	1.4	11.6	27	48	31	1.07	東北
2026/03/23 05:00:00	1.5	11.5	26.3	55	33	0.98	北北東
2026/03/23 06:00:00	1.7	11.2	26	52	30	1.05	東北
2026/03/23 07:00:00	1.6	14.5	23.3	52	28	1.25	東北
2026/03/23 08:00:00	1.8	14.9	24.8	53	35	2.17	東北
2026/03/23 09:00:00	3.4	17	28.3	56	34	2.03	東北
2026/03/23 10:00:00	4.5	18.8	31.9	66	42	1.27	北北西
2026/03/23 11:00:00	3.5	16	40.3	71	37	2.37	西北
2026/03/23 12:00:00	2.3	11.3	50.3	58	41	3.05	北北西
2026/03/23 13:00:00	1.4	8.4	56.3	40	31	3.69	北北西
2026/03/23 14:00:00	0.7	7	53.2	33	24	4.13	北北西
2026/03/23 15:00:00	0.9	7.9	48.2	37	23	3.74	北北西
2026/03/23 16:00:00	1.1	9.7	44.7	43	16	3.86	北北西
2026/03/23 17:00:00	1.2	9.1	45.5	42	21	4.35	北北西
2026/03/23 18:00:00	1.2	11.4	46.4	33	22	3.27	北
2026/03/23 19:00:00	0.7	9.4	45.3	40	16	2.61	北北東
2026/03/23 20:00:00	0.9	8.9	40.5	40	16	1.27	北北東
2026/03/23 21:00:00	1.1	10.8	35.3	45	17	0.66	北北西
2026/03/23 22:00:00	1.2	10.8	32.5	46	18	0.44	西北
2026/03/23 23:00:00	1.4	18.1	21.2	43	22	0.46	西北
2026/03/24 00:00:00	1.5	21.1	16.5	55	25	0.81	北北西
2026/03/24 01:00:00	1.7	25.3	17.7	53	28	1.51	北北東
2026/03/24 02:00:00	1.5	12.1	24.5	49	30	1.73	北北東
2026/03/24 03:00:00	1.1	9.1	29.5	51	33	1.9	北北東
2026/03/24 04:00:00	1.6	10.7	28.1	46	33	1.2	北北西
2026/03/24 05:00:00	1.2	9.7	30.4	44	20	1.56	北北東
2026/03/24 06:00:00	1.6	13.9	22.8	40	28	1.15	北北東
2026/03/24 07:00:00	1.4	15.3	19.3	48	26	1.25	北北東
2026/03/24 08:00:00	1.5	18.8	19.7	43	32	1.49	北北東
2026/03/24 09:00:00	2	17	25.5	47	33	1.34	東北
2026/03/24 10:00:00	2.6	15.7	29.3	43	29	0.98	西北
2026/03/24 11:00:00	1	10.4	38.3	45	27	2.03	西北

台電 台中電廠 線西測站

2026/03/24 12:00:00	0.6	7	43.8	41	29	3.17	北北西
2026/03/24 13:00:00	0.7	6.1	46.9	35	16	3.1	西北
2026/03/24 14:00:00	0.6	6.8	46.6	33	14	3.47	北北西
2026/03/24 15:00:00	0.9	8.2	47.4	32	21	3.61	北
2026/03/24 16:00:00	2.2	14.1	41	32	22	2.32	北
2026/03/24 17:00:00	1.4	13.1	44	42	26	1.56	東北
2026/03/24 18:00:00	1.1	12.9	42.7	38	25	0.29	西南
2026/03/24 19:00:00	1	11.2	42.4	40	24	0.63	西
2026/03/24 20:00:00	1.2	17	31.4	43	23	0.29	西北西
2026/03/24 21:00:00	2	20.4	26	53	31	0.39	西北
2026/03/24 22:00:00	1.6	18.3	23.9	55	33	0.05	南南東
2026/03/24 23:00:00	1.4	17.4	21.6	56	38	0.42	東南東

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/25 00:00:00	0.9	17.1	20.8	57	36	0.34	南南東
2026/03/25 01:00:00	0.9	17.4	17.6	56	34	0.22	東
2026/03/25 02:00:00	0.5	15.5	18.9	50	36	0.39	東北東
2026/03/25 03:00:00	0.5	17.2	15.1	53	42	0.85	東南東
2026/03/25 04:00:00	0.5	15.5	16	60	38	0.54	東
2026/03/25 05:00:00	0.5	15.2	12.8	59	36	0.44	東
2026/03/25 06:00:00	0.6	19.3	5.9	58	35	0.56	北北東
2026/03/25 07:00:00	0.7	22.4	4.4	55	33	0.76	北北東
2026/03/25 08:00:00	1.2	25.1	9.2	54	32	1.22	東北
2026/03/25 09:00:00	1.5	20.2	23.1	52	33	2.05	北北東
2026/03/25 10:00:00	1.6	11.9	33.2	38	24	2.86	北北西
2026/03/25 11:00:00	1	9.8	39.4	29	21	3.76	北北西
2026/03/25 12:00:00	2.6	12.5	40.9	31	20	4.3	北
2026/03/25 13:00:00	3.5	12.8	44.2	34	19	4.15	北北西
2026/03/25 14:00:00	3.2	10.2	47.6	33	19	3.93	北北西
2026/03/25 15:00:00	3.1	10.4	47.5	37	13	4.84	北北西
2026/03/25 16:00:00	4.3	9.8	46.5	44	14	4.15	北
2026/03/25 17:00:00	4.3	13	43	44	16	4.59	北
2026/03/25 18:00:00	1.7	10.2	44.8	30	15	3.03	北
2026/03/25 19:00:00	1.6	12.4	40.5	28	10	2.32	北
2026/03/25 20:00:00	1.7	13	37	28	16	2.69	北北東
2026/03/25 21:00:00	1.7	12.8	33.5	26	16	2.76	北北東
2026/03/25 22:00:00	2.9	14	30.3	26	15	2.61	北
2026/03/25 23:00:00	2.2	15.2	29.9	24	17	2.32	北北東
2026/03/26 00:00:00	2.9	19.4	22.1	24	16	2.69	北北東
2026/03/26 01:00:00	1.7	10.5	30.3	24	14	3.47	北北東
2026/03/26 02:00:00	1.7	9.1	29.3	20	12	2.37	北北東
2026/03/26 03:00:00	2.2	12.5	20.6	20	16	2.05	北北東
2026/03/26 04:00:00	2.6	9.1	26.1	23	16	2.56	北北東
2026/03/26 05:00:00	2.1	5.7	28.9	21	13	2.12	北北東
2026/03/26 06:00:00	2.8	9.1	24.4	20	10	1.76	北北東
2026/03/26 07:00:00	4.3	14.1	19	22	12	1.9	北北東
2026/03/26 08:00:00	5.3	14.4	15.8	26	15	1.37	東北
2026/03/26 09:00:00	5.7	17.2	14.8	34	19	1.27	北北西
2026/03/26 10:00:00	7.2	20.9	18.7	37	15	1	西北

台電 台中電廠 線西測站

2026/03/26 11:00:00	5	15.7	37.7	52	27	0.63	西
2026/03/26 12:00:00	3.1	11.2	57.9	53	28	1.07	西
2026/03/26 13:00:00	2.3	7.7	68	56	31	1.76	西
2026/03/26 14:00:00	1.6	6.7	70.9	47	28	2.66	西北
2026/03/26 15:00:00	1.6	5	63	41	20	4.13	北北西
2026/03/26 16:00:00	1.4	5.6	53	32	13	4.57	北
2026/03/26 17:00:00	1.7	7.2	48.1	35	13	3.42	北北東
2026/03/26 18:00:00	1.6	7.7	48.2	32	9	3.76	北北東
2026/03/26 19:00:00	1.4	4.9	49.2	32	10	3.59	北北東
2026/03/26 20:00:00	1.4	4.6	48.2	28	10	2.49	北北東
2026/03/26 21:00:00	1.6	6.8	43	25	12	1.12	東北
2026/03/26 22:00:00	1.8	7.2	38.8	31	16	1.37	北北西
2026/03/26 23:00:00	2.1	10.2	36.5	29	14	1.71	北

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/27 00:00:00	2.5	7	41.6	38	12	2.3	北北東
2026/03/27 01:00:00	1.5	3	44.3	25	10	2.39	北北東
2026/03/27 02:00:00	2.3	4	43	23	11	2.37	北北東
2026/03/27 03:00:00	1.8	4.4	40.7	24	12	2.37	北北東
2026/03/27 04:00:00	1.8	4.9	42.9	28	11	2.69	北北東
2026/03/27 05:00:00	1.6	3.4	42.5	28	11	2.25	東北
2026/03/27 06:00:00	1.2	4.1	40.5	35	13	2.32	北北東
2026/03/27 07:00:00	1.5	7.3	35.5	39	18	1.73	北北東
2026/03/27 08:00:00	1.5	9.1	33.1	36	18	2.2	東北
2026/03/27 09:00:00	1.4	10.7	33.9	35	15	1.51	北
2026/03/27 10:00:00	4	15.8	33.2	33	17	2.1	北北西
2026/03/27 11:00:00	2.8	11.2	38.8	38	15	2.47	北北西
2026/03/27 12:00:00	3.3	11.4	39.4	28	11	3.17	北
2026/03/27 13:00:00	3.8	8.9	41.8	21	8	3.17	北
2026/03/27 14:00:00	5.1	10.7	40.3	21	7	3.1	北
2026/03/27 15:00:00	4.4	9.3	42.6	21	9	3.44	北北西
2026/03/27 16:00:00	1.5	5.7	46.6	24	12	3.79	北北西
2026/03/27 17:00:00	3.7	11.2	42	16	6	3.59	北
2026/03/27 18:00:00	3.4	10.4	40.7	19	5	3.81	北
2026/03/27 19:00:00	1.6	6.8	43.6	15	10	3.3	北北東
2026/03/27 20:00:00	1.8	9.1	38.9	17	9	2.76	北北東
2026/03/27 21:00:00	1.6	11.9	30.2	16	12	3.05	北北東
2026/03/27 22:00:00	1.4	9.8	31.1	28	17	3.86	北北東
2026/03/27 23:00:00	1	7.8	31.5	28	22	3.42	北北東
2026/03/28 00:00:00	1.1	7.2	30.9	32	22	2.76	北北東
2026/03/28 01:00:00	1.1	9.1	24.3	28	19	2.95	北北東
2026/03/28 02:00:00	1.1	7.1	25.3	27	20	2.59	北北東
2026/03/28 03:00:00	0.9	5.7	28.6	25	16	2.37	北北東
2026/03/28 04:00:00	1.4	5.5	29.1	20	11	2.27	北北東
2026/03/28 05:00:00	1.4	5.7	26	21	13	2.64	北北東
2026/03/28 06:00:00	1.6	4	30.9	11	11	3.2	北北東
2026/03/28 07:00:00	1.4	6.2	30.5	19	12	3.74	北北東
2026/03/28 08:00:00	2	7.1	31.6	24	14	3.35	東北
2026/03/28 09:00:00	1.5	6.7	32	20	12	3.37	東北

台電 台中電廠 線西測站

2026/03/28 10:00:00	1.2	8.2	32.2	16	16	2.98	北北東
2026/03/28 11:00:00	1.6	8.7	33.3	27	14	2.56	北北東
2026/03/28 12:00:00	2.1	10.9	36.1	34	26	1.39	北
2026/03/28 13:00:00	3.3	11.2	40.2	38	21	2.98	北北西
2026/03/28 14:00:00	3.9	10.5	46.2	37	19	3.22	北北西
2026/03/28 15:00:00	3.8	10.5	52.1	34	23	3.35	北北西
2026/03/28 16:00:00	3.7	9.9	53.7	38	23	3.81	北北西
2026/03/28 17:00:00	4.9	11.6	50.9	35	22	3.88	北
2026/03/28 18:00:00	1.8	6.8	54	44	22	3.98	北北東
2026/03/28 19:00:00	1.2	5.5	51.9	77	22	3.52	北北東
2026/03/28 20:00:00	1.4	6.3	45.7	46	22	3.37	北北東
2026/03/28 21:00:00	1.5	8.2	40	45	17	3.08	北北東
2026/03/28 22:00:00	1.4	7.8	37.4	43	27	2.42	北北東
2026/03/28 23:00:00	1.1	7.1	35.8	46	27	1.44	北北東

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/29 00:00:00	0.9	7	33	45	27	1.12	東北
2026/03/29 01:00:00	1.1	8.1	28.6	50	30	0.78	北
2026/03/29 02:00:00	1.1	7.1	27.1	48	29	0.44	東北
2026/03/29 03:00:00	1.1	8.6	22.3	56	28	0.2	東北
2026/03/29 04:00:00	1.1	7.8	19.9	56	34	0.22	西
2026/03/29 05:00:00	1.1	7.3	34.6	53	37	1.37	北
2026/03/29 06:00:00	1	4.6	44.7	65	33	1.78	北北東
2026/03/29 07:00:00	1	5.1	45.1	47	31	1.42	北
2026/03/29 08:00:00	1	6.2	45.3	51	33	1.59	北
2026/03/29 09:00:00	1.6	9.1	41.3	42	36	1.59	北
2026/03/29 10:00:00	1.7	7.9	46.5	47	31	2.37	北北西
2026/03/29 11:00:00	2.6	8.9	46.9	50	33	1.17	北北東
2026/03/29 12:00:00	2.8	7.6	51.2	53	37	0.68	西北
2026/03/29 13:00:00	2	5.1	61.5	52	39	2.78	北北西
2026/03/29 14:00:00	1.2	3.4	61.8	44	34	2.76	西北
2026/03/29 15:00:00	1	2.9	59.2	42	28	3.1	北北西
2026/03/29 16:00:00	1	4.2	56.2	37	22	3	北北西
2026/03/29 17:00:00	4.2	7.6	48.5	37	20	2.37	北北西
2026/03/29 18:00:00	7	15.1	40.8	48	25	2.15	北
2026/03/29 19:00:00	1.8	6.6	51.5	49	28	2.64	北北西
2026/03/29 20:00:00	1.7	5.6	52.4	39	25	2.61	北
2026/03/29 21:00:00	1.7	5.6	50.1	35	24	1.64	北北東
2026/03/29 22:00:00	1.5	6	44.6	40	27	0.51	北
2026/03/29 23:00:00	1.7	9.3	36.5	43	30	0.37	北北西
2026/03/30 00:00:00	2.1	10.5	33.9	42	38	0.2	西南
2026/03/30 01:00:00	1.2	6	43.6	48	39	0.29	西
2026/03/30 02:00:00	0.7	3.3	49.1	30	24	0.44	南
2026/03/30 03:00:00	1.1	5.2	34.9	25	16	1.27	南南東
2026/03/30 04:00:00	1.2	5.2	31.7	38	29	1.25	南南東
2026/03/30 05:00:00	1	4.9	34.6	44	25	1.39	南南西
2026/03/30 06:00:00	0.9	3.9	37.7	37	32	1.12	西南
2026/03/30 07:00:00	0.9	4.4	33.6	31	27	1.39	南
2026/03/30 08:00:00	1.1	7.8	25.8	34	26	1.56	南南西

台電 台中電廠 線西測站

2026/03/30 09:00:00	1.4	7.8	32	49	37	2.05	南南西
2026/03/30 10:00:00	1.7	7	36.3	43	35	1.98	西南
2026/03/30 11:00:00	2.1	5.1	38.8	38	35	2.1	西南西
2026/03/30 12:00:00	2.2	5.5	--	34	23	2.32	西南西
2026/03/30 13:00:00	2	3.4	--	25	24	3.32	西南西
2026/03/30 14:00:00	1.1	2	--	26	14	3.59	西
2026/03/30 15:00:00	1	1.2	--	23	13	3.17	西
2026/03/30 16:00:00	0.9	1.2	--	20	14	3.81	西南西
2026/03/30 17:00:00	1	2.9	--	24	12	3.15	西南西
2026/03/30 18:00:00	1.1	2.5	--	27	10	2.81	南南西
2026/03/30 19:00:00	1.1	--	--	22	16	4.66	東南
2026/03/30 20:00:00	1.6	7	--	32	20	2.54	南南東
2026/03/30 21:00:00	1.2	7.7	--	29	22	2.12	南南東
2026/03/30 22:00:00	1	9.6	--	29	15	2.3	南南東
2026/03/30 23:00:00	1	10.2	--	29	19	1.03	南南西

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/31 00:00:00	1.1	9.7	--	31	26	1.27	南南西
2026/03/31 01:00:00	1.1	8.9	--	37	25	1.17	南
2026/03/31 02:00:00	1	--	--	31	20	1.12	南
2026/03/31 03:00:00	0.9	14.2	--	29	18	1.07	南南東
2026/03/31 04:00:00	0.9	11.6	--	31	25	1.15	南南東
2026/03/31 05:00:00	1	17.1	--	27	20	0.68	南
2026/03/31 06:00:00	0.9	17.7	--	31	22	0.71	東南東
2026/03/31 07:00:00	1	14.4	--	26	21	1.1	東南東
2026/03/31 08:00:00	1.1	15.5	--	23	20	1.47	東南東
2026/03/31 09:00:00	1.2	12.8	--	31	19	1.07	東南
2026/03/31 10:00:00	1	4.2	--	22	21	1.9	南南西
2026/03/31 11:00:00	1.2	5.2	--	34	17	2.37	南南西
2026/03/31 12:00:00	1.7	3.6	--	28	19	2.54	南南西
2026/03/31 13:00:00	2.2	4.4	--	28	16	2	西南西
2026/03/31 14:00:00	2	3.4	--	--	23	3.2	西
2026/03/31 15:00:00	1.8	1.7	--	19	15	2.95	西
2026/03/31 16:00:00	1.7	1.7	36.8	22	10	3.15	西
2026/03/31 17:00:00	1.7	0.9	34.6	18	9	2.59	西
2026/03/31 18:00:00	1.7	0.9	33.2	16	10	2.08	西南西
2026/03/31 19:00:00	1.7	1.5	33	18	8	0.95	西南西
2026/03/31 20:00:00	1.7	1.9	31.5	17	8	1.05	南南西
2026/03/31 21:00:00	1.6	1.7	32.1	20	16	1.49	南南西
2026/03/31 22:00:00	1.7	1	30.4	21	12	1.73	西南
2026/03/31 23:00:00	1.6	1.7	29.2	24	11	1.51	西南