

台電 台中電廠 梧棲測站

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/01 00:00:00	0.8	9.6	22.6	23	11	1.07	北北東
2026/03/01 01:00:00	0.8	10.3	21.4	29	18	1	北北東
2026/03/01 02:00:00	3.9	9.1	19.4	21	15	1.37	北
2026/03/01 03:00:00	1.7	8.3	18.3	24	16	1.56	北北東
2026/03/01 04:00:00	1.7	7.3	19.4	27	16	1.12	北
2026/03/01 05:00:00	1.5	5.7	24.1	18	15	1.32	北北東
2026/03/01 06:00:00	1.2	6.6	21.1	21	10	1.37	北北東
2026/03/01 07:00:00	1.1	5.3	26.2	19	12	1.81	北北東
2026/03/01 08:00:00	0.8	6.6	24.7	--	11	1.15	北北東
2026/03/01 09:00:00	1	6.3	28.9	12	10	1.66	北
2026/03/01 10:00:00	0.7	5.3	33	14	8	2.03	北
2026/03/01 11:00:00	1.1	6.2	34.7	22	9	2.22	北
2026/03/01 12:00:00	1.5	6.9	37.6	33	16	2.83	北北西
2026/03/01 13:00:00	1.5	7.3	41.3	35	17	2.42	北北西
2026/03/01 14:00:00	1.7	6.3	45.3	32	15	2.44	北北西
2026/03/01 15:00:00	1.6	5.2	47	37	15	2.3	北
2026/03/01 16:00:00	1.6	9.1	41.4	51	16	1.9	北北西
2026/03/01 17:00:00	1.3	10.7	39.1	43	19	2.95	北北西
2026/03/01 18:00:00	1.2	7.8	41.4	41	22	1.71	北
2026/03/01 19:00:00	1.1	6.6	40.9	35	19	1.37	北北東
2026/03/01 20:00:00	0.8	8.1	35.5	47	19	1.1	北北東
2026/03/01 21:00:00	0.7	10.4	28.6	40	20	0.12	北北東
2026/03/01 22:00:00	0.8	12.2	22	33	20	0.07	東北東
2026/03/01 23:00:00	0.8	15.9	16.9	50	20	1	北北西
2026/03/02 00:00:00	0.6	11.2	30.2	36	21	1.56	北北西
2026/03/02 01:00:00	0.6	7.3	30.6	36	13	1.22	北
2026/03/02 02:00:00	3.9	7.8	25.2	32	12	1.68	北北東
2026/03/02 03:00:00	1.7	6.1	28.6	20	18	1.2	北北東
2026/03/02 04:00:00	1.3	6.6	25.7	28	18	0.83	北北東
2026/03/02 05:00:00	1.2	5.9	22.1	37	20	0.34	東南東
2026/03/02 06:00:00	1.1	10.3	13.9	21	17	0.39	南南西
2026/03/02 07:00:00	1.6	19.8	4.2	28	18	0.49	南南西
2026/03/02 08:00:00	1.3	19.1	6.9	35	21	0.93	南
2026/03/02 09:00:00	1.2	16.4	15.7	56	24	1.78	南
2026/03/02 10:00:00	1.3	6.2	28.5	36	20	2.81	南
2026/03/02 11:00:00	1.2	10.2	26	25	14	2.2	南南西
2026/03/02 12:00:00	--	17.9	19.6	39	17	1.66	西南
2026/03/02 13:00:00	--	10.1	27.7	47	21	1.59	西南
2026/03/02 14:00:00	0.7	10.5	33.1	41	18	2.39	西
2026/03/02 15:00:00	1.5	10.3	34.1	32	14	2.25	西北西
2026/03/02 16:00:00	1.3	11.2	32.8	38	8	1.68	西
2026/03/02 17:00:00	1.1	14.8	26.2	31	6	1.22	西北西
2026/03/02 18:00:00	1.3	19.9	20	19	5	1.37	西北西
2026/03/02 19:00:00	0.1	11.4	31.7	29	6	2.49	北
2026/03/02 20:00:00	--	8.9	29.1	28	9	2.81	北北東
2026/03/02 21:00:00	--	8.2	26.7	37	15	1.93	北北東
2026/03/02 22:00:00	--	7.4	24.4	35	18	1.51	北北東

台電 台中電廠 梧棲測站

2026/03/02 23:00:00	--	7.3	23.4	35	15	2.49	北
---------------------	----	-----	------	----	----	------	---

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/03 00:00:00	--	7.4	23.8	21	19	2.83	北北東
2026/03/03 01:00:00	0.8	10.2	18.5	26	18	2.66	北北東
2026/03/03 02:00:00	3.8	6.7	23.3	33	18	3.96	北北東
2026/03/03 03:00:00	1.1	4.9	33.2	27	15	4.2	北北東
2026/03/03 04:00:00	0.7	3.7	34.3	12	6	4.27	北北東
2026/03/03 05:00:00	0.5	4.3	34.3	23	5	4.74	北北東
2026/03/03 06:00:00	0.3	4.2	35.5	30	2	5.45	北北東
2026/03/03 07:00:00	0.2	5.2	33.6	25	2	5.96	北北東
2026/03/03 08:00:00	--	7.8	30.2	26	8	6.35	北北東
2026/03/03 09:00:00	1.1	7.6	31.1	38	8	5.96	北北東
2026/03/03 10:00:00	0.2	5.8	33.2	32	8	6.03	北北東
2026/03/03 11:00:00	0.1	6.4	32.8	21	7	5.74	北北東
2026/03/03 12:00:00	0.3	5.7	33.3	10	8	5.62	北北東
2026/03/03 13:00:00	0.2	6.2	35.3	8	7	5.71	北北東
2026/03/03 14:00:00	0.5	8.4	36.1	21	6	6.69	北北東
2026/03/03 15:00:00	0.2	9.1	35.8	23	4	5.3	北北東
2026/03/03 16:00:00	0.3	5.3	38.3	15	4	5.2	北北東
2026/03/03 17:00:00	1	5.6	37.2	18	5	5.23	北北東
2026/03/03 18:00:00	1.1	9.6	33.5	14	3	4.93	北北東
2026/03/03 19:00:00	0.7	8.8	33.6	16	9	4.88	北北東
2026/03/03 20:00:00	0.6	5.8	37.5	12	7	4.96	北北東
2026/03/03 21:00:00	0.3	7.3	35.6	12	4	4.59	北北東
2026/03/03 22:00:00	0.6	5.7	38.3	19	3	4.69	北北東
2026/03/03 23:00:00	0.3	5.1	39.9	7	2	4.96	北北東
2026/03/04 00:00:00	0.1	4.9	40.2	21	2	5.3	北北東
2026/03/04 01:00:00	0.2	5.4	40.6	10	4	5.84	北北東
2026/03/04 02:00:00	2.8	4.4	41.2	16	7	5.49	北北東
2026/03/04 03:00:00	1.8	3.6	43.3	19	7	5.18	北北東
2026/03/04 04:00:00	1.1	3	43.9	20	7	4.49	北北東
2026/03/04 05:00:00	1.1	3.6	43.1	23	6	4.52	北北東
2026/03/04 06:00:00	1.2	3.8	40.6	15	3	3.57	北北東
2026/03/04 07:00:00	0.8	7.7	36.5	22	2	3.96	北北東
2026/03/04 08:00:00	1.1	7.8	36.6	25	3	5.1	北北東
2026/03/04 09:00:00	0.6	9.1	35.8	23	4	5.23	北北東
2026/03/04 10:00:00	0.5	8.1	37.3	27	6	5.32	北北東
2026/03/04 11:00:00	0.7	7.7	36.8	28	9	4.96	北北東
2026/03/04 12:00:00	1	7.9	36.7	13	8	3.96	北北東
2026/03/04 13:00:00	0.8	10.2	36.3	14	10	3.66	北北東
2026/03/04 14:00:00	1.2	8.6	39.2	41	12	3.88	北北東
2026/03/04 15:00:00	1.2	10.3	37.8	27	12	4.4	北北東
2026/03/04 16:00:00	1.7	11.4	35.5	21	8	3.76	北北東
2026/03/04 17:00:00	1.5	11.8	33.1	25	13	3.86	北北東
2026/03/04 18:00:00	1.3	13.4	29.9	30	8	3.96	北北東
2026/03/04 19:00:00	1.3	12.3	32.1	13	8	3.96	北北東
2026/03/04 20:00:00	1.3	9.1	33.7	29	8	4.08	北北東
2026/03/04 21:00:00	1.1	10.7	29.7	20	8	2.64	北北東

台電 台中電廠 梧棲測站

2026/03/04 22:00:00	1	10.7	28.9	27	12	2.59	北北東
2026/03/04 23:00:00	0.8	10.3	28.5	20	11	2.69	北北東

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/05 00:00:00	1.1	8.8	28.6	20	9	2.71	北北東
2026/03/05 01:00:00	1	7.9	26.9	7	10	2.25	北北東
2026/03/05 02:00:00	3.1	7.6	24.9	14	13	1.93	北北東
2026/03/05 03:00:00	1.8	6.6	27.7	22	15	1.32	東北
2026/03/05 04:00:00	1.6	6.8	23.9	11	12	0.49	東北
2026/03/05 05:00:00	1.7	12.4	15.3	21	11	0.49	東北
2026/03/05 06:00:00	1.5	14.4	9.7	23	9	0.44	北北東
2026/03/05 07:00:00	1.2	13.8	10.5	10	8	0.37	東北東
2026/03/05 08:00:00	1.3	13	12.3	20	8	0.54	東北
2026/03/05 09:00:00	1.3	17.8	12.8	13	13	0.59	北北東
2026/03/05 10:00:00	1.2	20.8	14.8	12	9	0.95	北北東
2026/03/05 11:00:00	1.3	12.7	28.7	31	8	1.95	北
2026/03/05 12:00:00	1.3	15	30.6	30	11	2.76	北北西
2026/03/05 13:00:00	1.3	13.9	31.8	56	19	2.47	北
2026/03/05 14:00:00	1.6	14.3	32.6	48	16	2.98	北
2026/03/05 15:00:00	1.2	12.9	35.1	54	17	3.44	北
2026/03/05 16:00:00	1.3	13.8	34.1	61	17	3.59	北
2026/03/05 17:00:00	1.3	12	35.2	54	14	2.91	北
2026/03/05 18:00:00	1.2	11	35.8	51	14	3.37	北
2026/03/05 19:00:00	1.1	8.7	36.7	52	14	3.32	北北東
2026/03/05 20:00:00	1	8.2	34.2	57	13	2.54	北北東
2026/03/05 21:00:00	1	6.8	35.2	73	16	2.1	北北東
2026/03/05 22:00:00	0.7	7.9	33.3	40	16	2.52	北
2026/03/05 23:00:00	0.6	5.2	36.2	57	15	3.64	北
2026/03/06 00:00:00	0.7	4.8	36.8	32	11	3.22	北
2026/03/06 01:00:00	0.6	4.6	37.6	49	14	3.76	北
2026/03/06 02:00:00	2.3	4.4	37	51	12	3.05	北
2026/03/06 03:00:00	1.5	4.9	36.8	45	10	3.83	北
2026/03/06 04:00:00	1.1	4.2	36.2	38	12	2.88	北
2026/03/06 05:00:00	0.7	5.2	31.2	51	16	2.37	北北東
2026/03/06 06:00:00	0.8	6.1	27.2	49	17	2.69	北北東
2026/03/06 07:00:00	0.8	7.2	26.1	38	16	2.98	北北東
2026/03/06 08:00:00	0.7	6.6	28.4	29	16	4.15	北北東
2026/03/06 09:00:00	0.5	5.3	31.6	31	15	4.54	北北東
2026/03/06 10:00:00	0.5	6.6	31.6	14	10	4.66	北北東
2026/03/06 11:00:00	0.8	8.4	33.1	18	11	5.57	北北東
2026/03/06 12:00:00	1	9.6	30.6	29	10	5.42	北北東
2026/03/06 13:00:00	1	8.9	32.7	40	10	7.08	北北東
2026/03/06 14:00:00	1.3	7.8	37.6	40	10	6.72	北北東
2026/03/06 15:00:00	1.2	7.1	40.3	41	11	7.45	北北東
2026/03/06 16:00:00	1	7.1	40.9	43	8	7.3	北北東
2026/03/06 17:00:00	1.2	8.3	39.8	38	11	7.45	北北東
2026/03/06 18:00:00	0.7	8.8	38.4	37	10	7.16	北北東
2026/03/06 19:00:00	0.5	8.1	39.9	21	10	6.01	北北東
2026/03/06 20:00:00	0.2	7.1	43.6	28	11	5.91	北北東

台電 台中電廠 梧棲測站

2026/03/06 21:00:00	0.3	6.4	43.7	26	9	5.79	北北東
2026/03/06 22:00:00	0.3	5.2	44.2	16	9	5.54	北北東
2026/03/06 23:00:00	--	4.8	44.8	25	9	5.64	北北東

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/07 00:00:00	--	--	46.9	26	8	5.79	北北東
2026/03/07 01:00:00	0.2	3.5	46.4	20	8	5.79	北北東
2026/03/07 02:00:00	1.7	2.8	47.3	33	12	5.74	北北東
2026/03/07 03:00:00	1.3	3.1	48.2	27	12	5.18	北北東
2026/03/07 04:00:00	0.8	3.5	47.7	40	13	5.01	北北東
2026/03/07 05:00:00	0.5	--	46.7	39	15	4.93	北北東
2026/03/07 06:00:00	0.2	4.4	46.4	45	15	5.13	北北東
2026/03/07 07:00:00	--	5.7	46.9	52	14	5.62	北北東
2026/03/07 08:00:00	--	5.8	47.4	51	17	5.2	北北東
2026/03/07 09:00:00	0.1	6.1	48.2	55	15	6.45	北北東
2026/03/07 10:00:00	0.6	6.2	49.7	51	17	6.01	北北東
2026/03/07 11:00:00	1	6.9	51.5	45	10	6.42	北北東
2026/03/07 12:00:00	1.1	7.3	55.4	44	14	5.71	北北東
2026/03/07 13:00:00	1.2	6.4	59.6	62	15	6.4	北北東
2026/03/07 14:00:00	1.6	5.9	60.1	77	21	6.86	北
2026/03/07 15:00:00	1.6	5.8	57.1	92	19	6.74	北北東
2026/03/07 16:00:00	1.7	6.3	57.5	86	19	6.94	北北東
2026/03/07 17:00:00	1.5	5.6	53.3	69	18	6.5	北北東
2026/03/07 18:00:00	1.5	7.1	49.2	51	15	5.76	北北東
2026/03/07 19:00:00	1.3	9.1	44.3	58	17	5.54	北北東
2026/03/07 20:00:00	0.8	6.6	43.6	63	16	4.86	北北東
2026/03/07 21:00:00	0.5	6.4	42.7	34	14	4.71	北北東
2026/03/07 22:00:00	0.3	5.7	42.9	39	12	4.49	北北東
2026/03/07 23:00:00	0.3	5.2	42.9	28	8	4.15	北北東
2026/03/08 00:00:00	0.7	4.6	41.1	25	8	3.25	北北東
2026/03/08 01:00:00	0.2	4.6	40.4	27	10	3.13	北北東
2026/03/08 02:00:00	2	4.2	39.2	24	12	3.27	北北東
2026/03/08 03:00:00	1.1	--	37.2	36	11	2.59	北北東
2026/03/08 04:00:00	0.6	3.6	36.6	21	7	2.39	北北東
2026/03/08 05:00:00	0.7	3.9	34.3	18	11	1.49	北北東
2026/03/08 06:00:00	0.5	4.8	32.7	22	8	1.29	北
2026/03/08 07:00:00	0.3	4.1	32.1	18	8	1	東北
2026/03/08 08:00:00	0.3	5.2	29.2	26	5	0.88	北北東
2026/03/08 09:00:00	0.6	5.8	33.2	17	9	2.88	北北東
2026/03/08 10:00:00	0.5	6.2	37.7	21	8	3.35	北北東
2026/03/08 11:00:00	0.8	6.6	41.8	34	7	3.98	北北東
2026/03/08 12:00:00	0.8	4.8	48.9	41	11	5.4	北北東
2026/03/08 13:00:00	1.2	5.4	53.3	50	15	5.2	北
2026/03/08 14:00:00	1.1	3	55.5	45	21	6.45	北
2026/03/08 15:00:00	1.2	2.6	54.8	42	14	5.93	北
2026/03/08 16:00:00	1.5	3	53.6	55	13	6.81	北北東
2026/03/08 17:00:00	1.7	4.3	52.3	60	14	5.84	北北東
2026/03/08 18:00:00	1.7	7.3	47.9	54	17	5.35	北北東
2026/03/08 19:00:00	1.5	10.4	41.7	57	28	5.47	北北東

台電 台中電廠 梧棲測站

2026/03/08 20:00:00	1.2	8.3	41.1	64	30	4.49	北北東
2026/03/08 21:00:00	1	5.9	41.2	45	20	4.32	北北東
2026/03/08 22:00:00	0.6	7.4	39.3	41	11	4	北北東
2026/03/08 23:00:00	0.5	7.2	38.9	29	12	3.74	北北東

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/09 00:00:00	0.3	5.9	39.8	29	11	3.98	北北東
2026/03/09 01:00:00	0.3	5.9	39.6	41	11	3.08	北北東
2026/03/09 02:00:00	1.8	5.1	38.9	27	11	2.52	北北東
2026/03/09 03:00:00	1.1	5.2	36.7	27	13	2.44	北北東
2026/03/09 04:00:00	0.8	5.9	36.2	21	12	2.71	北北東
2026/03/09 05:00:00	0.7	4.4	39.2	30	11	3.42	北北東
2026/03/09 06:00:00	0.3	5.3	39.3	14	11	3.54	北北東
2026/03/09 07:00:00	0.1	6.2	38.1	26	9	3.54	北北東
2026/03/09 08:00:00	0.3	7.6	36.3	25	12	3.64	北北東
2026/03/09 09:00:00	0.2	9.1	37.6	23	12	4.79	北北東
2026/03/09 10:00:00	0.2	9.7	39.7	19	11	4.84	北北東
2026/03/09 11:00:00	--	6.8	43.4	30	7	4.81	北北東
2026/03/09 12:00:00	--	--	--	29	8	5.4	北北東
2026/03/09 13:00:00	--	7.6	44.2	--	--	5.64	北北東
2026/03/09 14:00:00	--	6.7	45.4	42	11	6.64	北北東
2026/03/09 15:00:00	--	6.2	47.3	59	13	7.01	北北東
2026/03/09 16:00:00	--	6.8	46.3	51	12	6.47	北北東
2026/03/09 17:00:00	--	7.7	45.7	33	10	6.54	北北東
2026/03/09 18:00:00	1.1	8.3	43.6	45	10	6.62	北北東
2026/03/09 19:00:00	1.2	7.1	43.7	27	10	6.69	北北東
2026/03/09 20:00:00	0.7	4.7	46	25	8	6.76	北北東
2026/03/09 21:00:00	0.5	4.2	46.8	24	7	6.35	北北東
2026/03/09 22:00:00	0.1	2.7	49.7	10	6	6.35	北北東
2026/03/09 23:00:00	--	2.5	48.9	20	7	6.52	北北東
2026/03/10 00:00:00	--	--	49.3	18	6	6.67	北北東
2026/03/10 01:00:00	--	1.8	47.9	24	5	6.3	北北東
2026/03/10 02:00:00	0.2	--	47.4	12	7	6.3	北北東
2026/03/10 03:00:00	--	--	47.4	32	9	5.96	北北東
2026/03/10 04:00:00	--	--	47.5	21	6	5.84	北北東
2026/03/10 05:00:00	--	1.5	48.5	27	11	6.03	北北東
2026/03/10 06:00:00	--	2.3	47.4	20	8	5.42	北北東
2026/03/10 07:00:00	--	3.3	45.7	22	10	5.57	北北東
2026/03/10 08:00:00	--	5.2	43.4	24	6	4.81	北北東
2026/03/10 09:00:00	1.1	8.2	43.4	20	12	4.49	北北東
2026/03/10 10:00:00	0.7	9.1	43.8	25	9	4.57	北北東
2026/03/10 11:00:00	0.7	9.7	43.9	17	6	4.18	北北東
2026/03/10 12:00:00	0.8	12.2	41.6	28	11	4.49	北北東
2026/03/10 13:00:00	0.7	10.5	44.1	37	15	4.91	北北東
2026/03/10 14:00:00	1	9.9	45.7	29	14	5.08	北北東
2026/03/10 15:00:00	1.2	9.9	46.8	24	14	5.67	北北東
2026/03/10 16:00:00	1	9.3	47	32	18	4.76	北北東
2026/03/10 17:00:00	0.7	8.9	46.7	29	13	4.81	北北東
2026/03/10 18:00:00	0.7	7.9	46.8	35	16	4.88	北北東

台電 台中電廠 梧棲測站

2026/03/10 19:00:00	0.6	6.6	47.9	25	13	5.32	北北東
2026/03/10 20:00:00	0.6	7.7	44.9	32	13	4.98	北北東
2026/03/10 21:00:00	0.3	5.7	45.3	43	14	4.32	北北東
2026/03/10 22:00:00	0.2	6.1	43.4	35	13	3.61	北北東
2026/03/10 23:00:00	0.1	7.3	40.1	38	11	3.35	北北東

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/11 00:00:00	0.2	7.1	39.7	25	9	3.39	北北東
2026/03/11 01:00:00	0.3	7.7	38.4	29	11	3.17	北北東
2026/03/11 02:00:00	1.7	8.1	37.6	26	10	3.91	北北東
2026/03/11 03:00:00	0.7	7.3	37.6	40	14	3.81	北北東
2026/03/11 04:00:00	0.7	7.1	39.4	38	13	3.69	北北東
2026/03/11 05:00:00	0.6	6.8	41.1	22	6	3.74	北北東
2026/03/11 06:00:00	0.5	5.8	41.9	32	5	3.61	北北東
2026/03/11 07:00:00	0.6	6.9	40.2	28	10	3.64	北北東
2026/03/11 08:00:00	0.3	7.6	40.1	36	8	4.32	北北東
2026/03/11 09:00:00	0.6	6.1	42.4	28	11	4.62	北北東
2026/03/11 10:00:00	0.7	10.4	39.9	16	10	4.81	北北東
2026/03/11 11:00:00	2	12.4	42.2	34	9	4.74	北北東
2026/03/11 12:00:00	2.8	10.7	49.9	43	11	5.13	北
2026/03/11 13:00:00	2.8	7.4	59.1	58	15	5.54	北北東
2026/03/11 14:00:00	2.7	6.3	62.4	62	12	6.01	北
2026/03/11 15:00:00	3.1	6.7	61.9	61	9	5.71	北北東
2026/03/11 16:00:00	2.8	6.8	60.5	60	14	5.45	北
2026/03/11 17:00:00	3.1	7.2	59.9	48	8	5.4	北北東
2026/03/11 18:00:00	2.8	8.7	56.3	46	11	5.37	北北東
2026/03/11 19:00:00	2.8	10.2	50.8	35	10	4.69	北北東
2026/03/11 20:00:00	2.8	10.9	45	37	10	3.88	北北東
2026/03/11 21:00:00	2.7	12.8	40.1	33	9	3.74	北北東
2026/03/11 22:00:00	2.6	13.8	36.6	40	10	3.22	北北東
2026/03/11 23:00:00	2.3	11.8	36.3	27	9	3.05	北北東
2026/03/12 00:00:00	2.3	10.8	35.3	25	10	2.95	北北東
2026/03/12 01:00:00	0.1	12.3	32.3	22	9	3.35	北北東
2026/03/12 02:00:00	3.7	8.6	35.6	16	6	3.37	北北東
2026/03/12 03:00:00	3.2	8.2	37.9	24	10	4.22	北北東
2026/03/12 04:00:00	2.8	8.4	35.6	24	8	4.22	北北東
2026/03/12 05:00:00	2.8	7.4	39.1	27	5	4.1	北北東
2026/03/12 06:00:00	2.7	7.8	40.1	22	9	3.83	北北東
2026/03/12 07:00:00	2.6	9.9	38.6	27	10	4.64	北北東
2026/03/12 08:00:00	2.2	9.1	42.1	22	11	5.01	北北東
2026/03/12 09:00:00	2.1	8.6	45.2	42	9	5.76	北北東
2026/03/12 10:00:00	1.8	8.8	45.5	22	8	5.67	北北東
2026/03/12 11:00:00	2.1	8.7	49.5	35	8	5.62	北
2026/03/12 12:00:00	2.3	6.6	55.9	51	10	6.96	北
2026/03/12 13:00:00	2.8	6.6	59.1	104	32	6.5	北
2026/03/12 14:00:00	2.2	5.3	58.7	101	28	7.08	北北東
2026/03/12 15:00:00	2.3	5.3	59.2	77	16	6.67	北
2026/03/12 16:00:00	2.2	5.6	61	85	14	7.11	北北東
2026/03/12 17:00:00	2.2	6.9	60.1	77	14	6.5	北北東

台電 台中電廠 梧棲測站

2026/03/12 18:00:00	1.6	8.9	56.9	73	14	7.01	北北東
2026/03/12 19:00:00	1.7	7.1	56	53	15	6.54	北北東
2026/03/12 20:00:00	1.7	5.6	56.9	36	13	5.69	北北東
2026/03/12 21:00:00	1.3	3.6	56.9	44	12	6.28	北北東
2026/03/12 22:00:00	1.3	2.7	60.2	38	12	6.57	北北東
2026/03/12 23:00:00	1.5	2.5	63.6	24	12	6.01	北北東

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/13 00:00:00	1.5	2.7	62.9	40	14	6.4	北北東
2026/03/13 01:00:00	1.5	2.6	61.7	32	6	6.03	北北東
2026/03/13 02:00:00	2.7	2.8	62	24	10	6.62	北北東
2026/03/13 03:00:00	2.1	3.5	63	34	12	6.86	北北東
2026/03/13 04:00:00	2	3.5	64	53	18	6.98	北北東
2026/03/13 05:00:00	2	3.3	64.1	50	21	6.74	北北東
2026/03/13 06:00:00	1.6	4.3	61.7	47	23	6.74	北北東
2026/03/13 07:00:00	1.2	5.3	59.2	51	22	6.64	北北東
2026/03/13 08:00:00	1.3	7.9	57.3	55	20	6.3	北北東
2026/03/13 09:00:00	1.1	5.8	58	41	25	6.54	北北東
2026/03/13 10:00:00	1.1	7.8	57.9	46	20	6.76	北北東
2026/03/13 11:00:00	1.2	7.7	60.5	58	15	6.06	北北東
2026/03/13 12:00:00	1.6	8.6	63	63	21	6.59	北北東
2026/03/13 13:00:00	1.6	7.2	62.5	78	20	7.37	北北東
2026/03/13 14:00:00	1.8	5.9	59.6	100	18	7.4	北北東
2026/03/13 15:00:00	2	6.6	56.9	81	15	7.52	北北東
2026/03/13 16:00:00	2	6.8	56.1	71	15	6.98	北北東
2026/03/13 17:00:00	2.1	6.8	55.1	58	11	5.98	北北東
2026/03/13 18:00:00	2.3	6.6	54	78	14	5.93	北北東
2026/03/13 19:00:00	3.2	8.1	50.4	71	15	4.96	北北東
2026/03/13 20:00:00	3.6	10.5	44.5	43	10	3.59	北北東
2026/03/13 21:00:00	3.3	9.4	43.7	42	9	3.2	北北東
2026/03/13 22:00:00	1	7.3	44.9	41	11	2.78	北北東
2026/03/13 23:00:00	0.6	6.2	44.8	34	10	2.74	北北東
2026/03/14 00:00:00	0.6	5.7	43.8	31	9	2	北北東
2026/03/14 01:00:00	1	5.9	41.1	32	10	2.03	北北東
2026/03/14 02:00:00	2.2	9.3	36.3	24	11	1.59	北北東
2026/03/14 03:00:00	1.1	13.2	22.6	30	13	1.05	北北東
2026/03/14 04:00:00	0.8	10.8	23.9	35	11	0.81	北北東
2026/03/14 05:00:00	1.3	13.9	14.8	38	15	0.05	東南東
2026/03/14 06:00:00	1	21.1	6.8	46	14	0.49	北北東
2026/03/14 07:00:00	0.8	19.6	6.9	35	16	1.15	北北東
2026/03/14 08:00:00	1	19.9	12.2	39	18	1.34	北北東
2026/03/14 09:00:00	1	16.9	27	45	19	1.07	北北東
2026/03/14 10:00:00	1.1	12.4	45.3	52	18	1.81	北
2026/03/14 11:00:00	1.1	9.9	56	58	16	2.1	北
2026/03/14 12:00:00	1	12.4	53.8	55	15	3.17	北北西
2026/03/14 13:00:00	1.1	9.1	67.7	53	16	3.13	北北西
2026/03/14 14:00:00	1	6.1	67.2	56	17	4.4	北
2026/03/14 15:00:00	0.5	4.3	61	72	1	3.93	北
2026/03/14 16:00:00	0.7	4.2	57.8	52	7	5.15	北

台電 台中電廠 梧棲測站

2026/03/14 17:00:00	0.8	4.1	56.9	55	12	4.54	北
2026/03/14 18:00:00	0.7	4.3	56.5	52	10	4.25	北
2026/03/14 19:00:00	0.8	--	54.3	48	12	3.39	北北東
2026/03/14 20:00:00	0.8	--	50.9	39	12	2.56	北北東
2026/03/14 21:00:00	1.3	--	43.1	45	13	1.98	北北東
2026/03/14 22:00:00	1.3	--	37.2	65	27	1.78	北北東
2026/03/14 23:00:00	1.2	--	38.4	71	29	1.49	北北東

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/15 00:00:00	1.2	--	33.3	51	15	1.12	北北東
2026/03/15 01:00:00	1.2	--	33.3	49	17	0.88	北北東
2026/03/15 02:00:00	2.5	--	32.8	40	15	0.49	北北東
2026/03/15 03:00:00	1.2	--	27.5	47	12	0.22	東南東
2026/03/15 04:00:00	1	--	20.8	40	18	0.12	東
2026/03/15 05:00:00	0.8	--	23	42	17	0.98	北北東
2026/03/15 06:00:00	0.3	--	20.1	49	15	0.49	東北
2026/03/15 07:00:00	0.2	8.8	21	37	16	0.17	東北
2026/03/15 08:00:00	0.5	8.3	24.6	43	18	0.83	東北
2026/03/15 09:00:00	0.5	5.3	32.3	46	17	1.54	北北東
2026/03/15 10:00:00	1	5.9	46.4	48	15	1.32	北北西
2026/03/15 11:00:00	1	9.3	45.9	48	16	3	北北西
2026/03/15 12:00:00	0.2	4.9	53	42	19	2.98	北
2026/03/15 13:00:00	0.6	1.5	62.5	38	13	3.35	北
2026/03/15 14:00:00	0.8	1.5	62.7	49	11	4.05	北
2026/03/15 15:00:00	0.8	0.6	59.1	46	10	3.74	北
2026/03/15 16:00:00	1.1	0.8	57.8	52	9	3.52	北
2026/03/15 17:00:00	0.8	1.6	52.3	45	10	2.86	北北東
2026/03/15 18:00:00	1.1	2	51	50	12	2.81	北北東
2026/03/15 19:00:00	1.2	4.2	47.5	40	14	2.37	北北東
2026/03/15 20:00:00	1	4.9	42.7	43	10	2	北北東
2026/03/15 21:00:00	1.3	4.6	41.9	45	11	1.95	北北東
2026/03/15 22:00:00	2.2	5.9	40.1	42	14	1.56	北北東
2026/03/15 23:00:00	2.2	5.8	40.1	44	15	1.44	北北東
2026/03/16 00:00:00	--	5.9	37.8	46	15	0.02	北北東
2026/03/16 01:00:00	2.1	5.7	36	39	14	0.2	東南
2026/03/16 02:00:00	4.1	11.7	19	34	14	0.37	南南東
2026/03/16 03:00:00	2.6	12.8	15.9	42	16	0.07	南南東
2026/03/16 04:00:00	2.3	16.2	11.5	42	21	0.17	南南西
2026/03/16 05:00:00	2.3	13	13.3	50	21	0.2	東南
2026/03/16 06:00:00	2.2	19.4	10.1	42	23	0.32	東南東
2026/03/16 07:00:00	2.5	22.1	9.6	50	27	0.46	東北
2026/03/16 08:00:00	2.3	20.8	11.4	59	24	0.61	東北
2026/03/16 09:00:00	2.6	14.2	27.4	58	23	1.05	北北東
2026/03/16 10:00:00	2.6	13.9	36.2	53	27	1.71	北
2026/03/16 11:00:00	2.3	11.4	44.4	58	23	2.52	北北西
2026/03/16 12:00:00	2.2	13	44.1	66	21	3.42	北北西
2026/03/16 13:00:00	2.1	6.2	57.5	36	16	3.13	北
2026/03/16 14:00:00	2.5	5.8	58.4	44	11	3.13	北
2026/03/16 15:00:00	2.5	5.1	56.6	36	10	3.32	北

台電 台中電廠 梧棲測站

2026/03/16 16:00:00	2.2	5.1	57.4	50	16	4.64	北
2026/03/16 17:00:00	2	4.9	58.5	43	13	4.22	北
2026/03/16 18:00:00	2	5.6	59.6	44	14	3.74	北
2026/03/16 19:00:00	1.8	4.7	58.7	50	15	3	北北東
2026/03/16 20:00:00	1.7	5.8	54.9	48	15	2.08	北北東
2026/03/16 21:00:00	1.7	5.2	52.9	38	17	1.68	北北東
2026/03/16 22:00:00	1.6	4.8	50.8	35	13	1.76	北北東
2026/03/16 23:00:00	2.1	3.5	50.4	42	16	1.27	北北東

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/17 00:00:00	2.3	3.9	46.7	44	14	1.39	北北東
2026/03/17 01:00:00	2.2	7.7	41.2	41	15	1.61	北北東
2026/03/17 02:00:00	3.6	5.4	39.7	33	12	1.27	北北東
2026/03/17 03:00:00	2.5	4.1	41.4	35	18	1.1	北北東
2026/03/17 04:00:00	2.6	7.3	36.8	40	17	1.25	北北東
2026/03/17 05:00:00	2.6	6.8	34.8	40	17	1.47	北北東
2026/03/17 06:00:00	2.6	7.2	31.5	37	15	1.2	北北東
2026/03/17 07:00:00	2.3	14.9	21.9	44	18	0.98	北北東
2026/03/17 08:00:00	2.3	16	26.9	45	17	1.76	北
2026/03/17 09:00:00	2.6	10.4	38.8	38	18	1.51	北
2026/03/17 10:00:00	3	15.4	36.3	54	19	1.47	北北西
2026/03/17 11:00:00	2.8	15	40.4	61	18	2.47	北北西
2026/03/17 12:00:00	2.7	14	44.9	50	17	2.32	西北
2026/03/17 13:00:00	2.7	13.5	47.3	45	18	2.44	北北西
2026/03/17 14:00:00	2.8	11.5	51.9	44	16	3	北北西
2026/03/17 15:00:00	3.2	11.7	50.4	49	15	2.32	北北西
2026/03/17 16:00:00	2.7	7.6	56.1	55	17	1.93	北
2026/03/17 17:00:00	3.3	7.2	57	44	16	2.25	北
2026/03/17 18:00:00	3.2	7.7	55.4	43	17	1.61	北北東
2026/03/17 19:00:00	3.1	14.7	44.1	45	23	1	北
2026/03/17 20:00:00	2.8	10.7	46	66	32	1.47	北北東
2026/03/17 21:00:00	2.8	5.8	49.3	45	25	1.42	北北東
2026/03/17 22:00:00	2.8	9.2	39.7	40	26	0.49	東北
2026/03/17 23:00:00	3.2	21.3	21.6	44	29	0.07	西北
2026/03/18 00:00:00	3.2	21.8	15.2	38	30	0.2	東南
2026/03/18 01:00:00	2.2	24	9.1	52	32	0.37	南
2026/03/18 02:00:00	4.8	24.5	7.3	42	22	0.29	東
2026/03/18 03:00:00	3.6	26.1	7.7	38	24	0.34	北北東
2026/03/18 04:00:00	3.8	30	4.8	32	19	0.81	北北東
2026/03/18 05:00:00	4.4	27.5	5.2	54	20	0.61	東北東
2026/03/18 06:00:00	4.6	25.6	4.8	42	20	0.2	南
2026/03/18 07:00:00	4.9	28.4	4.9	38	17	0.12	西南
2026/03/18 08:00:00	5.4	30.2	7.2	47	21	0.2	東南東
2026/03/18 09:00:00	7.6	32.2	11.4	71	28	0.17	南
2026/03/18 10:00:00	7.8	24.7	28.4	66	31	1.42	南
2026/03/18 11:00:00	4.9	12.3	47.4	64	25	2.17	南
2026/03/18 12:00:00	4.9	11.2	57.3	58	16	1.93	西南
2026/03/18 13:00:00	5.2	14.5	57	58	17	2.44	西
2026/03/18 14:00:00	5.1	10.9	60.1	46	14	2.54	西

台電 台中電廠 梧棲測站

2026/03/18 15:00:00	5.3	10.1	60.1	40	16	2.66	西
2026/03/18 16:00:00	5.3	9.6	63.6	44	15	2.1	西
2026/03/18 17:00:00	5.1	9.3	71.2	46	13	1.95	西
2026/03/18 18:00:00	0.5	8.8	69.1	44	18	1.44	西
2026/03/18 19:00:00	3.6	16.4	60.1	42	19	1.56	西南
2026/03/18 20:00:00	6.1	13.2	59.4	52	19	1.54	南南西
2026/03/18 21:00:00	--	10.1	54.9	43	21	1.71	南
2026/03/18 22:00:00	1	11.5	49.2	57	29	1.71	南
2026/03/18 23:00:00	0.7	7.4	54.4	45	29	1.54	南

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/19 00:00:00	1	4.3	53.6	44	21	1.34	南
2026/03/19 01:00:00	1.5	6.7	53	32	20	1.27	南
2026/03/19 02:00:00	2.7	7.9	46.2	38	24	0.81	南
2026/03/19 03:00:00	1.8	7.1	46.8	44	26	0.56	南
2026/03/19 04:00:00	1.6	7.6	40.8	53	29	0.24	東南
2026/03/19 05:00:00	1.3	21	19.1	41	19	0.51	北
2026/03/19 06:00:00	1.6	14.7	21.1	33	19	0.54	東北東
2026/03/19 07:00:00	1.3	11.9	24.9	31	23	2.78	北北東
2026/03/19 08:00:00	0.6	9.9	27.2	49	29	2.54	北北東
2026/03/19 09:00:00	0.7	10.9	25.9	55	37	2.76	北北東
2026/03/19 10:00:00	0.8	10.2	33	49	33	2.98	北
2026/03/19 11:00:00	0.7	9.2	42.1	49	26	4.62	北
2026/03/19 12:00:00	--	7.3	50.4	45	19	5.2	北
2026/03/19 13:00:00	--	--	--	41	17	5.32	北
2026/03/19 14:00:00	--	7.3	55.4	46	18	4.79	北
2026/03/19 15:00:00	2	7.9	56.3	44	16	4.47	北北東
2026/03/19 16:00:00	1.3	9.1	51.4	34	17	4.49	北
2026/03/19 17:00:00	1.6	10.9	46.8	44	17	4.15	北北東
2026/03/19 18:00:00	1.2	12	43.6	39	19	3.64	北
2026/03/19 19:00:00	--	11	43.8	40	15	4.54	北北東
2026/03/19 20:00:00	--	9.6	42.7	28	10	4.3	北北東
2026/03/19 21:00:00	2.8	8.4	41.8	26	12	3.83	北北東
2026/03/19 22:00:00	2.5	7.9	40.4	24	12	3.57	北北東
2026/03/19 23:00:00	2.5	7.9	40.3	24	11	3.76	北北東
2026/03/20 00:00:00	--	7.9	37.8	27	10	3.61	北北東
2026/03/20 01:00:00	2	5.2	42.4	20	11	4.18	北北東
2026/03/20 02:00:00	2.5	3.3	42.2	20	6	4	北北東
2026/03/20 03:00:00	2.2	3.8	42.1	20	9	3.39	北北東
2026/03/20 04:00:00	1.8	4.1	41.8	30	10	3.22	北北東
2026/03/20 05:00:00	2.5	4.3	42.2	21	14	3.57	北北東
2026/03/20 06:00:00	2.8	4.4	41.4	31	15	3.3	北北東
2026/03/20 07:00:00	3	5.7	40.8	36	18	3.13	北北東
2026/03/20 08:00:00	2	8.4	40.2	38	21	3.57	北北東
2026/03/20 09:00:00	1.1	6.1	44.9	31	19	3.69	北北東
2026/03/20 10:00:00	0.5	5.7	47.9	32	19	3.91	北北東
2026/03/20 11:00:00	0.5	6.6	52.4	32	18	3.64	北北東
2026/03/20 12:00:00	1.4	8.1	56.1	38	19	3.03	北北東
2026/03/20 13:00:00	1.7	9.7	63.2	52	20	3.49	北

台電 台中電廠 梧棲測站

2026/03/20 14:00:00	2.3	7.9	72.3	50	21	4.35	北
2026/03/20 15:00:00	2.1	6.3	65.3	46	24	4.13	北
2026/03/20 16:00:00	1.8	7.1	58.1	55	21	3.98	北
2026/03/20 17:00:00	2.3	6.8	55.4	59	19	3.88	北
2026/03/20 18:00:00	0.9	6.9	53.3	71	19	3.71	北
2026/03/20 19:00:00	1.4	6.3	52.5	63	20	3.17	北北東
2026/03/20 20:00:00	2.3	6.7	49.2	61	22	1.95	北北東
2026/03/20 21:00:00	2.8	6.3	45.9	47	20	2	北北東
2026/03/20 22:00:00	2.6	6.9	44.2	55	22	2.05	北北東
2026/03/20 23:00:00	2.7	6.8	42.8	56	22	1.83	北北東

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/21 00:00:00	2.2	4.2	52.1	48	16	3.61	北
2026/03/21 01:00:00	0.5	3	56.9	47	17	4.15	北北東
2026/03/21 02:00:00	1.4	2.3	56.8	42	18	3.83	北北東
2026/03/21 03:00:00	1.5	3.8	54.1	39	16	4.49	北北東
2026/03/21 04:00:00	1.7	2.5	54.3	28	15	4.52	北北東
2026/03/21 05:00:00	1.6	3.6	50.2	23	10	3.37	北北東
2026/03/21 06:00:00	1.6	4.3	44.5	25	13	2.74	北北東
2026/03/21 07:00:00	1.4	6.4	38.9	26	13	2.27	北北東
2026/03/21 08:00:00	1.8	8.4	35.8	29	14	3	北北東
2026/03/21 09:00:00	1.1	7.2	40.7	21	13	3.83	北北東
2026/03/21 10:00:00	0.6	7.7	45.2	36	13	4.25	北北東
2026/03/21 11:00:00	0.6	8.3	46	17	12	3.83	北北東
2026/03/21 12:00:00	1.2	10.2	46.3	29	11	3.98	北
2026/03/21 13:00:00	0.9	9.1	51.6	38	17	4.42	北
2026/03/21 14:00:00	1.1	7.7	59	41	21	5.32	北
2026/03/21 15:00:00	1.2	7.1	59.1	40	18	5.23	北
2026/03/21 16:00:00	0.9	7.7	54.8	44	17	4.4	北北東
2026/03/21 17:00:00	1.1	8.2	50.7	43	15	4.74	北北東
2026/03/21 18:00:00	2.3	8.4	47.3	42	16	4.81	北北東
2026/03/21 19:00:00	2.1	8.8	44.7	36	19	4.57	北北東
2026/03/21 20:00:00	2.2	8.7	41.3	31	18	3.61	北北東
2026/03/21 21:00:00	2.7	8.4	41.9	25	18	3.66	北北東
2026/03/21 22:00:00	2.6	8.3	41.2	33	17	3.52	北北東
2026/03/21 23:00:00	2	6.8	40.6	21	19	3.61	北北東
2026/03/22 00:00:00	--	6.1	39.8	28	15	3.81	北北東
2026/03/22 01:00:00	1.5	5.8	41.3	20	14	3.3	北北東
2026/03/22 02:00:00	1.6	5.3	39.6	--	13	3.2	北北東
2026/03/22 03:00:00	1.4	5.2	39.2	29	14	3.47	北北東
2026/03/22 04:00:00	2.3	5.3	36.6	30	15	2.66	北北東
2026/03/22 05:00:00	2.3	5.2	37.8	20	13	2.76	北北東
2026/03/22 06:00:00	1.5	4.9	38.1	25	15	2.83	北北東
2026/03/22 07:00:00	2.5	5.3	34.6	16	13	2.88	北北東
2026/03/22 08:00:00	2.3	6.4	30.7	26	13	1.51	北北東
2026/03/22 09:00:00	1.6	6.7	34.1	18	11	2.37	北
2026/03/22 10:00:00	1.1	5.4	42.1	25	10	2.34	北北東
2026/03/22 11:00:00	1.6	5.8	46.8	25	9	1.73	北北東
2026/03/22 12:00:00	2.1	6.4	52	29	12	2.88	北

台電 台中電廠 梧棲測站

2026/03/22 13:00:00	2	4.9	58.4	24	6	3.57	北
2026/03/22 14:00:00	2.2	4.6	59.7	22	8	3.08	北
2026/03/22 15:00:00	1.8	4.7	61	25	11	3.74	北
2026/03/22 16:00:00	2.6	5.3	59.9	34	14	2.61	北
2026/03/22 17:00:00	2.5	5.2	59.6	48	16	2.03	北
2026/03/22 18:00:00	3.3	5.4	60.5	41	18	1.98	北
2026/03/22 19:00:00	2.9	6.2	59.2	42	19	2.2	北北東
2026/03/22 20:00:00	2.9	7.2	55.3	46	23	1.81	北北東
2026/03/22 21:00:00	3.4	6.1	54.3	57	25	1.54	北北東
2026/03/22 22:00:00	3.4	8.4	48.4	54	27	0.93	北
2026/03/22 23:00:00	3.1	9.7	44.2	49	29	0.24	北北東

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/23 00:00:00	3.4	7.4	45	45	28	0.76	東北
2026/03/23 01:00:00	5	7.3	43.1	43	24	0.98	北北東
2026/03/23 02:00:00	3.8	8.7	40.4	40	24	0.85	東北
2026/03/23 03:00:00	3.9	8.7	34	46	28	1.03	東北
2026/03/23 04:00:00	3.7	7.6	37.2	50	34	1.17	北北東
2026/03/23 05:00:00	4.4	6.8	37.2	38	33	1.39	北北東
2026/03/23 06:00:00	4.8	12.5	28.1	37	31	1.61	北北東
2026/03/23 07:00:00	3.4	12.3	25.4	39	36	1.54	北北東
2026/03/23 08:00:00	3.4	11.7	28.7	45	36	1.81	北北東
2026/03/23 09:00:00	1.2	9.6	37	45	48	2.22	北北東
2026/03/23 10:00:00	0.5	10.9	42.7	54	41	1.37	北北東
2026/03/23 11:00:00	0.5	16.5	44.2	48	36	2.56	北北西
2026/03/23 12:00:00	1.1	11.4	55.4	46	27	2.64	北
2026/03/23 13:00:00	--	8.3	57.8	--	--	3.74	北
2026/03/23 14:00:00	1.4	7.8	52.8	--	--	3.88	北
2026/03/23 15:00:00	1.4	7.8	49.2	42	17	3.79	北
2026/03/23 16:00:00	1.5	6.7	50.4	45	16	3.91	北
2026/03/23 17:00:00	1.4	7.7	52.3	41	15	4.15	北
2026/03/23 18:00:00	1.2	7.3	51.3	40	11	3.2	北北東
2026/03/23 19:00:00	1.7	6.7	47.7	45	15	2.49	北北東
2026/03/23 20:00:00	2.3	5.9	45.3	42	17	1.93	北北東
2026/03/23 21:00:00	2.8	10.3	37.9	39	17	0.98	北北東
2026/03/23 22:00:00	3.1	11.5	33	47	16	0.54	北
2026/03/23 23:00:00	3.3	10.1	30.8	44	17	0.78	北北東
2026/03/24 00:00:00	1.7	11.2	26.1	43	23	1.1	北北東
2026/03/24 01:00:00	4.2	10.1	27.9	37	22	1.86	北北東
2026/03/24 02:00:00	6.2	7.2	29.1	45	21	1.59	北北東
2026/03/24 03:00:00	5.5	8.2	27.7	46	30	1.15	北北東
2026/03/24 04:00:00	7.1	10.7	23.5	47	29	1.1	北
2026/03/24 05:00:00	7.6	11.3	20.6	51	32	0.98	北北東
2026/03/24 06:00:00	8.6	12	18	44	31	0.88	北北東
2026/03/24 07:00:00	9.2	15.3	15.7	36	29	1.37	北北東
2026/03/24 08:00:00	10.1	12.5	20.6	50	34	1.76	北北東
2026/03/24 09:00:00	7.5	8.6	32.5	42	36	1.15	北北東
2026/03/24 10:00:00	1.5	11.3	35.7	35	24	1.03	西北
2026/03/24 11:00:00	2.5	13.4	37.9	39	19	3.1	西北

台電 台中電廠 梧棲測站

2026/03/24 12:00:00	2.5	11.4	39.2	45	16	3.54	北北西
2026/03/24 13:00:00	1.2	11.5	41.8	44	18	2.54	北
2026/03/24 14:00:00	1.2	11.5	45	40	24	3.17	北北西
2026/03/24 15:00:00	--	--	48.3	45	19	3.59	北
2026/03/24 16:00:00	0.5	2.6	53.3	35	19	2.64	北北東
2026/03/24 17:00:00	1	6.2	53.5	36	23	0.88	東北東
2026/03/24 18:00:00	2.2	26.4	31.5	38	21	0.59	西
2026/03/24 19:00:00	2.8	45	10.9	52	30	0.68	西北
2026/03/24 20:00:00	2	44.2	8.9	52	29	0.34	西北
2026/03/24 21:00:00	2.9	41.4	7.8	49	29	0.24	東北
2026/03/24 22:00:00	3.3	34.8	10.8	64	33	0.12	南南西
2026/03/24 23:00:00	4.4	30.8	10.9	62	35	0.76	南

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/25 00:00:00	5.6	27.7	10.3	60	44	0.29	南南西
2026/03/25 01:00:00	7.2	23.3	10.5	72	42	0.12	南南西
2026/03/25 02:00:00	8.3	24.1	5.7	66	39	0.24	東北東
2026/03/25 03:00:00	8.9	19.8	11.8	66	47	0.39	東南
2026/03/25 04:00:00	9.5	19.9	9.3	43	27	0.49	北北東
2026/03/25 05:00:00	10.5	18.5	9.9	44	22	0.17	東北東
2026/03/25 06:00:00	11.5	16.8	9.7	33	27	0.37	東北東
2026/03/25 07:00:00	11.7	21.3	7.1	47	23	1.2	北北東
2026/03/25 08:00:00	11.2	20.9	11.3	54	23	1.15	北北東
2026/03/25 09:00:00	0.9	10.2	29.4	50	22	2.05	北北東
2026/03/25 10:00:00	1.1	9.7	35.3	34	20	2.71	北
2026/03/25 11:00:00	1.2	8.2	41.7	43	18	3.66	北
2026/03/25 12:00:00	1.7	6.9	46.5	41	13	4.44	北
2026/03/25 13:00:00	2.2	6.2	51.4	47	16	4.69	北
2026/03/25 14:00:00	--	6.9	52.3	33	14	4.49	北
2026/03/25 15:00:00	--	--	57.3	40	15	4.64	北
2026/03/25 16:00:00	--	--	55.9	35	15	4.57	北
2026/03/25 17:00:00	1.6	8.8	55.9	43	13	3.79	北
2026/03/25 18:00:00	1.4	10.9	51.3	42	12	3	北北東
2026/03/25 19:00:00	1.5	12.7	44.9	27	12	2.39	北北東
2026/03/25 20:00:00	1.6	12.3	40.7	45	14	3.27	北北東
2026/03/25 21:00:00	1.6	14.9	35	38	8	3.15	北北東
2026/03/25 22:00:00	2	15	34	32	14	2.83	北
2026/03/25 23:00:00	2.1	13.5	35.3	38	13	2.76	北北東
2026/03/26 00:00:00	1.8	13.3	32	34	13	3.13	北北東
2026/03/26 01:00:00	1.7	10.8	34.7	33	13	3.61	北北東
2026/03/26 02:00:00	2	9.7	32.6	23	6	2.69	北北東
2026/03/26 03:00:00	1.7	7.8	32.2	28	14	2.71	北北東
2026/03/26 04:00:00	1.7	6.8	34.7	30	16	2.98	北北東
2026/03/26 05:00:00	1.8	6.9	33.7	25	11	2.17	北北東
2026/03/26 06:00:00	2.1	10.3	28.4	32	10	2.17	北北東
2026/03/26 07:00:00	2.2	8.9	27.1	34	14	2.71	北北東
2026/03/26 08:00:00	2.2	9.9	24.6	24	10	2.49	北北東
2026/03/26 09:00:00	2.1	13.8	21.1	26	12	1.32	北北東
2026/03/26 10:00:00	1.8	16.3	24.9	31	12	0.93	北

台電 台中電廠 梧棲測站

2026/03/26 11:00:00	2.3	23.1	26.5	48	12	1	西北
2026/03/26 12:00:00	4.2	29.1	34.6	60	21	1.37	西北
2026/03/26 13:00:00	5.1	23.4	57.6	78	25	2.61	西北
2026/03/26 14:00:00	3.2	14.3	74.1	60	28	3.52	西北
2026/03/26 15:00:00	2.3	10.2	64.5	56	21	3.39	北
2026/03/26 16:00:00	2.1	9.1	56	46	16	3.27	北
2026/03/26 17:00:00	2	5.7	55.9	39	10	4	北北東
2026/03/26 18:00:00	1.5	6.3	55.8	47	8	3.83	北
2026/03/26 19:00:00	1.6	--	56.9	49	9	3.57	北北東
2026/03/26 20:00:00	1.8	--	54.9	44	13	2.27	北北東
2026/03/26 21:00:00	1.6	--	51.5	33	10	1.56	北北東
2026/03/26 22:00:00	2.1	6.7	46.4	36	13	1.78	北
2026/03/26 23:00:00	1.8	--	47.2	45	10	1.73	北北東

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/27 00:00:00	1.8	--	49.4	47	12	2.2	北北東
2026/03/27 01:00:00	2	--	45.7	44	11	2.32	北北東
2026/03/27 02:00:00	2	4.3	45.2	34	11	1.81	北北東
2026/03/27 03:00:00	2	5.2	44.9	45	14	1.9	北北東
2026/03/27 04:00:00	2.1	3.9	45.4	44	10	1.86	北北東
2026/03/27 05:00:00	2.3	4.3	43.8	37	15	2.32	北北東
2026/03/27 06:00:00	2.5	5.8	41.2	61	16	1.98	北北東
2026/03/27 07:00:00	2.2	5.4	40.6	58	18	1.78	北北東
2026/03/27 08:00:00	2.3	6.3	42.6	47	17	1.81	北北東
2026/03/27 09:00:00	1.8	9.7	42.8	60	17	1.83	北
2026/03/27 10:00:00	1.6	8.8	43.8	45	15	1.98	北北東
2026/03/27 11:00:00	1.5	7.2	47.3	38	10	3	北
2026/03/27 12:00:00	1.4	6.2	48.4	20	8	3.13	北
2026/03/27 13:00:00	1.5	7.4	46.3	24	6	2.66	北
2026/03/27 14:00:00	1.4	7.4	47.7	29	8	3.13	北
2026/03/27 15:00:00	1.6	6.4	54.1	32	11	3.03	北
2026/03/27 16:00:00	1.7	6.2	54.1	19	9	3.59	北
2026/03/27 17:00:00	1.7	6.9	52.9	16	9	3.25	北
2026/03/27 18:00:00	1.8	6.2	51	14	7	3.2	北
2026/03/27 19:00:00	1.7	7.7	46.4	29	7	3.03	北北東
2026/03/27 20:00:00	1.7	10.9	36.7	36	13	2.86	北北東
2026/03/27 21:00:00	1.8	11.7	29.1	23	17	3.57	北北東
2026/03/27 22:00:00	2	9.7	29.4	39	29	3.69	北北東
2026/03/27 23:00:00	1.8	7.8	31.2	37	31	2.93	北北東
2026/03/28 00:00:00	2	7.3	28.1	39	30	2.81	北北東
2026/03/28 01:00:00	1.8	6.3	24.7	32	30	3.22	北北東
2026/03/28 02:00:00	2	4.7	27	33	28	3.35	北北東
2026/03/28 03:00:00	2	4.2	32.8	39	22	2.44	北北東
2026/03/28 04:00:00	2	3.9	30.7	27	17	2.64	北
2026/03/28 05:00:00	--	3.3	33.3	29	18	2.66	北北東
2026/03/28 06:00:00	2.2	4.3	33.7	19	17	2.59	北北東
2026/03/28 07:00:00	2.5	3.8	37.5	30	19	3.22	北北東
2026/03/28 08:00:00	2.7	4.4	38.9	37	11	3.42	北北東
2026/03/28 09:00:00	2.1	5.6	38.3	21	14	3.22	北北東

台電 台中電廠 梧棲測站

2026/03/28 10:00:00	1.5	8.7	37.9	33	13	3.54	北北東
2026/03/28 11:00:00	2.1	7.7	39.1	53	16	3.17	北北東
2026/03/28 12:00:00	1.7	7.6	41.6	51	23	3.27	北
2026/03/28 13:00:00	2	8.9	45.3	42	18	3.27	北
2026/03/28 14:00:00	2.3	7.1	57.9	49	14	4.18	北
2026/03/28 15:00:00	2.1	6.6	65.7	53	18	3.83	北
2026/03/28 16:00:00	2.1	5.7	65.2	39	22	4.15	北
2026/03/28 17:00:00	2	5.2	63.4	53	13	3.69	北
2026/03/28 18:00:00	2.1	5.1	60.9	58	21	4.13	北北東
2026/03/28 19:00:00	2	5.7	56	50	22	3.57	北北東
2026/03/28 20:00:00	2.2	7.9	48.3	57	20	3.27	北北東
2026/03/28 21:00:00	2.3	7.6	45.5	57	26	3.1	北北東
2026/03/28 22:00:00	2.7	6.4	43.7	48	22	2.47	北北東
2026/03/28 23:00:00	2.3	6.3	41.4	52	28	1.93	北北東

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/29 00:00:00	2.3	6.6	37.3	49	27	1.54	北北東
2026/03/29 01:00:00	2.6	8.1	32.8	68	32	1.1	北
2026/03/29 02:00:00	1.8	6.6	30.8	60	32	0.68	東北
2026/03/29 03:00:00	1.6	7.8	26.4	67	28	0.05	南南西
2026/03/29 04:00:00	1.7	13.4	23.6	58	17	0.22	南
2026/03/29 05:00:00	1.7	4.7	49.8	50	32	2.2	北
2026/03/29 06:00:00	2	3.9	56.6	69	29	1.78	北
2026/03/29 07:00:00	1.8	4.8	53.5	59	29	1.49	北北東
2026/03/29 08:00:00	2.1	7.4	51.3	59	28	1.51	北
2026/03/29 09:00:00	2	4.3	55.9	44	26	2.22	北北東
2026/03/29 10:00:00	2.2	5.2	55.8	49	24	1.83	北
2026/03/29 11:00:00	2.2	4.4	57.5	38	26	0.54	北北東
2026/03/29 12:00:00	2.3	6.7	58.6	65	32	0.66	西北
2026/03/29 13:00:00	3.5	8.6	61.7	59	24	3.3	西北
2026/03/29 14:00:00	2.7	6.8	67.1	52	24	3.27	北北西
2026/03/29 15:00:00	2.7	5.9	67.3	49	26	2.74	北北西
2026/03/29 16:00:00	2.3	3.2	65.6	65	24	2.88	北北東
2026/03/29 17:00:00	2.3	3.1	62.7	57	30	2.25	北北東
2026/03/29 18:00:00	2.5	3.9	60.6	50	25	2.15	北
2026/03/29 19:00:00	2.3	4.3	64.4	80	26	2.95	北
2026/03/29 20:00:00	2.5	4.3	62.4	38	23	2.37	北北東
2026/03/29 21:00:00	2.6	--	55	51	25	2.17	北北東
2026/03/29 22:00:00	2.9	--	51.2	44	28	1.32	北
2026/03/29 23:00:00	3.2	5.4	47.7	52	32	0.59	東北
2026/03/30 00:00:00	3.1	5.9	43.9	47	32	0.66	南
2026/03/30 01:00:00	2.7	6.3	39.2	45	35	1.59	南
2026/03/30 02:00:00	4	7.9	34.8	45	35	0.44	南南東
2026/03/30 03:00:00	4.4	6.2	42.2	52	31	1.22	南
2026/03/30 04:00:00	4.3	7.2	34.7	49	31	1.68	南南西
2026/03/30 05:00:00	4	5.8	31.2	45	32	2.27	南南西
2026/03/30 06:00:00	4	9.4	29.9	52	42	1.54	南南西
2026/03/30 07:00:00	4.2	9.9	28.1	46	35	1.54	南
2026/03/30 08:00:00	4.2	9.9	30.4	49	35	2.05	南南西

台電 台中電廠 梧棲測站

2026/03/30 09:00:00	3.1	9.6	31.8	--	41	2.88	南南西
2026/03/30 10:00:00	1.1	11.8	36	51	36	3.08	南南西
2026/03/30 11:00:00	1.5	10.8	39.6	46	24	2.86	南南西
2026/03/30 12:00:00	--	--	43.1	57	21	3.35	西南
2026/03/30 13:00:00	--	--	43.6	60	16	3.83	西南西
2026/03/30 14:00:00	3.3	15.4	29.4	83	16	3.27	西南
2026/03/30 15:00:00	4	20.6	26.5	--	18	2.91	西南
2026/03/30 16:00:00	2.2	16.5	28.1	49	16	3.3	西南
2026/03/30 17:00:00	1.6	12.2	31.8	43	13	3.74	南南西
2026/03/30 18:00:00	0.9	8.1	34.3	59	16	3.44	南
2026/03/30 19:00:00	0.2	7.6	33.3	47	17	3.44	南南東
2026/03/30 20:00:00	0.2	7.3	31.8	39	16	3.13	南
2026/03/30 21:00:00	0.1	5.1	33.7	65	15	2.74	南
2026/03/30 22:00:00	--	5.1	34.3	37	15	2.74	南
2026/03/30 23:00:00	--	5.6	33.5	45	14	2.34	南南西

台電 台中電廠 梧棲測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/31 00:00:00	0.6	9.1	26.7	38	16	2.25	南南西
2026/03/31 01:00:00	0.2	10.2	20.9	47	19	1.81	南南西
2026/03/31 02:00:00	0.2	10.7	18.8	52	22	1.37	南南西
2026/03/31 03:00:00	0.1	10.5	20.5	63	19	1.81	南南西
2026/03/31 04:00:00	0.5	11.4	17.2	54	23	0.9	南
2026/03/31 05:00:00	0.5	9.8	19	44	15	1.42	南南西
2026/03/31 06:00:00	0.5	10.9	17.5	59	19	0.93	南
2026/03/31 07:00:00	0.4	17.5	11.3	45	20	1.05	南
2026/03/31 08:00:00	0.5	13.7	16.4	45	17	1.71	南南東
2026/03/31 09:00:00	0.6	8.4	25.7	47	16	2.42	南
2026/03/31 10:00:00	0.9	5.8	33.2	41	14	3	南
2026/03/31 11:00:00	1.3	7.4	39.7	42	15	3.44	南南西
2026/03/31 12:00:00	1.8	9.2	45.5	41	14	3.1	南南西
2026/03/31 13:00:00	2.4	12	45.2	53	21	2.25	西南
2026/03/31 14:00:00	3.5	12.9	37	55	19	2.49	西
2026/03/31 15:00:00	1.8	9.2	33.1	51	15	2.49	西
2026/03/31 16:00:00	1.3	7.7	31	37	11	2.34	西
2026/03/31 17:00:00	1.5	9.2	29.4	27	13	2	西北西
2026/03/31 18:00:00	1.7	9.6	27.9	44	11	1.51	西
2026/03/31 19:00:00	1.6	10.1	22.3	25	11	1.22	西南
2026/03/31 20:00:00	1.5	6.3	26.2	29	10	1.81	南
2026/03/31 21:00:00	1.6	5.8	26.6	38	13	2.42	南南西
2026/03/31 22:00:00	2.1	6.3	26.2	22	12	2.32	南南西
2026/03/31 23:00:00	2.7	7.1	24.4	30	11	2.71	南南西