

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/01 00:00:00	1.3	12.3	16	27	12	0.61	東北東
2026/03/01 01:00:00	1.3	13.1	11.1	27	11	0.48	東
2026/03/01 02:00:00	1.5	10.3	13.3	26	11	0.92	東北
2026/03/01 03:00:00	1.3	9.2	14.3	26	11	1.07	東北
2026/03/01 04:00:00	1.2	8.5	15	24	11	0.63	北北西
2026/03/01 05:00:00	1.1	7.4	15.6	26	10	1.21	東北
2026/03/01 06:00:00	1.3	5.4	21.9	23	10	1.44	東北
2026/03/01 07:00:00	1.2	6.1	21.5	18	9	1.06	北北東
2026/03/01 08:00:00	0.9	7.6	18.6	14	8	0.79	北北東
2026/03/01 09:00:00	1	5.6	22.6	17	6	1.15	北
2026/03/01 10:00:00	1.1	4.6	28.9	13	4	1.34	北
2026/03/01 11:00:00	1.1	5.4	32.4	19	5	1.58	北
2026/03/01 12:00:00	1.3	5.7	34.7	37	13	2.3	西北
2026/03/01 13:00:00	1.5	5	39.6	39	11	1.65	北北西
2026/03/01 14:00:00	1.1	4.3	43	38	13	1.83	北北西
2026/03/01 15:00:00	1.1	4.2	43.1	42	12	1.47	北
2026/03/01 16:00:00	1.1	5.7	40.7	55	19	1.68	西北
2026/03/01 17:00:00	1.3	7.4	38.9	55	17	1.97	北北西
2026/03/01 18:00:00	1.3	8.8	37.6	51	18	0.96	北北西
2026/03/01 19:00:00	1.3	9.4	35.5	36	14	1.12	東北
2026/03/01 20:00:00	1.2	11.7	29.3	55	14	0.76	東北
2026/03/01 21:00:00	1.3	13.1	26.1	54	21	0.33	西北
2026/03/01 22:00:00	1.2	17.3	18.1	53	22	0.1	南南東
2026/03/01 23:00:00	1.3	21.9	11.2	53	20	0.44	北北東
2026/03/02 00:00:00	1.1	10.5	26	52	23	0.85	北北東
2026/03/02 01:00:00	1	6	31.3	51	16	1.15	北北東
2026/03/02 02:00:00	1.1	5.5	28.8	38	12	1.28	北北東
2026/03/02 03:00:00	1.1	5.3	26.9	35	10	0.54	北北東
2026/03/02 04:00:00	1.2	5.7	23.1	32	9	0.44	北北東
2026/03/02 05:00:00	1.2	8.5	14.2	28	11	0.34	西南
2026/03/02 06:00:00	1.3	14.7	11	28	12	0.42	南南西
2026/03/02 07:00:00	1.5	18.3	7.8	29	13	0.45	南
2026/03/02 08:00:00	1.3	23.1	8.5	30	13	0.82	西南
2026/03/02 09:00:00	1.8	10.5	19.2	32	15	1.68	南南西
2026/03/02 10:00:00	2	9.4	27.5	24	14	1.98	西南
2026/03/02 11:00:00	2	9.4	32.5	38	15	2.36	西南西
2026/03/02 12:00:00	2.8	14.4	32.8	44	16	2.61	西南西
2026/03/02 13:00:00	2.1	8.7	45.3	53	20	2.39	西南西
2026/03/02 14:00:00	2.3	9.2	43.7	47	19	2.47	西
2026/03/02 15:00:00	--	--	39.3	34	11	2.12	西
2026/03/02 16:00:00	2	9	--	26	9	2.09	西
2026/03/02 17:00:00	1.5	10.9	21.4	28	8	1.64	西
2026/03/02 18:00:00	2.6	24.1	16.2	25	6	1.34	西北西
2026/03/02 19:00:00	0.5	8.7	29.1	37	10	1.71	北
2026/03/02 20:00:00	0.4	10.7	21.7	15	10	2.36	東北
2026/03/02 21:00:00	0.4	9.3	21.9	46	19	1.76	東北
2026/03/02 22:00:00	0.4	9	20.5	32	12	1.43	東北

台電 台中電廠 清水測站

2026/03/02 23:00:00	0.2	7.1	19.7	26	9	1.53	北北東
---------------------	-----	-----	------	----	---	------	-----

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/03 00:00:00	0.2	8.1	18.7	28	10	2.45	東北
2026/03/03 01:00:00	0.2	11	15.9	28	15	2.04	北北東
2026/03/03 02:00:00	0.7	6.2	23	34	20	2.71	北北東
2026/03/03 03:00:00	0.6	3.3	29.7	33	11	3.26	東北
2026/03/03 04:00:00	0.6	3.2	31.5	19	7	2.97	東北
2026/03/03 05:00:00	0.5	3.5	31	22	5	3.42	東北
2026/03/03 06:00:00	0.6	3.3	32.7	18	3	4.57	東北
2026/03/03 07:00:00	0.9	4.2	31.9	26	12	4.49	北北東
2026/03/03 08:00:00	0.7	6	30	24	10	4.91	北北東
2026/03/03 09:00:00	1.1	6.1	30	25	8	4.96	東北
2026/03/03 10:00:00	1.2	6.3	30.2	19	8	4.18	東北
2026/03/03 11:00:00	1.2	5.7	30.3	20	9	4.87	東北
2026/03/03 12:00:00	1.2	6.1	30.3	18	6	4.49	東北
2026/03/03 13:00:00	1.2	4.9	33.6	15	7	4.7	東北
2026/03/03 14:00:00	1	6.3	35.3	15	6	5.04	北北東
2026/03/03 15:00:00	1	7.7	34.3	23	7	4.44	東北
2026/03/03 16:00:00	1	5.4	35.3	17	9	4.24	東北
2026/03/03 17:00:00	1	5.7	34.2	11	6	4.35	東北
2026/03/03 18:00:00	1	7	33.7	10	4	4.38	東北
2026/03/03 19:00:00	1	6	35	11	4	4.46	東北
2026/03/03 20:00:00	1	5.7	35.3	14	4	3.91	東北
2026/03/03 21:00:00	0.9	5.5	36.3	17	6	4.05	東北
2026/03/03 22:00:00	0.9	4.5	37.9	15	5	4.4	東北
2026/03/03 23:00:00	1	3.3	40.2	11	4	4.79	東北
2026/03/04 00:00:00	1.1	2.9	40.4	11	2	4.75	東北
2026/03/04 01:00:00	1.1	3.7	39.4	17	3	4.36	北北東
2026/03/04 02:00:00	1.5	4	39.2	14	7	4.24	北北東
2026/03/04 03:00:00	1.2	3.1	40.3	19	4	4.3	東北
2026/03/04 04:00:00	1	1.8	42.5	17	5	3.44	北北東
2026/03/04 05:00:00	1.1	2.3	41.4	17	9	3.91	東北
2026/03/04 06:00:00	0.9	2.7	38.5	21	6	2.65	東北
2026/03/04 07:00:00	1	4.4	37	13	5	3.21	北北東
2026/03/04 08:00:00	1	7.8	34.3	19	4	3.49	北北東
2026/03/04 09:00:00	1.1	8.8	33.9	20	7	4.11	東北
2026/03/04 10:00:00	1.1	9.5	33.3	24	8	3.88	東北
2026/03/04 11:00:00	1.2	8.5	33.7	26	9	3.63	東北
2026/03/04 12:00:00	1.2	7.4	34.8	18	8	3.16	北北東
2026/03/04 13:00:00	1.2	5.9	37.5	17	7	3.44	北北東
2026/03/04 14:00:00	1.2	6.8	37.2	20	8	3.19	北北東
2026/03/04 15:00:00	1.1	7.3	37.5	22	10	3.48	北北東
2026/03/04 16:00:00	1.1	9.5	34.8	21	10	2.98	北北東
2026/03/04 17:00:00	1.1	9.5	33.3	21	10	2.95	北北東
2026/03/04 18:00:00	1	11.1	30	24	10	3.02	北北東
2026/03/04 19:00:00	1	11	32.2	18	6	3.36	東北
2026/03/04 20:00:00	1.1	10.7	30.6	23	6	2.98	東北
2026/03/04 21:00:00	1.2	11.5	26.6	30	9	1.73	北北東

台電 台中電廠 清水測站

2026/03/04 22:00:00	1.2	11.5	26	22	7	1.81	北北東
2026/03/04 23:00:00	1.2	9.9	26.6	29	8	1.94	東北

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/05 00:00:00	1.1	7.8	27.7	29	7	2.37	東北
2026/03/05 01:00:00	1.1	7.3	23.7	21	6	1.58	東北
2026/03/05 02:00:00	1.2	8.1	23.1	23	8	1.39	東北
2026/03/05 03:00:00	1.1	6.2	24.2	26	11	1	東北東
2026/03/05 04:00:00	1.1	7.9	15.5	20	7	0.24	東北
2026/03/05 05:00:00	1.1	10.1	10.3	18	6	0.15	東
2026/03/05 06:00:00	1	11.2	6.7	19	5	0.23	東北東
2026/03/05 07:00:00	1	11.2	5.6	19	6	0.5	東
2026/03/05 08:00:00	1.1	14.7	7.8	19	6	0.93	東北東
2026/03/05 09:00:00	1.1	12.3	20.5	15	5	1.15	東北
2026/03/05 10:00:00	1.2	11.8	23	19	7	0.98	北北東
2026/03/05 11:00:00	1.3	6.3	31.7	27	6	1.27	北
2026/03/05 12:00:00	1.2	6.2	34.8	26	8	2.04	北北西
2026/03/05 13:00:00	1.1	6.6	34.8	46	11	1.64	北北西
2026/03/05 14:00:00	1.1	6.3	35.9	60	18	1.83	北北西
2026/03/05 15:00:00	1.1	5.9	36.8	67	17	1.87	北北西
2026/03/05 16:00:00	1.1	7	35.9	72	17	1.88	北北東
2026/03/05 17:00:00	1	8.9	33.8	66	17	2.22	北北東
2026/03/05 18:00:00	1	8.1	33.5	51	13	2.23	北北東
2026/03/05 19:00:00	1.2	8.5	32.2	48	10	2.31	北北東
2026/03/05 20:00:00	1.1	7.4	31.1	53	11	2.25	東北
2026/03/05 21:00:00	1.1	7.1	29.9	59	15	1.45	北北東
2026/03/05 22:00:00	1.1	6.8	27.5	55	14	1.23	北北東
2026/03/05 23:00:00	1	3.5	32.8	62	13	2.16	北
2026/03/06 00:00:00	1	2.9	33.5	42	11	1.95	北北東
2026/03/06 01:00:00	1.1	2.9	33	57	9	2.1	北北東
2026/03/06 02:00:00	1.1	2.8	32.6	59	11	2.11	北北東
2026/03/06 03:00:00	1.1	2.7	33.3	49	12	2.16	北北東
2026/03/06 04:00:00	1	2.7	32.4	50	10	2.14	北北東
2026/03/06 05:00:00	1.1	4.5	27.2	50	10	2.03	北北東
2026/03/06 06:00:00	1.1	4.9	24.9	54	10	2.38	東北
2026/03/06 07:00:00	1.2	7.2	22.6	45	11	2.27	東北
2026/03/06 08:00:00	1.1	6.8	24.8	35	13	3.46	東北
2026/03/06 09:00:00	1.1	7	26.5	27	9	3.53	東北
2026/03/06 10:00:00	1.2	7	27.2	24	8	4.04	東北
2026/03/06 11:00:00	1.1	7.1	29.8	26	10	4.41	東北
2026/03/06 12:00:00	1.2	8.7	28.3	25	8	4.02	北北東
2026/03/06 13:00:00	1.2	7.9	29.9	29	8	4.77	北北東
2026/03/06 14:00:00	1.1	6.2	34.8	28	11	5.42	北北東
2026/03/06 15:00:00	1	5.6	36.9	28	16	5.68	北北東
2026/03/06 16:00:00	1.2	6.1	37.4	29	8	5.24	北北東
2026/03/06 17:00:00	1.1	7.2	36.6	26	8	5.42	北北東
2026/03/06 18:00:00	1.3	8.3	34.8	29	11	5.43	北北東
2026/03/06 19:00:00	1	8.1	35.5	30	8	4.98	東北
2026/03/06 20:00:00	1.1	7.1	38.3	24	7	4.76	北北東

台電 台中電廠 清水測站

2026/03/06 21:00:00	1	7	38.9	24	9	4.31	北北東
2026/03/06 22:00:00	1	4.3	40.5	22	7	5.08	東北
2026/03/06 23:00:00	1	3.1	42.4	17	5	4.8	東北

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/07 00:00:00	1	2.6	43.1	19	8	4.79	東北
2026/03/07 01:00:00	1	2.4	42.4	23	7	4.54	東北
2026/03/07 02:00:00	1.2	2	43	30	10	4.75	東北
2026/03/07 03:00:00	1	1.7	43.3	34	14	3.94	東北
2026/03/07 04:00:00	1.1	2.3	42.9	38	14	3.69	東北
2026/03/07 05:00:00	1	2.4	42.9	40	17	3.42	東北
2026/03/07 06:00:00	1	3.3	42.1	38	14	3.27	北北東
2026/03/07 07:00:00	1	4.4	42.4	44	18	4.15	北北東
2026/03/07 08:00:00	0.9	4.6	43.6	47	19	4.62	東北
2026/03/07 09:00:00	1.1	4	45.3	46	20	5.45	東北
2026/03/07 10:00:00	1	4.3	46.4	42	17	4.79	北北東
2026/03/07 11:00:00	1.1	4.9	49.5	38	14	4.98	東北
2026/03/07 12:00:00	1.2	5	52.3	46	19	4.86	北北東
2026/03/07 13:00:00	1.2	5.5	55.6	49	19	4.82	北北東
2026/03/07 14:00:00	1	4.6	56.2	64	23	5.57	北北東
2026/03/07 15:00:00	1.1	5	55.2	65	24	5.36	北北東
2026/03/07 16:00:00	1.2	5.3	52.7	64	19	5.64	北北東
2026/03/07 17:00:00	1.2	7	47.1	63	18	4.57	北北東
2026/03/07 18:00:00	1	5.7	44	55	17	4.41	北北東
2026/03/07 19:00:00	0.9	6.2	41.8	39	15	4.29	北北東
2026/03/07 20:00:00	0.9	5	41	35	17	4.53	北北東
2026/03/07 21:00:00	0.9	4.6	40.4	35	11	3.86	北北東
2026/03/07 22:00:00	1	4.5	39.2	27	10	3.36	東北
2026/03/07 23:00:00	1	4.4	37.7	26	9	2.66	北北東
2026/03/08 00:00:00	0.9	4.2	36.5	26	8	2.23	北北東
2026/03/08 01:00:00	1	4.5	34.8	26	14	1.92	東北
2026/03/08 02:00:00	1	4.3	33.3	28	10	1.72	東北
2026/03/08 03:00:00	0.9	3.8	32.6	22	14	1.31	東北
2026/03/08 04:00:00	0.7	4.3	28.1	19	13	1.06	東北
2026/03/08 05:00:00	0.7	3.5	27.8	18	12	0.53	東北東
2026/03/08 06:00:00	0.7	5.5	23.3	21	12	0.49	東北東
2026/03/08 07:00:00	0.6	7.7	18.6	22	10	0.67	東北東
2026/03/08 08:00:00	1	11.1	17.3	23	11	0.63	東北東
2026/03/08 09:00:00	1.2	6.2	30.9	24	9	2.83	東北
2026/03/08 10:00:00	1.5	5	35.3	18	10	2.99	北北東
2026/03/08 11:00:00	1.3	5.7	37.6	25	9	3.17	北北東
2026/03/08 12:00:00	1.5	6.2	43.5	33	11	3.99	北北東
2026/03/08 13:00:00	1.8	6.2	49.8	50	19	3.13	北北東
2026/03/08 14:00:00	1.3	3.3	50.8	62	30	4.82	北北東
2026/03/08 15:00:00	1.5	4.2	51.9	59	21	4.84	北北東
2026/03/08 16:00:00	1.6	4.3	48.8	76	33	5.37	北北東
2026/03/08 17:00:00	2	7.4	46.2	76	26	4.87	北北東
2026/03/08 18:00:00	2	11.5	39.7	89	38	4.08	北北東
2026/03/08 19:00:00	1.7	10	36.5	87	46	3.47	北北東

台電 台中電廠 清水測站

2026/03/08 20:00:00	1.5	9.2	35.3	59	30	3.2	北北東
2026/03/08 21:00:00	1.3	8.2	34.9	50	26	3.65	北北東
2026/03/08 22:00:00	1.5	6.5	35.5	38	17	3.31	北北東
2026/03/08 23:00:00	1.3	5.6	35.4	37	14	2.71	北北東

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/09 00:00:00	1.3	5.4	35.2	30	11	2.72	北北東
2026/03/09 01:00:00	1.5	4.9	34.7	31	16	2.3	東北
2026/03/09 02:00:00	1.2	4.5	33	30	12	1.75	東北
2026/03/09 03:00:00	1.3	4.6	31	28	16	1.47	東北
2026/03/09 04:00:00	1.6	4.5	33	25	8	2.63	東北
2026/03/09 05:00:00	1.2	4.2	34.3	27	11	3.61	東北
2026/03/09 06:00:00	1.2	3.7	34.9	28	10	2.77	東北
2026/03/09 07:00:00	1	5	33	25	8	2.64	東北
2026/03/09 08:00:00	1.1	5.7	33.1	24	9	3.11	東北
2026/03/09 09:00:00	1.2	6	35.7	23	8	3.69	東北
2026/03/09 10:00:00	1.3	6.1	38.5	27	9	4.08	東北
2026/03/09 11:00:00	1.2	5.7	39.4	25	10	4.58	東北
2026/03/09 12:00:00	1.1	7.8	39.4	24	8	4.41	北北東
2026/03/09 13:00:00	1.3	7.6	40.4	30	11	5.19	北北東
2026/03/09 14:00:00	1.3	6.8	41.8	38	13	5.07	北北東
2026/03/09 15:00:00	1.1	6	--	41	9	6.32	東北
2026/03/09 16:00:00	--	6.8	40.4	43	17	5.65	北北東
2026/03/09 17:00:00	1.1	8.4	40.4	36	11	5.16	東北
2026/03/09 18:00:00	1	9.4	38.6	32	11	4.98	北北東
2026/03/09 19:00:00	1.1	8.3	38.5	28	7	4.87	北北東
2026/03/09 20:00:00	1	6.8	39.8	19	5	5.56	東北
2026/03/09 21:00:00	0.9	6.2	40.7	14	4	5.43	東北
2026/03/09 22:00:00	0.9	4.6	43	19	4	6.03	東北
2026/03/09 23:00:00	0.9	4.5	43	20	7	6.12	東北
2026/03/10 00:00:00	0.7	3.7	43.5	15	8	6.45	東北
2026/03/10 01:00:00	0.7	3.2	43	18	5	4.86	東北
2026/03/10 02:00:00	0.9	3.2	42.4	17	6	5.32	東北
2026/03/10 03:00:00	0.7	3.4	42.6	19	5	5.07	東北
2026/03/10 04:00:00	0.7	3.2	43	23	12	5.25	東北
2026/03/10 05:00:00	0.6	3.2	43.6	24	10	5.24	東北
2026/03/10 06:00:00	0.7	4.2	42.1	28	10	4.81	東北
2026/03/10 07:00:00	0.7	4.6	41.4	28	15	5.1	東北
2026/03/10 08:00:00	0.6	6.1	39.3	22	13	3.86	東北
2026/03/10 09:00:00	0.6	7.9	42.4	23	12	3.3	北北東
2026/03/10 10:00:00	0.7	8.4	43	20	12	3.6	東北
2026/03/10 11:00:00	0.9	9.2	43.3	19	9	3.68	東北
2026/03/10 12:00:00	0.9	12	40.4	25	13	3.47	北北東
2026/03/10 13:00:00	0.9	10.7	42.4	28	12	3.74	東北
2026/03/10 14:00:00	0.9	9.9	44.9	27	12	4.16	東北
2026/03/10 15:00:00	1	11.8	42.9	25	11	3.98	北北東
2026/03/10 16:00:00	1	10.5	44.3	26	18	4.42	東北
2026/03/10 17:00:00	1	10	44.2	31	16	4.22	東北
2026/03/10 18:00:00	1	9.4	44	26	17	3.65	東北

台電 台中電廠 清水測站

2026/03/10 19:00:00	1	7.9	45.1	24	11	4.15	東北
2026/03/10 20:00:00	0.9	6.8	45.3	31	17	4.15	東北
2026/03/10 21:00:00	0.9	6.7	43.2	34	14	3.05	東北
2026/03/10 22:00:00	0.9	7.2	41.5	34	12	2.56	東北
2026/03/10 23:00:00	1	6	42.2	34	11	2.84	東北

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/11 00:00:00	1	6.1	40.7	29	9	2.56	東北
2026/03/11 01:00:00	1	5.3	39.8	28	8	2.63	北北東
2026/03/11 02:00:00	1.5	8.7	35.2	26	9	2.32	北北東
2026/03/11 03:00:00	1.3	9.2	33.5	37	17	2.82	東北
2026/03/11 04:00:00	1	7.2	38.6	49	24	2.95	東北
2026/03/11 05:00:00	0.9	5.6	40.4	29	10	3.36	東北
2026/03/11 06:00:00	1	5.7	39.8	29	9	3.41	東北
2026/03/11 07:00:00	1	6.5	39.1	28	9	2.91	東北
2026/03/11 08:00:00	1	8.2	37.4	32	10	3.35	東北
2026/03/11 09:00:00	1	6.6	39.9	28	10	3.64	東北
2026/03/11 10:00:00	1.2	6.2	42.9	23	7	3.77	北北東
2026/03/11 11:00:00	1.5	10.4	40	26	6	3.32	北北東
2026/03/11 12:00:00	1.3	10.4	45.1	32	9	4.26	北北東
2026/03/11 13:00:00	1.1	6.7	53.5	37	10	4.51	北北東
2026/03/11 14:00:00	1.1	5.7	56.9	42	14	4.54	北北東
2026/03/11 15:00:00	1.1	5.7	56.8	42	13	4.37	北北東
2026/03/11 16:00:00	1.1	6.1	54.7	45	13	3.91	北北東
2026/03/11 17:00:00	1.1	7.3	53.2	39	10	3.93	北北東
2026/03/11 18:00:00	1.1	9	49.2	43	12	3.46	北北東
2026/03/11 19:00:00	1.1	9.5	44.8	40	17	3.24	北北東
2026/03/11 20:00:00	1.2	12.5	38.5	36	11	2.86	北北東
2026/03/11 21:00:00	1.5	14.5	33.3	34	13	2.06	北北東
2026/03/11 22:00:00	1.5	15.5	29.5	33	11	2.16	北北東
2026/03/11 23:00:00	1.3	13.2	29.9	28	13	2.26	北北東
2026/03/12 00:00:00	1.2	10.9	31.1	27	11	2.16	北北東
2026/03/12 01:00:00	1.2	9	32.8	24	9	2.44	北北東
2026/03/12 02:00:00	1.5	7.9	33.8	28	8	2.84	北北東
2026/03/12 03:00:00	1.5	8.8	31.9	25	7	2.92	東北
2026/03/12 04:00:00	1.3	8.9	31.3	23	11	3.42	東北
2026/03/12 05:00:00	1.5	7.9	32.5	25	10	3.49	北北東
2026/03/12 06:00:00	1.5	8.1	33.3	28	9	2.86	北北東
2026/03/12 07:00:00	1.5	11.4	31	27	11	2.92	北北東
2026/03/12 08:00:00	1.2	10.4	34.1	27	11	3.79	東北
2026/03/12 09:00:00	1.1	7.3	39.9	27	12	5.29	東北
2026/03/12 10:00:00	1	7	41.5	28	9	4.77	東北
2026/03/12 11:00:00	1	7.1	44.6	31	10	4.79	北北東
2026/03/12 12:00:00	1.1	4.8	49.9	37	11	5.21	北北東
2026/03/12 13:00:00	1	4.4	52.3	--	10	5.27	北北東
2026/03/12 14:00:00	1.1	4.3	53.5	--	12	5.84	北北東
2026/03/12 15:00:00	1.1	4.3	54.5	50	13	5.91	北北東
2026/03/12 16:00:00	1	4.9	55.3	51	14	5.73	北北東
2026/03/12 17:00:00	1	6.7	54.5	53	17	5.52	北北東

台電 台中電廠 清水測站

2026/03/12 18:00:00	1	8.2	51.5	50	18	5.51	北北東
2026/03/12 19:00:00	1.1	8.1	49.3	51	20	5.1	東北
2026/03/12 20:00:00	1	6.6	49.9	45	17	5.38	東北
2026/03/12 21:00:00	0.7	3.9	49.8	43	16	6.52	東北
2026/03/12 22:00:00	0.7	3.4	53.7	40	11	6.92	東北
2026/03/12 23:00:00	0.6	3.2	56.8	35	16	6.78	東北

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/13 00:00:00	0.5	2.9	55.9	38	17	5.96	東北
2026/03/13 01:00:00	0.7	2.8	54.5	34	18	5.13	東北
2026/03/13 02:00:00	0.7	2.7	55.3	34	15	5.42	東北
2026/03/13 03:00:00	0.6	3.2	55.9	39	16	5.15	東北
2026/03/13 04:00:00	0.6	3.3	57.1	44	24	5.65	東北
2026/03/13 05:00:00	0.5	3.3	57.5	50	25	6.32	東北
2026/03/13 06:00:00	0.6	3.5	55.9	60	30	5.74	東北
2026/03/13 07:00:00	0.6	4.6	54.3	56	27	5.53	東北
2026/03/13 08:00:00	0.6	6.7	51.6	55	30	5.08	東北
2026/03/13 09:00:00	0.6	6.2	52.1	53	25	5.89	東北
2026/03/13 10:00:00	0.7	6	53.6	52	26	6.11	東北
2026/03/13 11:00:00	0.9	6.1	55.7	53	25	5.95	東北
2026/03/13 12:00:00	0.9	6.8	57.5	52	23	5.12	北北東
2026/03/13 13:00:00	0.9	5.5	57.4	58	21	5.42	北北東
2026/03/13 14:00:00	0.6	4.4	54.3	62	20	6.28	北北東
2026/03/13 15:00:00	0.7	4.9	52.4	59	22	5.76	北北東
2026/03/13 16:00:00	0.7	5.4	51.4	61	22	5.27	北北東
2026/03/13 17:00:00	0.7	6.5	49.3	64	23	4.81	北北東
2026/03/13 18:00:00	1.3	8.2	46.5	58	21	4.1	北北東
2026/03/13 19:00:00	1.5	11.1	41.6	54	17	3.03	北北東
2026/03/13 20:00:00	1.7	10.4	40.4	47	16	2.66	北北東
2026/03/13 21:00:00	1.7	10.4	38.5	42	17	2.19	北北東
2026/03/13 22:00:00	1.3	9.2	37.2	38	15	2.2	東北
2026/03/13 23:00:00	1.2	11	30.2	36	16	1.23	東北東
2026/03/14 00:00:00	1.2	14	23.9	37	19	1	東
2026/03/14 01:00:00	1.2	13.7	23.2	38	21	0.68	東北東
2026/03/14 02:00:00	1.3	16.6	16	50	30	0.38	東
2026/03/14 03:00:00	1.2	14.9	14.2	48	34	0.56	東北東
2026/03/14 04:00:00	1.3	14.4	12.6	40	26	0.32	東北東
2026/03/14 05:00:00	1.2	14.7	12.5	40	25	0.06	東北東
2026/03/14 06:00:00	1.3	20.8	9.3	39	19	1	東北東
2026/03/14 07:00:00	1.2	23.6	7.3	48	22	0.98	東北東
2026/03/14 08:00:00	1.3	20	13.7	--	26	0.98	東北
2026/03/14 09:00:00	1.8	17.2	28.8	--	27	1.01	北北東
2026/03/14 10:00:00	1.8	10.4	48.1	49	27	1.38	北
2026/03/14 11:00:00	2.2	8.9	57.4	53	17	1.75	北北西
2026/03/14 12:00:00	1.8	7.6	61.7	64	21	2.27	西北
2026/03/14 13:00:00	1.7	7.4	68.1	57	16	2.61	西北
2026/03/14 14:00:00	1.8	5.7	68.7	56	21	2.41	北北西
2026/03/14 15:00:00	1.5	4.6	63	55	20	2.91	北
2026/03/14 16:00:00	1.3	3.9	57.3	45	18	3.91	北北東

台電 台中電廠 清水測站

2026/03/14 17:00:00	1.3	4.8	54.9	40	10	4.22	北北東
2026/03/14 18:00:00	1.3	5.1	53.6	41	14	3.65	北北東
2026/03/14 19:00:00	1.3	7.6	49.2	45	14	2.84	北北東
2026/03/14 20:00:00	1.6	11.5	41.3	52	17	1.9	東北
2026/03/14 21:00:00	1.7	10.4	37	64	21	1.2	東北東
2026/03/14 22:00:00	1.5	12.2	29.5	50	23	1.37	東北東
2026/03/14 23:00:00	1.7	13.3	26.5	40	16	1.75	東北東

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/15 00:00:00	1.8	13.6	26.4	40	15	1.6	東北東
2026/03/15 01:00:00	1.6	11.8	29.8	42	15	1.71	東北東
2026/03/15 02:00:00	1.6	9.4	28.8	36	15	0.92	東北東
2026/03/15 03:00:00	1.6	9.2	24.9	35	15	0.34	東北東
2026/03/15 04:00:00	1.5	8.7	26.5	33	12	0.66	東北東
2026/03/15 05:00:00	1.3	9.9	24.7	33	13	1.55	東北東
2026/03/15 06:00:00	1.5	9.5	25.2	35	17	1.53	東北東
2026/03/15 07:00:00	1.2	9.6	22.3	35	14	1.68	東北東
2026/03/15 08:00:00	1.6	12.5	20.3	40	13	1.16	東北
2026/03/15 09:00:00	2.3	9.6	30.8	43	17	1.2	東北
2026/03/15 10:00:00	2.9	11.1	37.6	48	16	1.17	北北西
2026/03/15 11:00:00	2.8	8.3	48.2	56	23	2.21	西北
2026/03/15 12:00:00	2.1	6.3	53	58	21	2.3	北北西
2026/03/15 13:00:00	2	5.5	60.8	46	17	1.9	北北西
2026/03/15 14:00:00	1.8	4.3	62.1	51	16	2.09	北
2026/03/15 15:00:00	1.6	3.4	57.3	51	17	2.67	北
2026/03/15 16:00:00	1.7	3.7	56.5	48	18	2.43	北
2026/03/15 17:00:00	1.7	5.1	50.7	42	18	2.47	北北東
2026/03/15 18:00:00	1.8	5.6	48.7	45	15	2.43	東北
2026/03/15 19:00:00	1.6	6.8	44.9	43	16	1.7	北北東
2026/03/15 20:00:00	1.7	8.1	36.3	41	16	1.21	東北
2026/03/15 21:00:00	0.9	7.2	30	41	11	1.1	東
2026/03/15 22:00:00	1.7	8.8	31	43	15	0.88	東北東
2026/03/15 23:00:00	1.5	9.4	27.6	46	13	0.99	東北東
2026/03/16 00:00:00	1.7	11.4	25	39	19	0.46	東
2026/03/16 01:00:00	1.8	11.4	23.8	38	18	0.49	東
2026/03/16 02:00:00	1.8	9.5	25.6	44	19	0.2	東南
2026/03/16 03:00:00	1.8	12.3	25.5	41	15	0.15	東南
2026/03/16 04:00:00	1.8	30.8	8.5	64	21	0.29	東北東
2026/03/16 05:00:00	1.7	31.9	5.3	48	26	0.46	東北東
2026/03/16 06:00:00	1.8	23	9.9	45	26	0.51	東
2026/03/16 07:00:00	1.6	19.2	14.7	50	21	0.61	東
2026/03/16 08:00:00	1.7	20.3	9.6	47	22	0.77	東北東
2026/03/16 09:00:00	2.6	16.6	26.9	57	22	1.06	東北
2026/03/16 10:00:00	3.3	9.4	39.7	60	23	1.44	北
2026/03/16 11:00:00	2.6	9	43	57	24	2.03	西北
2026/03/16 12:00:00	2.1	6.7	45.9	54	18	2.91	西北
2026/03/16 13:00:00	2.2	5.4	54.3	43	15	1.66	北北西
2026/03/16 14:00:00	2.3	4.9	54.6	44	16	2.21	北北西
2026/03/16 15:00:00	2	4.8	52.1	42	15	2.38	北北西

台電 台中電廠 清水測站

2026/03/16 16:00:00	1.8	5.4	51.3	43	14	2.39	北
2026/03/16 17:00:00	1.7	5.4	51.9	49	15	2.38	北
2026/03/16 18:00:00	1.7	7.7	50.7	43	19	2.49	北北東
2026/03/16 19:00:00	1.6	7.3	49.7	49	17	2.37	北北東
2026/03/16 20:00:00	1.7	7	47.9	46	13	1.86	北北東
2026/03/16 21:00:00	1.7	7.4	43.6	48	13	1.21	北北東
2026/03/16 22:00:00	1.6	8.8	29.9	48	18	1.23	東北東
2026/03/16 23:00:00	1.8	10	28.3	47	17	1.25	東北東

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/17 00:00:00	1.7	11.5	22	46	21	1.6	東北東
2026/03/17 01:00:00	1.7	--	17.1	0.5	17	--	北北東
2026/03/17 02:00:00	1.7	13.3	16.2	13.1	17	1.7	東北
2026/03/17 03:00:00	1.6	12.1	18.4	46	17	1.12	東北東
2026/03/17 04:00:00	1.6	10.3	18.4	42	15	1.22	東北東
2026/03/17 05:00:00	1.6	10.6	19.3	35	18	1.04	東北東
2026/03/17 06:00:00	1.7	11.8	17.7	1.7	16	1.25	東北東
2026/03/17 07:00:00	1.6	--	13.9	0	17	--	北
2026/03/17 08:00:00	1.8	13.8	24.1	49	19	1.12	北北東
2026/03/17 09:00:00	1.6	6.6	37.9	56	21	1.28	北
2026/03/17 10:00:00	1.8	5.9	41.1	55	20	1.17	北北西
2026/03/17 11:00:00	1.7	5.5	45.3	53	21	1.55	北北西
2026/03/17 12:00:00	1.6	5.5	49.2	53	23	1.33	西北
2026/03/17 13:00:00	1.6	4.9	52.4	53	22	2.23	西北
2026/03/17 14:00:00	1.7	4.4	54.3	48	22	2	北北西
2026/03/17 15:00:00	1.6	4.5	53	55	21	1.99	北北西
2026/03/17 16:00:00	1.6	5	55.4	46	21	1.44	北
2026/03/17 17:00:00	1.5	5.9	54.5	49	21	1.75	北北西
2026/03/17 18:00:00	1.6	7.4	51.8	47	22	1.14	北北東
2026/03/17 19:00:00	1.6	10.7	44.9	55	24	0.68	北北西
2026/03/17 20:00:00	1.6	10.5	32.8	61	27	1.15	東北東
2026/03/17 21:00:00	1.6	19.2	22.8	56	28	0.99	東
2026/03/17 22:00:00	1.7	21.7	21	56	30	0.43	東
2026/03/17 23:00:00	1.7	23.2	17.6	51	23	0.5	東
2026/03/18 00:00:00	1.7	16.2	22	48	26	1.42	東
2026/03/18 01:00:00	1.5	18.9	15	34	17	0.05	東北東
2026/03/18 02:00:00	1.7	40.2	5.5	34	21	0.78	東
2026/03/18 03:00:00	2	35.7	4.3	43	21	0.85	東
2026/03/18 04:00:00	1.8	20	17.7	42	24	1.05	東
2026/03/18 05:00:00	1.7	15.4	21.6	34	19	0.83	東
2026/03/18 06:00:00	2	26.6	12.5	33	17	0.17	北北東
2026/03/18 07:00:00	1.8	36.9	6.6	32	18	0.2	東北東
2026/03/18 08:00:00	2.9	36.4	9	37	23	0.18	東南
2026/03/18 09:00:00	5.3	35.4	12.1	48	25	0.89	西
2026/03/18 10:00:00	7.2	28.1	24.9	66	28	1.43	西南西
2026/03/18 11:00:00	3.3	14	43.6	70	33	2.22	西南西
2026/03/18 12:00:00	2.3	8.7	54.7	47	22	2.74	西南西
2026/03/18 13:00:00	4.2	13.7	57.1	45	24	2.92	西
2026/03/18 14:00:00	6	14.5	61.3	51	21	3.27	西

台電 台中電廠 清水測站

2026/03/18 15:00:00	3.8	9.9	54.9	50	23	3.41	西
2026/03/18 16:00:00	2.4	8.2	57.5	38	13	3.27	西
2026/03/18 17:00:00	2	8.3	66.3	36	13	2.88	西
2026/03/18 18:00:00	2.7	12.6	64.1	43	17	2.17	西
2026/03/18 19:00:00	2.9	14.4	59.3	53	20	1.65	西南
2026/03/18 20:00:00	2.2	10.6	58.5	54	19	1.38	西南
2026/03/18 21:00:00	1.8	12	49	57	21	1.12	南南東
2026/03/18 22:00:00	1.7	11.1	48.1	56	22	1.33	南
2026/03/18 23:00:00	2	7.2	51.5	48	17	2.09	南南東

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/19 00:00:00	2	7.8	46.4	47	22	2.09	南南東
2026/03/19 01:00:00	2.2	6.7	52.4	38	20	1.38	南
2026/03/19 02:00:00	1.8	10	43.2	48	22	0.95	西南
2026/03/19 03:00:00	1.8	6.8	42.5	54	24	0.54	南
2026/03/19 04:00:00	1.5	7.9	32.2	41	16	0.59	東南
2026/03/19 05:00:00	1.6	17	23.4	31	8	0.84	東
2026/03/19 06:00:00	1.8	14.7	25.8	53	25	0.54	東
2026/03/19 07:00:00	1.8	14.8	21.2	50	27	2.16	東北
2026/03/19 08:00:00	2.2	12.2	23.8	57	26	2.25	東北
2026/03/19 09:00:00	2	10.6	24.7	66	32	2.41	東北
2026/03/19 10:00:00	1.3	9.8	30.3	76	29	1.73	北
2026/03/19 11:00:00	1.1	9	37.5	60	25	2.66	北
2026/03/19 12:00:00	1.1	6.7	47.6	61	26	3.03	北
2026/03/19 13:00:00	1.1	6	50.3	50	19	3.8	北北東
2026/03/19 14:00:00	1.2	6.8	50.5	49	21	3.55	北北東
2026/03/19 15:00:00	1.1	7.3	50.1	50	17	3.42	北
2026/03/19 16:00:00	1.2	8.1	47	52	16	3.57	北北東
2026/03/19 17:00:00	1.2	11	42.2	51	18	2.97	北北東
2026/03/19 18:00:00	1	14.3	37.2	46	18	2.39	北
2026/03/19 19:00:00	1.1	13.9	36.9	50	15	3.33	北北東
2026/03/19 20:00:00	1.2	11.2	37.6	41	12	3.77	北北東
2026/03/19 21:00:00	1.3	10.1	36.6	36	15	3.32	北北東
2026/03/19 22:00:00	1.5	9.9	34.7	31	10	2.84	北北東
2026/03/19 23:00:00	1.2	8.4	35.2	27	13	2.8	北北東
2026/03/20 00:00:00	1.2	7.2	36.9	28	12	2.58	北北東
2026/03/20 01:00:00	1.2	6.2	36.8	30	11	2.7	北北東
2026/03/20 02:00:00	1.5	4.8	36.6	27	10	2.67	北北東
2026/03/20 03:00:00	1.3	3.8	37	26	8	3.53	東北
2026/03/20 04:00:00	1.2	4.3	37.7	25	8	3.64	東北
2026/03/20 05:00:00	1.2	4.8	37.2	31	13	3.35	東北
2026/03/20 06:00:00	1.2	6.3	35.2	29	12	2.97	東北
2026/03/20 07:00:00	1.1	6.6	34.7	43	19	2.74	東北
2026/03/20 08:00:00	1.2	7.9	36.9	42	17	3	北北東
2026/03/20 09:00:00	1.1	6.5	39.2	41	17	3.26	東北
2026/03/20 10:00:00	1.2	7.1	42.1	35	17	3.48	東北
2026/03/20 11:00:00	1.2	7.9	45.9	40	16	3.49	東北
2026/03/20 12:00:00	1.2	8.2	51.5	39	17	2.52	北北東
2026/03/20 13:00:00	1.2	8.4	59.1	44	18	2.15	北

台電 台中電廠 清水測站

2026/03/20 14:00:00	1.2	7.4	67.4	58	25	2.76	北
2026/03/20 15:00:00	1.1	6.5	61.2	69	27	2.76	北
2026/03/20 16:00:00	1	5.5	54.5	73	25	2.7	北
2026/03/20 17:00:00	1	6	50.7	76	24	3.02	北北東
2026/03/20 18:00:00	1.1	6.5	48.4	80	24	3.3	北北東
2026/03/20 19:00:00	1.1	7.6	46	90	22	2.64	東北
2026/03/20 20:00:00	1	8.3	42.4	81	20	1.72	北北東
2026/03/20 21:00:00	1	9.4	37.6	79	26	1.48	東北
2026/03/20 22:00:00	1.3	8.4	37.6	74	23	1.54	北北東
2026/03/20 23:00:00	1.1	7.9	36.9	79	22	1.42	東北

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/21 00:00:00	1.2	6.8	39.9	67	18	2.01	北北東
2026/03/21 01:00:00	1.1	3.2	50.2	55	18	2.94	北北東
2026/03/21 02:00:00	1.2	4.2	48.4	58	13	2.88	北北東
2026/03/21 03:00:00	1.2	3.1	48.2	48	11	3.7	東北
2026/03/21 04:00:00	1.1	3.2	46.9	33	11	2.93	東北
2026/03/21 05:00:00	1.1	4	43.1	24	10	2.48	北北東
2026/03/21 06:00:00	1.1	6.2	37.5	25	12	1.81	東北
2026/03/21 07:00:00	1.2	6.7	33.6	31	17	1.7	北北東
2026/03/21 08:00:00	1.1	7.6	32.5	29	9	2.42	北北東
2026/03/21 09:00:00	1.3	7.3	35.4	28	14	3.44	東北
2026/03/21 10:00:00	1.2	5.9	40.8	31	13	3.83	北北東
2026/03/21 11:00:00	1.5	7.4	40.4	30	13	3.21	北北東
2026/03/21 12:00:00	1.2	8.1	42	33	11	3.77	北北東
2026/03/21 13:00:00	1.2	8.5	44.7	38	17	3.38	北北東
2026/03/21 14:00:00	1.3	6.6	51.9	42	19	3.13	北北東
2026/03/21 15:00:00	1.3	5.6	52.4	45	18	3.87	北北東
2026/03/21 16:00:00	1.3	6.3	48.5	52	20	4.1	北北東
2026/03/21 17:00:00	1.2	7	44.4	47	19	3.88	北北東
2026/03/21 18:00:00	1.2	8.4	41.5	39	18	3.48	北北東
2026/03/21 19:00:00	1.2	9.4	38.1	43	16	3.49	北北東
2026/03/21 20:00:00	1.1	8.7	35.2	36	18	3.2	東北
2026/03/21 21:00:00	1.3	7.8	36.3	35	19	2.82	北北東
2026/03/21 22:00:00	1.2	7.3	36.8	38	18	2.92	北北東
2026/03/21 23:00:00	1.3	6.5	36.6	39	16	3.04	北北東
2026/03/22 00:00:00	1.2	4.8	37.2	33	15	2.97	東北
2026/03/22 01:00:00	1.1	4.4	36.6	28	10	2.64	東北
2026/03/22 02:00:00	1.2	4.4	34.3	23	11	2.43	東北
2026/03/22 03:00:00	1.2	4.5	33.9	25	12	2.6	東北
2026/03/22 04:00:00	1.1	4.6	30.5	27	11	2.12	東北
2026/03/22 05:00:00	1.3	4.2	33.5	24	10	2.67	東北
2026/03/22 06:00:00	1.2	4.5	31.9	27	11	2.53	東北
2026/03/22 07:00:00	1.2	5.6	28.4	21	10	2.23	東北
2026/03/22 08:00:00	1.1	6.7	24.9	21	8	1.27	北北東
2026/03/22 09:00:00	1.1	6.3	28.3	22	7	1.5	北北西
2026/03/22 10:00:00	1.2	5.3	34.9	26	8	1.68	北北東
2026/03/22 11:00:00	1.3	5.5	40.2	21	9	1.38	北北西
2026/03/22 12:00:00	1.3	5.1	46.8	21	8	2.75	北北西

台電 台中電廠 清水測站

2026/03/22 13:00:00	1.3	4.4	51.9	26	9	2.41	北
2026/03/22 14:00:00	1.2	4.2	54.2	22	9	2.3	北
2026/03/22 15:00:00	1.2	3.9	54.6	25	12	2.25	北北西
2026/03/22 16:00:00	1.1	4.3	54	41	14	1.88	北北西
2026/03/22 17:00:00	1.2	4.5	53.2	54	18	1.66	北
2026/03/22 18:00:00	1.2	5.4	53.2	51	20	1.58	北
2026/03/22 19:00:00	1.1	7	50.9	57	22	1.47	北
2026/03/22 20:00:00	1.1	7.1	48.8	54	23	1.73	北北東
2026/03/22 21:00:00	1.1	6.7	43.8	67	25	0.92	東北東
2026/03/22 22:00:00	1.1	8.1	34.4	72	26	0.56	東
2026/03/22 23:00:00	1.1	7.9	28.6	64	21	0.71	東

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/23 00:00:00	1.1	11.8	19.3	60	25	0.95	東北東
2026/03/23 01:00:00	1	9.8	19.7	65	32	1.04	東北東
2026/03/23 02:00:00	1.5	9.5	20	59	29	1.32	東北東
2026/03/23 03:00:00	1.6	8.1	24.2	59	29	1.5	東北東
2026/03/23 04:00:00	1.2	7.9	24.9	56	26	0.89	東
2026/03/23 05:00:00	1.2	10.4	16.8	58	31	0.98	東北東
2026/03/23 06:00:00	1.3	11.7	15.1	62	30	1.06	東北東
2026/03/23 07:00:00	1.1	12.2	16.6	59	31	1.15	東北東
2026/03/23 08:00:00	1.3	11.5	24.7	69	32	1.73	東北
2026/03/23 09:00:00	1.7	10.3	31.6	74	40	1.83	北北東
2026/03/23 10:00:00	2	9	38.9	70	38	1.29	北北西
2026/03/23 11:00:00	2	7.9	46.2	68	34	2.22	西北
2026/03/23 12:00:00	1.7	6.1	54	64	34	2.32	北北西
2026/03/23 13:00:00	1.7	5	55.9	47	25	2.28	北北西
2026/03/23 14:00:00	1.5	4	50.8	46	18	2.61	北
2026/03/23 15:00:00	1.3	3.9	47.6	48	18	2.53	北
2026/03/23 16:00:00	1.3	4.3	49.1	48	18	2.69	北
2026/03/23 17:00:00	1.3	5.1	49.8	45	17	2.86	北北東
2026/03/23 18:00:00	1.1	5.7	46.2	52	19	2.55	北北東
2026/03/23 19:00:00	1.2	7.2	41.1	58	18	1.88	東北
2026/03/23 20:00:00	1.1	10.1	34.2	55	19	0.99	東北東
2026/03/23 21:00:00	1.1	10.7	28.3	54	18	0.53	東
2026/03/23 22:00:00	1.2	14.2	19.3	46	20	0.42	東
2026/03/23 23:00:00	1.2	15.9	13.9	51	20	0.67	東
2026/03/24 00:00:00	1.2	13.8	14	48	24	0.98	東北東
2026/03/24 01:00:00	1.1	10	21.9	54	29	1.37	東北
2026/03/24 02:00:00	1.2	9	23.6	59	29	1.1	東北東
2026/03/24 03:00:00	1.2	9.4	19.4	63	26	0.74	東
2026/03/24 04:00:00	1.2	9.5	16.6	59	28	0.51	東北東
2026/03/24 05:00:00	1.2	10.9	12.3	54	32	0.67	東北東
2026/03/24 06:00:00	1.1	17.7	8.9	51	29	0.73	東北東
2026/03/24 07:00:00	1.1	15.3	9.9	51	27	0.65	東北東
2026/03/24 08:00:00	1	11.6	19.9	51	27	1.4	東北
2026/03/24 09:00:00	1.1	5.4	34.1	51	26	1.47	東北
2026/03/24 10:00:00	1.2	6.6	38.5	45	21	1.43	西北
2026/03/24 11:00:00	1.5	6.6	40.4	44	21	2.25	西北

台電 台中電廠 清水測站

2026/03/24 12:00:00	1.3	5.6	40.2	56	23	2.39	北北西
2026/03/24 13:00:00	1.1	6	41.9	58	21	1.94	北
2026/03/24 14:00:00	1.1	5.9	45.8	62	23	1.95	北
2026/03/24 15:00:00	1.5	5.7	47	48	27	2.21	北北東
2026/03/24 16:00:00	1.5	5.4	48.1	46	21	1.77	東北
2026/03/24 17:00:00	1.8	10.4	43.1	45	20	0.45	北
2026/03/24 18:00:00	2.2	17	36.5	53	23	0.39	北北西
2026/03/24 19:00:00	2	17.6	32.2	40	28	1.01	西北
2026/03/24 20:00:00	1.7	14.7	33.8	65	34	0.35	北
2026/03/24 21:00:00	1.7	15.4	29.3	63	31	0.17	東南
2026/03/24 22:00:00	2.1	29.3	12	63	31	0.26	東
2026/03/24 23:00:00	1.8	26.3	12	70	35	0.26	南南西

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/25 00:00:00	1.6	26.7	11.5	60	25	0.06	南南西
2026/03/25 01:00:00	1.5	22	11.8	53	25	0.13	南南東
2026/03/25 02:00:00	1.6	16.1	11.1	44	24	0.32	東
2026/03/25 03:00:00	1.7	12.8	19.5	39	20	1.14	東南東
2026/03/25 04:00:00	1.6	12.2	17.9	42	21	0.61	東北東
2026/03/25 05:00:00	1.5	11.5	14.3	39	20	0.42	東北東
2026/03/25 06:00:00	1.1	14.3	13.1	31	16	0.71	東北東
2026/03/25 07:00:00	1.3	15.1	13.4	31	15	1.72	東北東
2026/03/25 08:00:00	1.7	14.2	17	33	15	1.4	東北
2026/03/25 09:00:00	2	8.7	28.8	43	25	1.77	北北東
2026/03/25 10:00:00	2	7.9	33.1	48	21	1.89	北
2026/03/25 11:00:00	1.7	5	39.4	43	22	2.88	北
2026/03/25 12:00:00	1.6	4.4	44.1	40	19	2.43	北北東
2026/03/25 13:00:00	1.5	4.3	46.5	41	24	2.61	北
2026/03/25 14:00:00	1.5	4	48.5	39	21	2.72	北
2026/03/25 15:00:00	1.5	4	54.8	32	16	2.74	北北東
2026/03/25 16:00:00	1.5	4.5	55.2	41	18	3.37	北北東
2026/03/25 17:00:00	1.2	7.1	52.7	39	15	3.03	北北東
2026/03/25 18:00:00	1.6	10.7	46.5	37	12	2.16	北北東
2026/03/25 19:00:00	1.5	12.1	41.9	34	12	1.82	北北東
2026/03/25 20:00:00	1.6	13.9	36.3	35	15	2.23	東北
2026/03/25 21:00:00	1.8	18.3	29.4	38	14	1.51	東北
2026/03/25 22:00:00	1.8	17.6	28.2	38	13	1.7	北北東
2026/03/25 23:00:00	1.7	14.5	30.3	40	19	1.73	北北東
2026/03/26 00:00:00	1.7	14	27.4	38	14	2.45	北北東
2026/03/26 01:00:00	1.7	11.6	28.3	34	17	2.54	東北
2026/03/26 02:00:00	1.5	11.2	25.2	28	11	1.39	北北東
2026/03/26 03:00:00	1.3	8.3	27.2	30	15	1.68	北北東
2026/03/26 04:00:00	1.8	7	28.9	30	16	1.45	北北東
2026/03/26 05:00:00	1.2	8.3	20.5	29	18	0.96	東
2026/03/26 06:00:00	1.6	13.2	13.7	22	14	0.96	東北東
2026/03/26 07:00:00	1.7	12.9	16.6	25	13	1.5	東北
2026/03/26 08:00:00	1.6	16.1	15.4	32	16	1.18	東北
2026/03/26 09:00:00	1.5	13.7	18.3	31	14	0.94	北
2026/03/26 10:00:00	2	10	27.5	38	17	0.89	北

台電 台中電廠 清水測站

2026/03/26 11:00:00	2	14.3	35	36	20	1.06	西北
2026/03/26 12:00:00	3.2	20.1	41.9	59	22	1.73	西
2026/03/26 13:00:00	4.5	20.5	57.5	76	30	2.32	西北西
2026/03/26 14:00:00	3.1	11	72.8	81	30	2.45	西北
2026/03/26 15:00:00	1.7	4.9	64.5	67	29	2.67	北北西
2026/03/26 16:00:00	1.5	4.5	56.5	52	18	2.84	北北東
2026/03/26 17:00:00	1.5	5.5	52.1	38	13	2.75	北北東
2026/03/26 18:00:00	1.3	5.6	51.3	40	12	2.49	北北東
2026/03/26 19:00:00	1.3	6.3	50.1	41	11	2.5	北北東
2026/03/26 20:00:00	1.5	6.1	48.2	43	16	1.81	東北
2026/03/26 21:00:00	1.5	6.5	44.6	39	17	1.09	東北
2026/03/26 22:00:00	1.6	6.1	43	41	13	1.23	北北東
2026/03/26 23:00:00	1.3	4.5	44.2	37	15	1.67	東北

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/27 00:00:00	1.2	4.9	43	41	14	1.83	東北
2026/03/27 01:00:00	1.3	4.9	42.4	39	14	2.01	東北
2026/03/27 02:00:00	1.6	5	40.2	15	13	2.1	東北
2026/03/27 03:00:00	1.3	4.3	38.2	15	13	2.21	北北東
2026/03/27 04:00:00	2	5.5	40.5	41	13	1.92	北北東
2026/03/27 05:00:00	1.6	5.9	38.8	51	16	1.76	東北
2026/03/27 06:00:00	1.3	5.5	37	55	18	1.62	東北
2026/03/27 07:00:00	1.5	7.6	33.5	58	21	1.34	東北
2026/03/27 08:00:00	1.3	8.5	36.1	52	19	1.58	東北
2026/03/27 09:00:00	1.2	9.4	40.2	41	16	1.32	北
2026/03/27 10:00:00	1.2	7.7	43.3	31	12	1.42	北
2026/03/27 11:00:00	1.2	6.6	43.8	23	10	1.72	北北東
2026/03/27 12:00:00	1.1	--	39.2	--	--	1.56	北
2026/03/27 13:00:00	1.5	8.2	35.2	28	7	1.79	北北東
2026/03/27 14:00:00	1.6	10	39.2	28	10	2	北北西
2026/03/27 15:00:00	1.3	7.1	48	30	12	1.9	北
2026/03/27 16:00:00	1.3	5.6	52.5	30	15	2.34	北
2026/03/27 17:00:00	1.5	6	52.6	24	6	2.27	北
2026/03/27 18:00:00	1.3	7.7	48.4	18	6	2.6	北北東
2026/03/27 19:00:00	1.5	11.5	41.5	20	7	2.53	北北東
2026/03/27 20:00:00	1.6	15.1	31.5	31	13	2.17	北北東
2026/03/27 21:00:00	1.5	15.6	25.2	40	16	2.91	北北東
2026/03/27 22:00:00	1.2	12.9	25.8	46	29	3.03	東北
2026/03/27 23:00:00	1.2	10.7	27.5	55	26	2.14	東北
2026/03/28 00:00:00	1.2	8.1	28.3	50	26	2.19	北北東
2026/03/28 01:00:00	1.1	8.2	22.8	43	17	2.22	北北東
2026/03/28 02:00:00	1.6	6	26.7	43	22	2.53	東北
2026/03/28 03:00:00	1.5	6	29.1	37	18	1.59	北北東
2026/03/28 04:00:00	1.3	5.4	27.5	29	14	1.53	北北東
2026/03/28 05:00:00	1.5	4.4	30.2	28	16	1.77	北北東
2026/03/28 06:00:00	1.3	6.5	29.9	25	12	1.86	東北
2026/03/28 07:00:00	1.6	8.3	30.8	28	16	2.54	東北
2026/03/28 08:00:00	1.5	7.2	34.3	30	16	3.02	東北
2026/03/28 09:00:00	1.3	8.4	33.7	27	17	2.8	東北

台電 台中電廠 清水測站

2026/03/28 10:00:00	1.5	10.1	34.2	36	15	2.52	北北東
2026/03/28 11:00:00	1.3	9.5	35.4	44	19	2.48	北北東
2026/03/28 12:00:00	1.2	9.2	38.3	49	16	1.88	北
2026/03/28 13:00:00	1.7	9.5	41.5	43	18	2.26	北
2026/03/28 14:00:00	1.8	7.9	51.5	46	18	2.09	北
2026/03/28 15:00:00	1.7	6.5	61.5	49	22	2.41	北
2026/03/28 16:00:00	1.5	5.9	61.2	61	22	2.48	北
2026/03/28 17:00:00	1.5	6.2	58.6	53	24	2.86	北北東
2026/03/28 18:00:00	1.6	7.8	54.5	58	17	3.15	北北東
2026/03/28 19:00:00	1.6	8.2	49.7	60	25	3.05	北北東
2026/03/28 20:00:00	1.8	8.5	44.9	60	22	2.41	北北東
2026/03/28 21:00:00	2	7.8	43	62	24	2.78	東北
2026/03/28 22:00:00	1.6	8.2	39.4	62	24	2.06	東北
2026/03/28 23:00:00	1.6	7.9	36.9	66	28	1.18	北北東

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/29 00:00:00	1.6	7.4	33.6	75	30	1.06	東北東
2026/03/29 01:00:00	1.7	8.9	26.4	74	27	0.61	東北東
2026/03/29 02:00:00	1.7	8.3	23.4	74	29	0.72	東
2026/03/29 03:00:00	1.6	10.5	20.6	75	33	0.49	西南
2026/03/29 04:00:00	1.5	9.5	19.3	78	39	0.2	東北東
2026/03/29 05:00:00	1.3	7.7	22	69	35	0.46	東北東
2026/03/29 06:00:00	1.3	5.1	39.1	65	27	0.61	東北
2026/03/29 07:00:00	1.3	5.5	47.9	56	28	0.99	北
2026/03/29 08:00:00	1.5	8.2	46.4	65	30	0.77	北北東
2026/03/29 09:00:00	1.5	7.2	48.6	61	26	1.5	北北東
2026/03/29 10:00:00	1.5	6.7	50.5	57	26	1.39	北北東
2026/03/29 11:00:00	1.6	5.3	53.7	61	30	0.66	北北西
2026/03/29 12:00:00	1.6	5.1	56.5	70	29	0.79	西北
2026/03/29 13:00:00	2	6.2	60.6	66	26	2.48	西北
2026/03/29 14:00:00	1.7	5.1	64	57	24	1.77	北北西
2026/03/29 15:00:00	1.7	4.2	64.7	69	38	2.19	北北西
2026/03/29 16:00:00	1.6	3.8	62	73	36	1.86	北
2026/03/29 17:00:00	1.5	4.3	58.1	68	34	1.72	北北東
2026/03/29 18:00:00	1.3	6.1	55.3	59	29	1.5	北北東
2026/03/29 19:00:00	1.6	6.7	57.4	54	26	1.76	北北東
2026/03/29 20:00:00	1.6	6.6	54.5	57	30	1.93	北北東
2026/03/29 21:00:00	1.7	7.6	45.8	58	31	1.09	東北
2026/03/29 22:00:00	1.7	7.6	42.2	54	34	0.76	北
2026/03/29 23:00:00	1.6	7.3	33.3	60	31	0.81	東
2026/03/30 00:00:00	1.7	10.7	30	65	34	0.43	南
2026/03/30 01:00:00	2	10.3	28.3	68	36	1.11	南南東
2026/03/30 02:00:00	2	6.6	37.1	72	41	1.01	東南
2026/03/30 03:00:00	1.6	7.2	36.4	54	26	0.48	南南東
2026/03/30 04:00:00	1.8	8.3	30.3	45	27	0.88	南南西
2026/03/30 05:00:00	1.6	7.7	26	58	32	1.23	南南西
2026/03/30 06:00:00	1.7	7.6	27.8	61	33	1.33	南南西
2026/03/30 07:00:00	1.7	9.5	28.7	62	37	1.23	南南東
2026/03/30 08:00:00	1.8	16.1	23.1	55	32	0.67	西南西

台電 台中電廠 清水測站

2026/03/30 09:00:00	2	12.2	30.4	73	36	2.31	西南
2026/03/30 10:00:00	1.6	12.7	35	59	34	2.89	西南
2026/03/30 11:00:00	1.6	8.7	43.3	56	29	3.1	西南
2026/03/30 12:00:00	1.3	7.2	49.9	55	26	3.98	西南西
2026/03/30 13:00:00	1.6	7.2	51.8	52	23	4.15	西南西
2026/03/30 14:00:00	3.7	11.8	33.8	54	22	4.64	西南西
2026/03/30 15:00:00	4.4	15.3	29.2	43	15	3.6	西南西
2026/03/30 16:00:00	1.8	7.7	34.1	42	15	4.07	西南西
2026/03/30 17:00:00	0.9	5.9	34.9	35	16	3.7	西南
2026/03/30 18:00:00	0.9	4.6	34.4	41	22	3.16	南南西
2026/03/30 19:00:00	0.7	9.9	28.8	37	14	3.49	南南東
2026/03/30 20:00:00	1	10.6	27.7	73	17	3.24	南南西
2026/03/30 21:00:00	0.7	6.3	29.9	65	26	2.5	南
2026/03/30 22:00:00	0.6	6.8	32.4	44	22	2.59	南
2026/03/30 23:00:00	0.6	7.7	28.6	37	13	2.11	南南西

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/03/31 00:00:00	0.6	8.9	25.4	37	12	1.59	南南西
2026/03/31 01:00:00	0.6	7	27.7	38	20	1.7	南
2026/03/31 02:00:00	0.9	5.5	27.2	33	15	1.01	南南西
2026/03/31 03:00:00	1	6.7	22.6	34	18	0.78	南南西
2026/03/31 04:00:00	0.6	7	23.9	32	17	1.15	南南西
2026/03/31 05:00:00	0.7	5.4	25	34	22	1.1	南
2026/03/31 06:00:00	0.7	6.1	23.7	28	14	1.54	南南東
2026/03/31 07:00:00	0.9	8.7	21.1	31	14	1.47	南南東
2026/03/31 08:00:00	0.7	14.5	15.9	32	15	1.81	東南
2026/03/31 09:00:00	0.7	10.4	23.9	37	18	1.81	南
2026/03/31 10:00:00	0.7	6.7	29.3	34	16	2.65	南南西
2026/03/31 11:00:00	1	7.4	36	33	19	3.14	西南西
2026/03/31 12:00:00	1.1	7.2	44.1	38	19	3.58	西南西
2026/03/31 13:00:00	1.2	6.6	48.6	50	20	3.2	西南西
2026/03/31 14:00:00	2.1	8.1	39.8	44	21	3	西
2026/03/31 15:00:00	1.8	7.3	31.3	43	17	2.91	西北西
2026/03/31 16:00:00	1.1	5.1	30.2	33	11	3.13	西
2026/03/31 17:00:00	1	5.6	28.7	29	8	2.41	西北西
2026/03/31 18:00:00	0.9	10.1	23.4	25	11	1.82	西北西
2026/03/31 19:00:00	1	6.6	22.5	27	13	1.78	西南西
2026/03/31 20:00:00	1	6.3	21.7	23	14	2.04	南南西
2026/03/31 21:00:00	1	5.9	23.6	24	9	2.21	南南西
2026/03/31 22:00:00	1	5.5	23.2	25	9	2.1	西南
2026/03/31 23:00:00	0.9	3.1	23.1	28	14	2.34	西南