

臺中市政府環境保護局
空氣品質監測月報表

測站名稱： 草屯

監測時間: 2026/7/1 ~ 2026/7/31

項目 日期	二氧化氮(NO ₂)ppb				二氧化硫(SO ₂)ppb				懸浮微粒(PM-10) μg/m ³			臭氧(O ₃)ppb		懸浮微粒(PM-2.5) μg/m ³			風速	風向
	每日	小時	小時	超限	每日	小時	小時	超限	每日	小時	超限	每日	小時	每日	小時	超限	每日	每日
	平均值	最大值	最小值	次數	平均值	最大值	最小值	次數	平均值	最大值	次數	平均值	最大值	平均值	最大值	次數	平均值	平均值
01	4.42	6.2	3	0	0.9	1.8	0.5	0	25	52	0	23.78	46	6.4	10	0	1.56	西北
02	4.32	6.4	3.1	0	0.62	1	0.5	0	27.4	37	0	25.65	49.7	8.2	15	0	0.84	西北
03	3.46	5.3	1.7	0	0.84	2.1	0.5	0	27.6	36	0	28.27	62	9	18	0	1.2	西北
04	2.26	4.6	1.5	0	0.75	1.5	0.3	0	18.5	25	0	22.51	46.9	6.6	12	0	0.9	西南西
05	2.07	3.3	1.1	0	0.96	1.3	0.6	0	15.3	26	0	18.78	38.7	6.7	15	0	1.02	南南東
06	2.91	4.4	1.2	0	0.92	1.2	0.6	0	15.6	27	0	20.21	39.4	5.7	10	0	0.93	南
07	4.52	8.7	2.8	0	1.15	1.6	0.8	0	15.7	24	0	17.7	38.6	6.1	9	0	0.94	西南
08	5.84	12.9	3.1	0	1.26	2.5	0.8	0	16.8	23	0	19.44	47.9	7.8	12	0	0.9	西北
09	5.58	7.9	3.6	0	1.31	2.5	0.8	0	24	35	0	33.4	59.5	11.6	19	0	1.23	西北
10	4.43	6.8	2.5	0	1.08	1.7	0.8	0	27.9	40	0	33.94	83.4	13.4	20	0	1.92	北
11	1.77	2.7	1.2	0	0.73	1	0.7	0	10	15	0	26.04	33.2	8	14	0	3.29	北北西
12	2.39	3.5	1.7	0	0.78	1	0.7	0	15	20	0	27.17	38.4	6.1	11	0	1.15	南南西
13	3.43	6.1	1.8	0	0.87	1.3	0.6	0	17	38	0	30.79	61.6	6.3	13	0	1.02	西北
14	3.38	5.2	2.1	0	0.87	1.5	0.6	0	14.7	19	0	27.17	51.5	4.8	8	0	0.56	南
15	3.08	4.6	2	0	0.9	1.1	0.6	0	18.2	29	0	25.22	46	6.9	12	0	1.24	西南
16	3.03	4.4	2.2	0	1.02	1.7	0.7	0	17.9	31	0	26.5	49.7	7.7	11	0	1.25	南南西
17	2.68	3.9	1.7	0	0.97	1.1	0.8	0	16.2	55	0	25.8	42.3	6.3	9	0	1.19	南南西
18	2.4	3.1	2	0	0.77	1.1	0.6	0	10.4	16	0	22.72	40.4	4.2	8	0	0.66	南南西
19	2.53	3.9	1.5	0	0.93	1.3	0.7	0	14.3	20	0	22.34	37.3	6.5	10	0	0.6	南南西
20	2.64	4.4	1.6	0	0.99	1.2	0.7	0	17.1	31	0	25.79	43.6	7.5	12	0	0.8	南
21	2.55	3.5	1.7	0	0.98	1.6	0.8	0	25.9	85	0	24.89	52.1	8.8	15	0	0.7	南
22	2.67	3.8	1.6	0	1.06	1.5	0.8	0	28.6	55	0	28.4	53.9	11.5	18	0	0.58	南南東
23	4.15	12.2	1.6	0	1.12	2.2	0.8	0	34	40	0	24.77	44.8	13.5	17	0	0.77	南
24	4.53	7.3	3	0	1.27	2	1	0	39.8	54	0	38.47	64.8	17.3	24	0	0.92	北北西
25	3.9	5.6	2.7	0	0.97	1.5	0.6	0	32	46	0	27.9	56.8	13.9	28	0	0.64	東南東
26	3.05	4.6	2.2	0	0.85	1.3	0.6	0	19.5	26	0	22.03	49.2	7.9	13	0	0.84	南
27	4.54	8.2	2.1	0	0.94	1.6	0.7	0	21.3	37	0	25.89	76.7	7.5	18	0	0.74	南南西
28	3.61	5.7	2.3	0	0.98	1.3	0.7	0	16.9	24	0	26.38	68	6.5	9	0	1.23	北北西
29	5.74	15.3	2.1	0	1.68	4.9	1	0	20.9	31	0	28.13	65.6	8.2	13	0	0.76	西北
30	4.67	10.3	2.3	0	1.39	3.5	0.8	0	26.3	36	0	31.87	70.3	10.5	20	0	0.99	西北
31	4.47	6.7	2.1	0	1.41	2	1	0	22.7	34	0	31.9	73.8	-	-	0	0.87	西北
月平均值	3.6				1				21			26.3		8.4			1	
最大值	5.84				1.68				39.8					17.3			3.29	
發生日期	8				29				24			38.47		24			11	
超標準次數				0				0			0	24				0		
日標準值									75					30				
時標準值		100				65												

台電 台中電廠 草屯測站

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/01 00:00:00	1.3	10.2	5.8	17	5	0.27	300.8
2026/07/01 01:00:00	0.7	5.7	5.9	21	6	0.16	202.6
2026/07/01 02:00:00	0.8	5.1	7.6	18	4	0.32	190.5
2026/07/01 03:00:00	0.8	3	8.6	22	3	0.12	200.8
2026/07/01 04:00:00	0.8	3	9.3	19	6	0.29	192.3
2026/07/01 05:00:00	0.7	3.7	5.4	17	6	0.32	190.5
2026/07/01 06:00:00	0.7	3.1	6.2	20	5	0.07	113.5
2026/07/01 07:00:00	0.7	3	7.9	20	4	0.24	204.5
2026/07/01 08:00:00	0.8	3.5	14	18	4	0.82	297.8
2026/07/01 09:00:00	1.6	5.7	22.5	19	8	1.59	340.8
2026/07/01 10:00:00	1.6	5.3	34.3	23	8	1.45	312.9
2026/07/01 11:00:00	1.1	3.7	42.2	23	8	1.68	307.2
2026/07/01 12:00:00	1	3.5	46	28	10	2.19	303.6
2026/07/01 13:00:00	1.5	3.7	44.3	28	10	2.64	317.8
2026/07/01 14:00:00	1.8	3.8	44.4	32	7	3.1	325.4
2026/07/01 15:00:00	1.1	3.3	42.8	34	6	3.35	332.3
2026/07/01 16:00:00	0.8	3.6	39.9	26	5	3.6	324.9
2026/07/01 17:00:00	0.7	4.3	35.2	25	7	3.35	327.6
2026/07/01 18:00:00	0.8	5.8	31.2	29	6	2.83	330.2
2026/07/01 19:00:00	0.7	6.2	28	23	8	2.67	328
2026/07/01 20:00:00	0.6	5.3	24	25	9	1.95	316.7
2026/07/01 21:00:00	0.7	5.1	22	26	8	1.99	334.3
2026/07/01 22:00:00	0.7	5.6	18.9	30	5	1.61	332.3
2026/07/01 23:00:00	0.6	5.7	15.7	52	6	0.95	295.3
2026/07/02 00:00:00	0.5	5.6	14.5	22	6	0.11	315
2026/07/02 01:00:00	0.5	5.4	10.4	22	6	0.01	244.4
2026/07/02 02:00:00	0.5	4.8	10.3	25	4	0.1	181.7
2026/07/02 03:00:00	0.6	4.8	10.3	26	4	0.02	95
2026/07/02 04:00:00	0.5	5.6	7.7	24	5	0.45	310.4
2026/07/02 05:00:00	0.5	6.4	6.1	21	5	0.33	216.9
2026/07/02 06:00:00	0.5	4.7	5.9	22	6	0.18	188.4
2026/07/02 07:00:00	0.5	5.3	7.3	23	5	0.24	196
2026/07/02 08:00:00	0.5	3.6	14.5	35	6	0.55	109.7
2026/07/02 09:00:00	0.6	3.7	24.9	30	8	0.11	54.7
2026/07/02 10:00:00	0.6	3.3	36.8	26	10	0.66	294.9
2026/07/02 11:00:00	0.7	3.6	46.3	33	12	1.72	286.1
2026/07/02 12:00:00	0.7	4.2	47	33	15	1.92	299.2
2026/07/02 13:00:00	0.7	3.6	48.7	37	10	2.39	310.9
2026/07/02 14:00:00	1	3.5	49.7	34	13	2.56	324.6
2026/07/02 15:00:00	0.7	3.1	44.5	32	14	2.77	320.2
2026/07/02 16:00:00	0.7	3.8	39.6	29	9	2.41	298
2026/07/02 17:00:00	0.7	4.9	31.7	28	9	0.13	279.8
2026/07/02 18:00:00	0.6	3.5	31.7	26	8	0.42	131.4
2026/07/02 19:00:00	0.6	4.6	30	21	8	0.46	244.7
2026/07/02 20:00:00	0.7	4.3	28.9	27	12	0.9	320.5
2026/07/02 21:00:00	0.8	4.2	28.6	27	8	0.96	330.2
2026/07/02 22:00:00	0.8	4.6	23	28	8	0.12	256.7

台電 台中電廠 草屯測站

2026/07/02 23:00:00	0.6	4.7	17.5	26	7	0.43	193
---------------------	-----	-----	------	----	---	------	-----

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/03 00:00:00	0.5	3.6	14.4	24	6	0.23	124.7
2026/07/03 01:00:00	0.5	3.1	13.9	25	7	0.42	197.2
2026/07/03 02:00:00	0.5	3.1	11.3	25	7	0.39	187.6
2026/07/03 03:00:00	0.6	2.7	12.5	27	8	0.27	179.5
2026/07/03 04:00:00	0.6	3.1	11.8	27	10	0.07	150.3
2026/07/03 05:00:00	0.6	3	10.8	24	6	0.2	170.8
2026/07/03 06:00:00	0.5	3.1	8.9	22	5	0.05	143.9
2026/07/03 07:00:00	0.5	2.3	10.4	25	6	0.35	191.1
2026/07/03 08:00:00	0.6	1.7	17.2	28	8	0.38	182.9
2026/07/03 09:00:00	0.6	3.1	24.5	29	10	0.34	231.7
2026/07/03 10:00:00	0.6	2.7	34.7	29	11	0.87	317.6
2026/07/03 11:00:00	1	3.5	46.5	25	11	1.64	343.3
2026/07/03 12:00:00	1.3	5.3	60.9	28	11	1.53	316.6
2026/07/03 13:00:00	1.8	5.2	62	36	18	2.65	336.5
2026/07/03 14:00:00	1.8	4.6	54.8	35	14	3.28	332.6
2026/07/03 15:00:00	2.1	4.7	45.8	36	11	4.13	326.4
2026/07/03 16:00:00	1.7	4.8	37.6	34	14	4.1	318.5
2026/07/03 17:00:00	0.8	3.7	29.7	32	11	2.72	315.2
2026/07/03 18:00:00	0.8	3.5	34.2	30	9	2.34	319.4
2026/07/03 19:00:00	0.7	3.6	32.8	31	7	1.53	322.9
2026/07/03 20:00:00	0.6	4.3	26.9	28	6	0.95	294.1
2026/07/03 21:00:00	0.5	2.7	27.1	25	6	0.18	124.8
2026/07/03 22:00:00	0.5	3.7	26.1	21	7	0.22	123.4
2026/07/03 23:00:00	0.5	3.1	20.3	18	7	0.12	136.4
2026/07/04 00:00:00	0.5	2.6	17.9	23	6	0.13	197.7
2026/07/04 01:00:00	0.6	2.1	17.4	17	6	0.11	130.1
2026/07/04 02:00:00	0.5	2	14.2	16	6	0.09	221.9
2026/07/04 03:00:00	0.5	1.8	11.4	17	5	0.12	197.8
2026/07/04 04:00:00	0.6	2	10.8	17	4	0.12	162.6
2026/07/04 05:00:00	0.5	1.8	11	19	3	0.16	146.5
2026/07/04 06:00:00	0.3	2.1	8.4	19	4	0.16	183.9
2026/07/04 07:00:00	0.3	2	9.4	23	2	0.2	130.3
2026/07/04 08:00:00	0.3	2	12	19	2	0.2	123.7
2026/07/04 09:00:00	0.5	2	18.4	17	5	0.4	154.8
2026/07/04 10:00:00	0.6	1.5	30	18	6	0.31	154.3
2026/07/04 11:00:00	0.8	2.1	34.5	19	8	1.23	262.1
2026/07/04 12:00:00	0.8	2	39.4	22	10	1.42	255.4
2026/07/04 13:00:00	1	2	41.9	25	10	1.39	260.4
2026/07/04 14:00:00	0.8	2.2	44.5	20	10	1.64	274
2026/07/04 15:00:00	1	2.1	46.9	21	12	2.03	289.4
2026/07/04 16:00:00	1.2	2.3	40.6	20	11	3.03	306.6
2026/07/04 17:00:00	1.3	3.1	37.6	22	8	2.44	299.4
2026/07/04 18:00:00	1.5	4.6	28.2	24	9	1.84	329.9
2026/07/04 19:00:00	1.1	3.8	18.4	22	11	0.95	297.9
2026/07/04 20:00:00	0.8	2.2	16.4	14	8	1.55	249.5
2026/07/04 21:00:00	0.8	1.8	13.4	17	7	0.89	239.4

台電 台中電廠 草屯測站

2026/07/04 22:00:00	0.7	1.8	13.2	12	6	0.43	237.5
2026/07/04 23:00:00	0.7	2	11.9	13	3	0.45	291

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/05 00:00:00	1	3.1	10.4	11	3	0.45	225.8
2026/07/05 01:00:00	1.2	3.3	9.2	10	5	0.38	155.8
2026/07/05 02:00:00	0.8	2.7	8.4	10	4	0.07	200.6
2026/07/05 03:00:00	0.8	2.5	7.6	13	3	0.15	160.9
2026/07/05 04:00:00	1	2.5	7.7	14	4	0.05	164.4
2026/07/05 05:00:00	1	2.6	6.7	11	6	0.11	225.2
2026/07/05 06:00:00	0.7	2.3	5.3	15	5	0.1	207.9
2026/07/05 07:00:00	0.8	2.7	6.2	17	3	0.32	107
2026/07/05 08:00:00	0.8	2	9.7	18	3	0.26	145.8
2026/07/05 09:00:00	0.8	1.1	15.9	17	5	0.73	100.8
2026/07/05 10:00:00	1.1	1.1	20.8	17	5	1.01	238.5
2026/07/05 11:00:00	1.2	1.1	25.7	11	6	1.36	245
2026/07/05 12:00:00	1.2	1.5	32.8	17	8	1.38	254
2026/07/05 13:00:00	1.2	1.6	36.3	16	13	1.44	268.1
2026/07/05 14:00:00	1.2	1.3	38.7	18	12	1.81	265.1
2026/07/05 15:00:00	1.3	1.7	36.1	26	15	3.09	300
2026/07/05 16:00:00	1.3	2.1	32	23	8	3.03	302.5
2026/07/05 17:00:00	1.2	2.3	27.2	19	9	2.49	307.3
2026/07/05 18:00:00	1.2	3.1	23.1	20	10	1.95	289.1
2026/07/05 19:00:00	1.1	3.2	20	16	8	1.03	327.3
2026/07/05 20:00:00	0.7	2.3	20.4	15	9	1.53	28.7
2026/07/05 21:00:00	0.7	2.6	17.5	13	6	1.04	1.6
2026/07/05 22:00:00	0.6	1.8	16.8	13	6	0.37	129.2
2026/07/05 23:00:00	0.6	1.3	15.4	10	6	0.29	184.1
2026/07/06 00:00:00	0.6	1.2	11.4	10	4	0.39	164.7
2026/07/06 01:00:00	0.6	1.2	11.7	9	3	0.27	186.4
2026/07/06 02:00:00	0.6	1.8	10.7	9	1	0.21	198.7
2026/07/06 03:00:00	0.6	1.5	10.1	11	1	0.05	180.7
2026/07/06 04:00:00	0.6	1.7	10.1	9	2	0.11	160.9
2026/07/06 05:00:00	0.6	2	7.4	8	1	0.85	191.3
2026/07/06 06:00:00	0.6	2	7.3	12	2	0.11	176
2026/07/06 07:00:00	0.6	2	8.2	16	3	0.07	201.8
2026/07/06 08:00:00	1	1.7	9.1	17	4	0.28	121.1
2026/07/06 09:00:00	1.2	3.1	13.7	17	5	0.44	187.4
2026/07/06 10:00:00	1.1	3.2	22.4	13	5	0.43	176
2026/07/06 11:00:00	1	3.1	26.2	15	5	0.4	230.5
2026/07/06 12:00:00	1	3.5	33.6	14	6	1.45	262.3
2026/07/06 13:00:00	1.2	3	37.2	17	7	2.23	245.1
2026/07/06 14:00:00	1.1	3.1	39.4	17	10	2.1	279
2026/07/06 15:00:00	1.2	3	31.6	18	10	2.64	312.3
2026/07/06 16:00:00	1.2	3.8	29.4	19	8	2.31	302.7
2026/07/06 17:00:00	1.2	3.6	32.5	21	9	1.53	288.1
2026/07/06 18:00:00	1	4.4	31.1	23	8	2	267.3
2026/07/06 19:00:00	1	4.3	29	27	8	1.14	255.4
2026/07/06 20:00:00	1	3.8	22.5	21	10	1.26	260.7

台電 台中電廠 草屯測站

2026/07/06 21:00:00	0.8	3.5	18	22	8	0.61	248.1
2026/07/06 22:00:00	1	3.7	16.4	15	8	0.71	212
2026/07/06 23:00:00	1.2	3.3	15	11	8	0.4	194.6

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/07 00:00:00	0.8	3.7	12.5	14	7	0.62	184.5
2026/07/07 01:00:00	1	3.3	11.3	13	6	0.07	124.9
2026/07/07 02:00:00	1	4.2	9.4	13	7	0.29	227.9
2026/07/07 03:00:00	0.8	3.9	8.6	16	6	0.34	171.8
2026/07/07 04:00:00	0.8	4.3	6.8	15	5	0.15	184.4
2026/07/07 05:00:00	1	4.3	7.2	17	4	0.6	108.6
2026/07/07 06:00:00	1.2	4.8	7.3	16	3	0.21	130.1
2026/07/07 07:00:00	1.2	3.7	8.2	15	3	0.09	210.8
2026/07/07 08:00:00	1.2	2.8	10.7	15	4	0.63	110.4
2026/07/07 09:00:00	1.3	3.2	14.2	12	5	0.74	201.8
2026/07/07 10:00:00	1.5	3.7	20	13	5	1.9	234.5
2026/07/07 11:00:00	1.5	3.3	24.5	11	5	1.81	226.3
2026/07/07 12:00:00	1.5	3	27.2	17	9	1.68	236.1
2026/07/07 13:00:00	1.6	4.2	34.3	15	8	1.71	250.4
2026/07/07 14:00:00	1.3	3.7	38.6	14	8	2.05	292
2026/07/07 15:00:00	1.3	4.1	33.7	19	9	2.92	314.3
2026/07/07 16:00:00	0.8	3.5	32.6	24	9	2.83	13.5
2026/07/07 17:00:00	0.8	3.7	31.5	17	8	1.15	39.4
2026/07/07 18:00:00	1.1	4.9	29.9	14	6	0.72	31.9
2026/07/07 19:00:00	1.1	6.2	23.8	14	4	0.51	322.5
2026/07/07 20:00:00	1.1	8.7	11.3	17	7	0.99	296.5
2026/07/07 21:00:00	1.2	6.4	10.3	17	7	0.79	5.7
2026/07/07 22:00:00	1.2	7.1	7.9	18	8	0.18	12.5
2026/07/07 23:00:00	1.1	7.2	5.8	17	7	0.1	113.7
2026/07/08 00:00:00	1.1	4.3	9.8	20	5	0.12	140.2
2026/07/08 01:00:00	1.1	3.8	9.1	15	4	0.02	167.4
2026/07/08 02:00:00	1	3.5	8.9	13	5	0.02	136.7
2026/07/08 03:00:00	1	3.5	8.7	12	6	0.06	122.5
2026/07/08 04:00:00	1	5.8	5.3	17	6	0.2	289.7
2026/07/08 05:00:00	1	8.4	3.7	19	5	0.38	299.1
2026/07/08 06:00:00	1	6.4	6.1	14	4	0.23	326.8
2026/07/08 07:00:00	0.8	4.3	7.7	10	5	0.09	199.4
2026/07/08 08:00:00	1.2	3.1	11.7	14	5	0.22	101.9
2026/07/08 09:00:00	1.2	4.8	16.5	12	5	1.31	291.1
2026/07/08 10:00:00	1	4.1	26.5	18	5	0.46	276.8
2026/07/08 11:00:00	1.1	3.5	39.1	21	8	0.82	337.1
2026/07/08 12:00:00	1.1	4.1	47.7	18	11	1.37	331.1
2026/07/08 13:00:00	1.5	3.5	47.9	19	11	1.66	310.9
2026/07/08 14:00:00	--	--	42.9	--	--	--	309.5
2026/07/08 15:00:00	1.5	3.9	--	--	--	2.72	312.1
2026/07/08 16:00:00	1.3	3.9	--	17	5	2.34	321.7
2026/07/08 17:00:00	1.2	3.7	40.7	23	11	2.14	318.2
2026/07/08 18:00:00	1.1	4.4	33.6	20	11	1.9	319.6
2026/07/08 19:00:00	1	5.6	27.1	16	10	1.68	308.7

台電 台中電廠 草屯測站

2026/07/08 20:00:00	1.3	7.7	18.4	20	8	1.15	329.1
2026/07/08 21:00:00	2.5	12.4	8.6	21	12	1.38	344
2026/07/08 22:00:00	2	12.9	5.7	18	11	0.12	194.5
2026/07/08 23:00:00	1.8	11.5	5.4	16	12	0.31	194.6

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/09 00:00:00	1.5	9.7	6.4	18	12	0.15	198.7
2026/07/09 01:00:00	1.2	7.9	9.3	23	13	0.07	198.1
2026/07/09 02:00:00	1	5.9	14.2	17	11	0.09	223.6
2026/07/09 03:00:00	1	5.3	13.9	21	12	0.24	195.7
2026/07/09 04:00:00	0.8	4.8	13.2	18	11	0.09	149.8
2026/07/09 05:00:00	0.8	4.1	12.5	21	9	0.09	214.3
2026/07/09 06:00:00	1	3.9	11.7	20	9	0.26	190.1
2026/07/09 07:00:00	0.8	3.8	12	25	10	0.6	192.4
2026/07/09 08:00:00	1.1	4.8	15.8	25	10	0.33	182.2
2026/07/09 09:00:00	1.3	4.1	21.1	25	10	0.28	323.6
2026/07/09 10:00:00	1.3	3.6	27.7	26	9	1.39	339.9
2026/07/09 11:00:00	2.2	5.3	35.7	14	9	1.64	336.6
2026/07/09 12:00:00	2.3	6.8	57.1	21	12	2.43	317
2026/07/09 13:00:00	2.2	5.8	59.5	35	19	2.52	329.5
2026/07/09 14:00:00	2.5	5.2	52.1	32	17	2.45	318.2
2026/07/09 15:00:00	2	4.8	48.3	30	13	3.1	322.3
2026/07/09 16:00:00	1.1	4.4	51.2	22	12	2.59	326
2026/07/09 17:00:00	1.1	5.2	58.2	19	11	3.03	317.1
2026/07/09 18:00:00	1.1	6.4	58.9	27	12	3.04	320.2
2026/07/09 19:00:00	1.1	6.3	57.8	30	11	2.56	313.8
2026/07/09 20:00:00	1.2	7.9	45.2	29	13	1.84	324
2026/07/09 21:00:00	1.1	7.4	37.8	27	12	0.61	312.2
2026/07/09 22:00:00	1.1	7.6	31.2	25	11	0.05	156
2026/07/09 23:00:00	1.1	6.9	30.1	24	12	0.12	132.4
2026/07/10 00:00:00	1.1	5.9	27.1	22	12	0.11	177.1
2026/07/10 01:00:00	1.5	6.2	24	25	15	0.13	232.4
2026/07/10 02:00:00	1.3	5.2	24.4	32	15	0.16	230.1
2026/07/10 03:00:00	1.1	3.8	24.5	32	12	0.09	222.5
2026/07/10 04:00:00	1	3.6	22.8	26	9	0.11	171.2
2026/07/10 05:00:00	1.1	4.4	18.9	28	9	0.13	163.3
2026/07/10 06:00:00	1.7	6.8	13.5	32	9	0.07	139.4
2026/07/10 07:00:00	1.2	4.2	19.3	27	11	0.23	58.6
2026/07/10 08:00:00	1	3	28.6	30	15	0.94	57.7
2026/07/10 09:00:00	1	3.3	40.1	25	14	0.65	0.5
2026/07/10 10:00:00	1.2	4.9	54	25	13	1.25	320
2026/07/10 11:00:00	1.5	6.3	72.3	33	16	1.17	321.1
2026/07/10 12:00:00	1.2	5.6	83.4	40	20	0.09	340.1
2026/07/10 13:00:00	1.2	4.6	81.7	37	20	0.31	178.3
2026/07/10 14:00:00	1.2	3.9	80.7	31	19	0.56	291.3
2026/07/10 15:00:00	1.1	4.4	49	31	17	2.28	351.4
2026/07/10 16:00:00	1	4.2	25.2	35	15	4.62	348
2026/07/10 17:00:00	0.8	4.1	26	26	8	4.53	357
2026/07/10 18:00:00	0.8	4.7	19.5	23	10	4.64	355

台電 台中電廠 草屯測站

2026/07/10 19:00:00	0.8	4.9	17.5	26	13	4.47	351.6
2026/07/10 20:00:00	0.8	4.3	17.4	25	13	3.71	350.2
2026/07/10 21:00:00	1	4.2	16.8	22	13	3.96	348.4
2026/07/10 22:00:00	0.8	3.8	16.5	21	13	3.87	349.3
2026/07/10 23:00:00	1	3.5	18.1	20	11	3.98	350.2

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/11 00:00:00	0.8	2.5	20.5	19	13	4.02	348.2
2026/07/11 01:00:00	0.8	2.5	20.3	15	11	2.66	340
2026/07/11 02:00:00	0.8	2.6	21.5	5	8	3.1	348
2026/07/11 03:00:00	0.8	1.7	22.4	5	8	2.97	348.8
2026/07/11 04:00:00	0.7	1.3	22.9	10	8	4.32	348.6
2026/07/11 05:00:00	0.7	1.3	23.3	9	10	5.82	344.4
2026/07/11 06:00:00	0.7	1.5	21.9	11	11	6.61	341.5
2026/07/11 07:00:00	0.7	1.2	22.8	15	12	5.68	344.6
2026/07/11 08:00:00	0.7	1.3	22.8	12	14	5.65	343.9
2026/07/11 09:00:00	0.8	1.6	22	13	12	6.07	336.7
2026/07/11 10:00:00	1	2	21	13	11	6.03	332
2026/07/11 11:00:00	0.7	1.3	24.5	11	10	6.48	321.8
2026/07/11 12:00:00	0.7	1.3	26.6	14	13	5.76	311.4
2026/07/11 13:00:00	0.7	1.7	28.6	14	11	3.81	293
2026/07/11 14:00:00	0.7	1.6	32.2	8	7	3.96	271.2
2026/07/11 15:00:00	0.7	1.5	29.7	5	2	2.88	267.4
2026/07/11 16:00:00	0.7	2.1	29.7	4	4	2.09	232.4
2026/07/11 17:00:00	0.8	2.5	25.9	9	4	1.82	194.4
2026/07/11 18:00:00	0.7	2.2	22.8	9	4	0.45	200.6
2026/07/11 19:00:00	0.7	2.2	22.5	8	3	0.38	272.9
2026/07/11 20:00:00	0.7	2.7	32.3	11	4	0.11	150.3
2026/07/11 21:00:00	0.7	1.7	31.5	11	7	0.29	263.6
2026/07/11 22:00:00	0.7	1.3	32.6	12	7	0.65	208.5
2026/07/11 23:00:00	0.7	1.8	32	7	7	0.29	230.2
2026/07/12 00:00:00	0.7	1.8	33.2	11	5	0.98	190.1
2026/07/12 01:00:00	0.7	2	27.2	8	7	0.2	240.5
2026/07/12 02:00:00	0.8	2.2	30.6	11	7	0.46	197.7
2026/07/12 03:00:00	0.8	1.7	32.3	17	7	1.89	198.8
2026/07/12 04:00:00	0.8	1.8	25.7	19	11	0.31	205.8
2026/07/12 05:00:00	0.7	2	20.8	20	9	0.66	195.9
2026/07/12 06:00:00	0.7	1.8	22.9	19	7	0.33	203.8
2026/07/12 07:00:00	0.7	2.1	18.1	17	3	0.65	191.3
2026/07/12 08:00:00	0.7	2.1	18.6	18	2	0.22	204.3
2026/07/12 09:00:00	0.7	1.8	23.4	16	5	0.29	179.3
2026/07/12 10:00:00	0.7	2	26.5	15	5	0.57	195.9
2026/07/12 11:00:00	0.7	2.1	29	11	5	1.03	203.1
2026/07/12 12:00:00	0.7	2.2	32.6	10	6	3.25	227
2026/07/12 13:00:00	0.7	2.1	30.8	12	5	3.58	228.9
2026/07/12 14:00:00	0.8	2.2	32	13	6	3.59	231.2
2026/07/12 15:00:00	1	2.5	38.4	11	5	2.23	217.1
2026/07/12 16:00:00	1	2.3	37.2	13	5	2.58	219.8
2026/07/12 17:00:00	1	2.5	35.1	17	6	1.92	221.6

台電 台中電廠 草屯測站

2026/07/12 18:00:00	0.7	3.1	32.8	18	7	1.36	213.5
2026/07/12 19:00:00	0.8	3.3	26.1	19	7	0.34	196.4
2026/07/12 20:00:00	1	3.3	25.6	15	7	0.4	185
2026/07/12 21:00:00	1	2.8	24.2	15	7	0.48	188.8
2026/07/12 22:00:00	0.8	3.5	22.5	15	7	0.79	207.2
2026/07/12 23:00:00	0.7	3.1	20.3	15	6	0.27	165.3

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/13 00:00:00	0.7	3	19.6	18	6	0.21	203.3
2026/07/13 01:00:00	0.7	2.6	17.2	21	8	0.07	138.5
2026/07/13 02:00:00	0.7	2.8	15.7	18	4	0.05	105.3
2026/07/13 03:00:00	0.8	3.3	12.2	18	2	0.28	308
2026/07/13 04:00:00	0.8	3.1	14.4	21	3	0.24	21.7
2026/07/13 05:00:00	0.8	4.2	10.5	26	2	0.22	268.7
2026/07/13 06:00:00	0.8	6.1	8.3	18	4	0.28	224.3
2026/07/13 07:00:00	0.8	5.1	11.4	16	3	0.24	287.6
2026/07/13 08:00:00	1	2.8	22.5	15	4	0.54	16.8
2026/07/13 09:00:00	1	3.7	29.6	12	6	0.48	279
2026/07/13 10:00:00	0.8	3.5	37.2	--	11	1.43	298.2
2026/07/13 11:00:00	1	3.5	45.3	16	11	1.32	330.6
2026/07/13 12:00:00	1.1	3	46.3	20	11	1.76	314.4
2026/07/13 13:00:00	1.1	2.8	52.1	18	13	2.23	304
2026/07/13 14:00:00	1.3	3.1	61.6	16	11	3.03	304.3
2026/07/13 15:00:00	1.3	3.1	53.4	30	13	3.48	298.9
2026/07/13 16:00:00	1.2	3.6	48.8	38	11	3.59	324.5
2026/07/13 17:00:00	1.1	4.4	36.7	24	11	2.1	329.8
2026/07/13 18:00:00	0.7	5.1	33.5	22	9	1.34	246
2026/07/13 19:00:00	0.7	4.1	37.2	8	6	0.26	111.5
2026/07/13 20:00:00	0.6	3	32.7	9	3	0.2	194.6
2026/07/13 21:00:00	0.7	1.8	31.7	7	1	0.21	125.3
2026/07/13 22:00:00	0.7	2.8	31.3	7	2	0.17	173.5
2026/07/13 23:00:00	0.6	2.3	26.5	6	2	0.56	143.6
2026/07/14 00:00:00	0.7	2.7	23	7	2	0.4	118.9
2026/07/14 01:00:00	0.7	2.1	22.6	12	4	0.42	226.8
2026/07/14 02:00:00	0.8	2.7	18.6	8	3	0.28	176.8
2026/07/14 03:00:00	0.7	2.1	19.6	10	2	0.48	106.6
2026/07/14 04:00:00	0.8	3.5	14.5	13	3	0.42	247
2026/07/14 05:00:00	0.8	4.3	10.9	19	4	0.26	156.9
2026/07/14 06:00:00	0.8	3.1	13.5	18	4	0.24	228
2026/07/14 07:00:00	0.8	3.3	12.3	19	3	0.46	192.7
2026/07/14 08:00:00	0.8	3.5	18.8	19	6	0.39	188.7
2026/07/14 09:00:00	1.2	5.1	26.2	15	7	0.24	96.9
2026/07/14 10:00:00	1.5	4.2	41.2	16	6	0.6	314.3
2026/07/14 11:00:00	1.2	3.7	48.9	14	7	1.59	313.7
2026/07/14 12:00:00	1.3	3.9	48.4	16	6	1.03	278
2026/07/14 13:00:00	1.1	2.7	51.5	17	7	0.27	359.2
2026/07/14 14:00:00	1	3.9	46.3	16	8	0.92	246.8
2026/07/14 15:00:00	1.1	3.8	36.7	16	6	1.97	228
2026/07/14 16:00:00	1	3.7	34.1	14	5	1.11	94.8

台電 台中電廠 草屯測站

2026/07/14 17:00:00	0.8	3.9	41.2	14	4	0.56	101.3
2026/07/14 18:00:00	0.7	3.3	34.7	15	6	0.4	148.7
2026/07/14 19:00:00	0.7	5.2	28	13	7	0.49	171
2026/07/14 20:00:00	0.7	3.9	24.5	14	5	0.35	191.1
2026/07/14 21:00:00	0.6	2.6	19.3	14	4	0.26	190.7
2026/07/14 22:00:00	0.7	2.6	16.7	13	4	0.33	172.7
2026/07/14 23:00:00	0.6	2.1	12.3	15	3	0.16	132

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/15 00:00:00	0.7	2.1	11.3	15	2	0.31	190.9
2026/07/15 01:00:00	0.7	2	9.7	18	2	0.17	143.6
2026/07/15 02:00:00	0.8	2.5	9.1	20	3	0.46	195.7
2026/07/15 03:00:00	0.7	2.2	7.3	23	4	0.11	175.2
2026/07/15 04:00:00	0.7	2.2	9.1	20	7	0.11	161.3
2026/07/15 05:00:00	0.6	2.3	7.6	23	6	0.29	129.6
2026/07/15 06:00:00	0.7	2.3	8.3	21	5	0.4	196.5
2026/07/15 07:00:00	0.6	2.1	7.8	22	3	0.48	140.5
2026/07/15 08:00:00	0.7	2.1	14	23	3	0.22	150
2026/07/15 09:00:00	0.8	3	24.4	18	7	0.62	107
2026/07/15 10:00:00	1	2.3	32.5	15	9	1.21	97.8
2026/07/15 11:00:00	1.1	3.6	40.3	12	8	1.27	225.3
2026/07/15 12:00:00	1	3.7	39.9	11	7	2.21	232
2026/07/15 13:00:00	0.8	2.8	39.9	11	8	2.64	229.5
2026/07/15 14:00:00	0.8	2.8	44.2	12	6	3.6	237.3
2026/07/15 15:00:00	1.1	3.2	46	19	8	3.15	235.2
2026/07/15 16:00:00	1.1	3.1	37.6	29	11	2.31	245.1
2026/07/15 17:00:00	1	3.1	34.5	27	8	2.45	246
2026/07/15 18:00:00	1.1	3.9	33.5	20	8	1.88	218.5
2026/07/15 19:00:00	1.1	4.6	33.5	16	7	1.45	210.8
2026/07/15 20:00:00	1.1	4.6	29.9	16	8	2.04	226.9
2026/07/15 21:00:00	1.1	4.1	28.2	17	12	1.55	230.4
2026/07/15 22:00:00	1.1	4.1	23.8	17	9	0.44	175.6
2026/07/15 23:00:00	1	3.3	23.3	15	9	0.37	128.6
2026/07/16 00:00:00	1.1	4.2	21.1	14	9	0.39	292.8
2026/07/16 01:00:00	1	4.4	15.4	8	10	0.16	122
2026/07/16 02:00:00	1	3.7	15.8	7	9	0.46	165.8
2026/07/16 03:00:00	1	2.5	13.2	11	8	0.23	170.9
2026/07/16 04:00:00	1.1	2.5	15.8	15	8	0.1	158.5
2026/07/16 05:00:00	1	2.2	12.9	16	7	0.11	233.8
2026/07/16 06:00:00	1	2.5	11.7	21	6	0.12	123.6
2026/07/16 07:00:00	0.8	2.6	12.8	23	6	0.33	150.6
2026/07/16 08:00:00	0.8	2.5	15.8	18	7	0.46	158.2
2026/07/16 09:00:00	1.2	3.6	26.7	16	8	0.88	196.4
2026/07/16 10:00:00	1.7	4.1	37.1	18	8	1.92	219.7
2026/07/16 11:00:00	1.5	3.3	40.8	20	7	2.66	225.9
2026/07/16 12:00:00	1.5	3	44.8	16	7	2.78	238.3
2026/07/16 13:00:00	1.1	2.7	49.7	16	9	2.89	243
2026/07/16 14:00:00	1.1	2.8	49.4	20	10	2.53	246
2026/07/16 15:00:00	1	2.7	37.6	21	8	2.58	260.1

台電 台中電廠 草屯測站

2026/07/16 16:00:00	1	2.6	34.5	20	9	2.95	254.7
2026/07/16 17:00:00	1.1	3.3	31.7	31	11	2.53	232.8
2026/07/16 18:00:00	1	3.6	30.6	26	10	0.72	194.3
2026/07/16 19:00:00	0.8	3.3	28.7	20	7	1.47	196.7
2026/07/16 20:00:00	0.7	3	26.7	15	6	0.6	196.3
2026/07/16 21:00:00	0.8	3.2	25.9	14	6	1.58	194.3
2026/07/16 22:00:00	0.8	3.1	23.9	15	6	1.33	190.8
2026/07/16 23:00:00	0.7	3.2	17.8	15	6	0.44	188

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/17 00:00:00	0.8	2.5	16.7	28	8	0.24	148
2026/07/17 01:00:00	0.8	2.2	14.5	55	9	0.09	184.4
2026/07/17 02:00:00	1	2.3	15.7	16	7	0.29	171
2026/07/17 03:00:00	0.8	2	14.3	14	4	0.17	142.6
2026/07/17 04:00:00	1	2.2	12.8	15	5	0.15	198
2026/07/17 05:00:00	1.1	2.3	17.3	16	6	0.23	135.3
2026/07/17 06:00:00	1.1	2.7	16.9	17	6	0.32	191
2026/07/17 07:00:00	1	2.7	13.2	17	5	0.46	188.7
2026/07/17 08:00:00	1	2.6	18.6	16	7	0.38	211.3
2026/07/17 09:00:00	0.8	2.8	24.9	13	8	0.45	176
2026/07/17 10:00:00	0.8	2.8	31.7	10	8	0.72	183.9
2026/07/17 11:00:00	1.1	2.7	39.1	10	7	1.64	211.3
2026/07/17 12:00:00	1.1	3.1	40.1	14	7	2.1	222.7
2026/07/17 13:00:00	1.1	3	42.3	17	7	2.81	225.8
2026/07/17 14:00:00	1.1	2.6	36.3	23	8	3.81	235.3
2026/07/17 15:00:00	1	2.8	35.7	30	8	3.71	228.7
2026/07/17 16:00:00	1	3.3	33	23	7	3.03	218.9
2026/07/17 17:00:00	1	3.7	34.1	20	8	2.77	223.6
2026/07/17 18:00:00	1	3.9	30.2	20	8	2.99	225
2026/07/17 19:00:00	1.1	3.6	25.4	14	7	1.21	202.8
2026/07/17 20:00:00	0.8	2.5	25.5	10	5	0.32	198.9
2026/07/17 21:00:00	0.8	2.3	25.6	5	3	0.4	122.4
2026/07/17 22:00:00	0.8	2.3	25.1	6	3	0.12	207.7
2026/07/17 23:00:00	1	2.3	24.2	7	5	0.23	213.6
2026/07/18 00:00:00	1	1.7	22.9	3	5	0.09	188.2
2026/07/18 01:00:00	0.8	2.2	18.4	2	4	0.38	189.4
2026/07/18 02:00:00	0.8	2.8	15.2	4	2	0.09	165.5
2026/07/18 03:00:00	0.8	2.2	16.3	8	3	0.17	135.6
2026/07/18 04:00:00	0.8	2.2	12.8	10	5	0.32	197.9
2026/07/18 05:00:00	0.8	2.5	11.2	13	6	0.1	192.6
2026/07/18 06:00:00	0.8	3.1	9.3	16	7	0.12	237.5
2026/07/18 07:00:00	0.7	2.1	14	15	5	0.13	205.3
2026/07/18 08:00:00	0.7	3	17.5	10	4	0.9	196.2
2026/07/18 09:00:00	0.7	2.6	26.4	9	3	0.85	199.6
2026/07/18 10:00:00	0.8	2.1	33	9	3	0.73	204.9
2026/07/18 11:00:00	1	2	34.7	9	3	1.6	250.4
2026/07/18 12:00:00	1	2.3	40.4	12	4	1.92	236
2026/07/18 13:00:00	1.1	2.1	40.1	15	6	2.78	261.1
2026/07/18 14:00:00	0.8	2	39.1	11	8	2.76	270.7

台電 台中電廠 草屯測站

2026/07/18 15:00:00	0.7	2.2	32.8	15	7	0.17	43.2
2026/07/18 16:00:00	0.7	2	28.5	12	6	0.54	148
2026/07/18 17:00:00	0.7	2.6	28.7	11	5	0.66	199.2
2026/07/18 18:00:00	0.8	2.6	26.9	6	5	0.62	143.6
2026/07/18 19:00:00	0.8	2.7	24.1	5	4	0.13	141.4
2026/07/18 20:00:00	0.7	2.8	19.9	10	1	0.16	162.4
2026/07/18 21:00:00	0.7	2.8	15.9	9	0	0.11	166.2
2026/07/18 22:00:00	0.7	2.3	15.4	10	2	0.26	189.5
2026/07/18 23:00:00	0.6	2.6	12	14	3	0.11	192.5

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/19 00:00:00	0.7	2	12.7	16	4	0.27	164
2026/07/19 01:00:00	0.7	2.1	9.7	17	4	0.68	192.5
2026/07/19 02:00:00	0.7	2.2	9.7	15	6	0.32	195.1
2026/07/19 03:00:00	0.7	1.8	9.4	17	6	0.11	201.5
2026/07/19 04:00:00	0.7	1.8	9.6	19	4	0.09	228.4
2026/07/19 05:00:00	0.8	1.8	8.1	20	4	0.11	209.9
2026/07/19 06:00:00	0.8	1.7	8.2	19	4	0.07	200.4
2026/07/19 07:00:00	1	1.7	8.1	16	4	0.12	192.3
2026/07/19 08:00:00	0.8	1.5	11.7	17	6	0.27	192.7
2026/07/19 09:00:00	1	1.8	19.4	14	7	0.16	163.5
2026/07/19 10:00:00	0.8	2.2	29.7	10	7	0.76	195.3
2026/07/19 11:00:00	1	3.6	34.7	15	8	0.24	250.1
2026/07/19 12:00:00	1	2.6	33.8	13	10	0.32	153.4
2026/07/19 13:00:00	1	2.5	37.3	14	9	0.53	233.5
2026/07/19 14:00:00	1	2.5	34.6	--	9	2.81	233.1
2026/07/19 15:00:00	1	2.7	31	5	7	1.7	211.1
2026/07/19 16:00:00	1.2	2.8	35.6	12	5	1.37	202.5
2026/07/19 17:00:00	1.2	3.5	36	11	7	1.36	219.7
2026/07/19 18:00:00	1.3	3.8	33.1	10	8	1.16	211.3
2026/07/19 19:00:00	1.3	3.9	33.2	11	9	0.51	189.8
2026/07/19 20:00:00	1.1	3.2	27.1	13	9	0.55	193.3
2026/07/19 21:00:00	1.1	3.2	24.4	17	7	0.45	187.2
2026/07/19 22:00:00	0.8	3.1	20.6	17	7	0.29	128.2
2026/07/19 23:00:00	0.8	2.5	16	14	6	0.1	157.1
2026/07/20 00:00:00	0.7	2.3	15.3	15	5	0.26	208.4
2026/07/20 01:00:00	0.7	2.2	15.5	16	5	0.11	185.6
2026/07/20 02:00:00	1.1	3	18.8	13	5	0.18	130.5
2026/07/20 03:00:00	1.2	3	18.8	12	6	0.5	191.6
2026/07/20 04:00:00	1	2.6	12.2	13	8	0.07	199.6
2026/07/20 05:00:00	0.8	2.5	11.9	19	7	0.28	172
2026/07/20 06:00:00	0.8	1.8	12.5	18	5	0.57	187.5
2026/07/20 07:00:00	1	2.2	12.4	11	5	0.31	171.3
2026/07/20 08:00:00	0.8	1.6	14.5	15	4	0.35	170.2
2026/07/20 09:00:00	1	2.8	19.5	13	5	0.66	190.9
2026/07/20 10:00:00	1.2	3.7	30.7	24	7	2.26	238.2
2026/07/20 11:00:00	1.1	2.6	33.2	31	7	1.4	208.5
2026/07/20 12:00:00	1.1	3.1	40.3	19	7	1.37	223.5
2026/07/20 13:00:00	1.2	2.6	39.8	12	9	2	219.9

台電 台中電廠 草屯測站

2026/07/20 14:00:00	1.1	2.6	41.3	14	7	1.75	264.8
2026/07/20 15:00:00	1.2	2.6	41.8	14	7	2.06	290.7
2026/07/20 16:00:00	1.2	3.1	41.9	17	10	1.93	273
2026/07/20 17:00:00	1.1	4.4	43.6	19	9	1.29	236.5
2026/07/20 18:00:00	1	2.6	30.7	19	10	0.63	120.2
2026/07/20 19:00:00	1	2.7	30.7	16	8	0.89	195.1
2026/07/20 20:00:00	1	2.6	24.1	16	8	0.12	188.9
2026/07/20 21:00:00	0.8	2.5	26.4	21	10	0.11	169.5
2026/07/20 22:00:00	0.8	2.5	22.5	18	12	0.07	204
2026/07/20 23:00:00	0.8	2	19.3	18	11	0.12	217.5

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/21 00:00:00	0.8	2.1	16.7	23	9	0.09	220.3
2026/07/21 01:00:00	0.8	1.7	13	20	7	0.13	239.8
2026/07/21 02:00:00	1	2.3	15.3	50	7	0.31	220.1
2026/07/21 03:00:00	1	2.2	12.8	85	8	0.23	186.6
2026/07/21 04:00:00	1	2.7	9.3	25	8	0.24	180.8
2026/07/21 05:00:00	0.8	2.6	10.1	26	8	0.06	200.6
2026/07/21 06:00:00	1	2.5	9.6	28	8	0.07	222.8
2026/07/21 07:00:00	1	2.3	9.3	25	6	0.11	179.4
2026/07/21 08:00:00	1	2.6	14.5	26	7	0.83	195.2
2026/07/21 09:00:00	1.1	3	22.3	24	10	0.45	163.3
2026/07/21 10:00:00	1	2.3	31.2	25	10	0.24	147.9
2026/07/21 11:00:00	1.1	2.8	38.3	24	11	0.81	255.6
2026/07/21 12:00:00	1.2	2.8	41.9	25	13	1.66	249.8
2026/07/21 13:00:00	1.1	2.7	48.2	28	15	1.95	259.1
2026/07/21 14:00:00	1.3	3.1	52.1	30	15	2.42	286.3
2026/07/21 15:00:00	1.6	3.1	46	32	15	3.72	305.1
2026/07/21 16:00:00	1.1	3.5	37.9	36	15	1.09	314.8
2026/07/21 17:00:00	0.8	2.6	35.7	29	15	0.81	139.3
2026/07/21 18:00:00	0.8	3.1	30.1	11	6	0.22	177.6
2026/07/21 19:00:00	0.8	2.7	25.5	11	6	0.59	186.9
2026/07/21 20:00:00	0.8	2.7	23.4	14	6	0.21	195.2
2026/07/21 21:00:00	0.8	2.1	21.5	17	5	0.4	132.6
2026/07/21 22:00:00	0.8	2	19.9	12	2	0.09	152.3
2026/07/21 23:00:00	0.8	1.8	16.4	9	3	0.09	238
2026/07/22 00:00:00	1	2	13.2	11	6	0.13	265
2026/07/22 01:00:00	1	1.8	14	11	7	0.12	249.8
2026/07/22 02:00:00	0.8	1.8	12.4	13	5	0.17	277.6
2026/07/22 03:00:00	0.8	1.8	10.2	19	4	0.1	244.6
2026/07/22 04:00:00	1	1.6	10.5	20	4	0.12	256.5
2026/07/22 05:00:00	1	1.6	10.5	17	6	0.12	252.3
2026/07/22 06:00:00	0.8	2	10.1	17	7	0.16	207
2026/07/22 07:00:00	0.8	2.1	9.1	13	7	0.09	246.8
2026/07/22 08:00:00	1	2.3	13.4	36	8	0.46	185.7
2026/07/22 09:00:00	1	2.8	24.4	55	8	0.34	153
2026/07/22 10:00:00	1.3	3.3	36.6	23	10	0.34	154.9
2026/07/22 11:00:00	1.2	3.2	41.4	29	14	0.37	203.4
2026/07/22 12:00:00	1.2	2.6	41.6	32	16	0.31	287.5

台電 台中電廠 草屯測站

2026/07/22 13:00:00	1.2	2.8	52.4	35	15	1.25	310.1
2026/07/22 14:00:00	1.5	3.2	53.9	42	16	2.43	303.3
2026/07/22 15:00:00	1.3	3.3	52.1	50	18	2.65	300.7
2026/07/22 16:00:00	1.2	2.7	39.8	42	17	2.37	310
2026/07/22 17:00:00	1.2	3.8	44.9	40	17	1.32	286.3
2026/07/22 18:00:00	1.1	3.2	44.2	35	16	0.21	161.2
2026/07/22 19:00:00	1	3.1	37.8	28	15	0.23	146.6
2026/07/22 20:00:00	1	3	31.8	26	15	0.28	117.5
2026/07/22 21:00:00	1	3	30.8	25	13	0.13	202.3
2026/07/22 22:00:00	1.1	2.5	20.5	25	12	0.09	152.8
2026/07/22 23:00:00	1	3.5	21	26	13	0.11	130

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/23 00:00:00	1	3.3	18.3	28	13	0.12	154.1
2026/07/23 01:00:00	0.8	2.6	13.4	32	14	0.22	185.4
2026/07/23 02:00:00	1	2.3	14.5	32	11	0.1	174.8
2026/07/23 03:00:00	0.8	2	12.9	33	11	0.09	239.6
2026/07/23 04:00:00	1	1.8	12.7	31	13	0.1	208.4
2026/07/23 05:00:00	1	1.8	12.4	28	11	0.12	209.7
2026/07/23 06:00:00	0.8	2.1	10.4	30	11	0.38	132.1
2026/07/23 07:00:00	1.1	2.1	10.9	33	12	0.11	176.4
2026/07/23 08:00:00	0.8	1.6	15.3	33	12	0.21	160.7
2026/07/23 09:00:00	1	2.6	28.4	26	12	0.72	90.2
2026/07/23 10:00:00	1.1	3.6	36	31	13	0.44	271.5
2026/07/23 11:00:00	1.1	3	40.7	39	15	0.78	294.9
2026/07/23 12:00:00	1.2	3.7	44.8	40	16	2.36	300.9
2026/07/23 13:00:00	1	3	43.8	39	17	2.06	296.4
2026/07/23 14:00:00	0.8	3.5	36.2	34	15	1.53	314.1
2026/07/23 15:00:00	1	2.7	38.3	33	12	2.56	320.1
2026/07/23 16:00:00	1	3.2	38.1	39	16	2.45	341.3
2026/07/23 17:00:00	1.5	5.2	34.7	39	17	1.65	307.3
2026/07/23 18:00:00	2.2	7.9	29	37	14	1.48	281.4
2026/07/23 19:00:00	1.8	9.7	25.2	38	14	0.5	265.6
2026/07/23 20:00:00	1.6	12.2	15.2	34	13	0.05	193.4
2026/07/23 21:00:00	1.2	8.7	17.6	31	14	0.09	178.5
2026/07/23 22:00:00	1.1	6.2	19.6	33	13	0.12	216.4
2026/07/23 23:00:00	1	4.4	21.6	36	13	0.1	225.7
2026/07/24 00:00:00	1	3.9	22.8	37	16	0.18	189.6
2026/07/24 01:00:00	1	3.6	18.3	38	18	0.1	232.5
2026/07/24 02:00:00	1.1	3.5	19.1	35	16	0.11	236.3
2026/07/24 03:00:00	1	3	18	36	14	0.12	131
2026/07/24 04:00:00	1	3	16.4	37	13	0.1	178.5
2026/07/24 05:00:00	1	3	14.2	36	14	0.15	182.8
2026/07/24 06:00:00	1	3.3	11.9	33	13	0.27	198.4
2026/07/24 07:00:00	1.1	3.3	11.8	33	13	0.56	190.1
2026/07/24 08:00:00	1.1	4.1	15.9	34	14	0.29	233.1
2026/07/24 09:00:00	1.3	6.4	25.7	35	14	1.25	297.1
2026/07/24 10:00:00	1.2	7.3	37.2	41	18	1.49	337.8
2026/07/24 11:00:00	1.3	6.4	43.6	43	19	1.97	340.6

台電 台中電廠 草屯測站

2026/07/24 12:00:00	1.3	4.7	55	41	19	2.19	347.3
2026/07/24 13:00:00	1.3	3.6	60.4	--	17	2	324.7
2026/07/24 14:00:00	1.3	3.6	62.4	--	16	1.54	331.9
2026/07/24 15:00:00	2	3.3	64.8	--	20	1.17	315.7
2026/07/24 16:00:00	2	3.8	64.5	--	20	1.56	295.6
2026/07/24 17:00:00	1.6	4.4	60	--	18	1.53	295.3
2026/07/24 18:00:00	1.5	5.3	52.8	38	19	1.83	309.5
2026/07/24 19:00:00	1.5	7.1	54.1	38	17	1.32	341.4
2026/07/24 20:00:00	1.5	6.9	59.5	45	16	0.9	311.4
2026/07/24 21:00:00	1.2	6.4	45.5	54	19	0.39	206.7
2026/07/24 22:00:00	1.1	4.9	37.7	49	23	0.38	113.1
2026/07/24 23:00:00	1.1	4.1	37.7	43	23	0.22	151.3

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/25 00:00:00	1.1	3.8	37	48	24	0.72	105.4
2026/07/25 01:00:00	1	3.3	31	46	28	0.29	113.9
2026/07/25 02:00:00	1.1	4.2	25.7	44	24	0.74	97.3
2026/07/25 03:00:00	1	4.3	24.2	46	21	0.21	198.9
2026/07/25 04:00:00	1.2	3.8	21.6	43	20	0.34	182.5
2026/07/25 05:00:00	1.1	4.2	18.8	40	15	0.22	184.6
2026/07/25 06:00:00	1	3.8	12.3	37	13	0.5	113.4
2026/07/25 07:00:00	1	3.1	18.3	37	13	0.16	181.9
2026/07/25 08:00:00	1.3	3.3	23.6	41	16	0.33	262
2026/07/25 09:00:00	1.1	5.6	23.3	38	16	0.39	205.4
2026/07/25 10:00:00	1.1	4.2	31.1	38	15	0.16	205.6
2026/07/25 11:00:00	1.1	3.5	42.2	37	14	0.84	274.5
2026/07/25 12:00:00	1.2	3.1	56.8	33	13	1.73	270.9
2026/07/25 13:00:00	1.5	3.2	51.5	33	13	2.11	280.3
2026/07/25 14:00:00	1.3	2.7	48.4	35	15	2.55	305
2026/07/25 15:00:00	0.8	3.5	45.4	32	11	1.01	297.9
2026/07/25 16:00:00	0.8	3.6	35	27	12	1.2	353.5
2026/07/25 17:00:00	0.7	4.8	28.1	20	9	0.88	336.1
2026/07/25 18:00:00	0.6	4.8	23.9	15	7	0.12	135.8
2026/07/25 19:00:00	0.7	4.6	20.3	14	6	0.42	117.4
2026/07/25 20:00:00	0.6	4.2	19.3	19	7	0.09	175.4
2026/07/25 21:00:00	0.7	4.6	18	21	11	0.32	121.4
2026/07/25 22:00:00	0.7	3.9	18	23	11	0.11	139.3
2026/07/25 23:00:00	1	3.9	18.1	24	12	0.21	107.2
2026/07/26 00:00:00	0.8	3.6	14.8	25	12	0.32	194.5
2026/07/26 01:00:00	0.8	3.1	10.5	23	12	0.46	198.1
2026/07/26 02:00:00	1	3.1	9.6	21	10	0.12	171.7
2026/07/26 03:00:00	0.8	3	9.2	23	8	0.05	179.4
2026/07/26 04:00:00	0.8	2.8	8.2	24	9	0.05	206
2026/07/26 05:00:00	1	2.5	8.1	26	9	0.33	190.4
2026/07/26 06:00:00	0.8	2.3	5.9	24	9	0.12	219.6
2026/07/26 07:00:00	0.8	2.2	6.2	21	7	0.43	201.3
2026/07/26 08:00:00	0.8	2.2	8.9	20	5	0.2	138.2
2026/07/26 09:00:00	0.8	2.3	13.8	--	6	0.21	179.9
2026/07/26 10:00:00	1	3.3	31.7	20	8	1.04	335.1

台電 台中電廠 草屯測站

2026/07/26 11:00:00	1.3	4.2	49.2	23	12	1.65	324.8
2026/07/26 12:00:00	1	2.6	39.8	23	13	2.92	332.2
2026/07/26 13:00:00	1.1	2.5	44.4	24	9	3.11	343.7
2026/07/26 14:00:00	1	2.3	46.3	23	10	3.43	342.6
2026/07/26 15:00:00	1	2.6	43.4	17	10	3.46	340.2
2026/07/26 16:00:00	0.8	3.3	37.2	17	9	1.6	286.6
2026/07/26 17:00:00	0.7	4.4	27.1	17	8	0.12	300.7
2026/07/26 18:00:00	0.7	3.7	23.5	12	7	0.24	175.9
2026/07/26 19:00:00	0.8	4.6	21.8	14	7	0.18	169.5
2026/07/26 20:00:00	0.8	4.1	20.9	13	5	0.09	183.8
2026/07/26 21:00:00	0.7	2.6	18.1	14	4	0.07	217.3
2026/07/26 22:00:00	0.7	3.3	16	15	4	0.02	123.4
2026/07/26 23:00:00	0.6	3.1	14.3	16	4	0.09	234.5

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/27 00:00:00	0.7	3.1	14.7	20	5	0.15	187.8
2026/07/27 01:00:00	0.7	2.2	10.2	18	7	0.24	182.7
2026/07/27 02:00:00	0.8	2.7	9.3	17	7	0.09	204.4
2026/07/27 03:00:00	0.8	2.1	11.7	22	6	0.06	192.3
2026/07/27 04:00:00	0.7	2.1	8.7	22	6	0.62	191.3
2026/07/27 05:00:00	0.7	2.6	8.6	22	7	0.17	201.8
2026/07/27 06:00:00	0.7	2.8	15	24	7	0.28	167.6
2026/07/27 07:00:00	1	4.6	8.2	23	6	0.48	200.9
2026/07/27 08:00:00	1	4.1	13	20	6	0.31	39.4
2026/07/27 09:00:00	1.1	5.8	15.4	20	6	0.98	352.1
2026/07/27 10:00:00	1.2	5.7	31	23	8	1.67	332.7
2026/07/27 11:00:00	1.3	6.3	44.8	25	10	1.2	11
2026/07/27 12:00:00	1.3	7.6	65.6	29	13	1.27	324
2026/07/27 13:00:00	1.6	7.2	76.7	33	16	1.6	320.6
2026/07/27 14:00:00	1.6	6.3	75.9	37	18	1.93	339.7
2026/07/27 15:00:00	1	4.9	49	35	18	2.66	291.3
2026/07/27 16:00:00	0.8	4.6	32	25	12	1.34	300
2026/07/27 17:00:00	0.8	3.5	29.6	11	4	1.66	49.3
2026/07/27 18:00:00	0.8	8.2	23	11	3	0.21	152.4
2026/07/27 19:00:00	0.8	5.9	19	11	2	0.21	112.3
2026/07/27 20:00:00	0.8	5.9	16.2	12	3	0.09	154.5
2026/07/27 21:00:00	0.8	3.7	18.1	15	3	0.13	196.7
2026/07/27 22:00:00	0.7	3.3	15.8	17	3	0.24	181.3
2026/07/27 23:00:00	0.8	3.7	13.3	19	4	0.07	143.7
2026/07/28 00:00:00	0.8	3.3	11.4	21	5	0.34	132.7
2026/07/28 01:00:00	0.8	3.3	9.2	20	5	0.05	230.2
2026/07/28 02:00:00	0.8	3	9.1	20	5	0.34	188.9
2026/07/28 03:00:00	0.8	2.7	7.8	20	5	0.17	135
2026/07/28 04:00:00	0.8	2.5	8.8	23	4	0.07	237.9
2026/07/28 05:00:00	0.8	2.3	7.7	24	5	0.09	107.5
2026/07/28 06:00:00	0.7	3.3	6.1	22	4	0.16	184.8
2026/07/28 07:00:00	0.8	2.8	8.8	22	4	0.02	179.4
2026/07/28 08:00:00	1	4.3	15	22	7	1.06	282.3
2026/07/28 09:00:00	1	4.6	22.3	21	7	1.05	334.4

台電 台中電廠 草屯測站

2026/07/28 10:00:00	1.1	4.8	39.3	19	7	1.09	2.5
2026/07/28 11:00:00	1.3	5.7	68	18	8	1.67	336.8
2026/07/28 12:00:00	1.2	4.1	57	20	9	3.15	342.8
2026/07/28 13:00:00	1	3.6	55.4	17	8	3.26	329.1
2026/07/28 14:00:00	1	2.8	42.8	14	7	4.48	332.6
2026/07/28 15:00:00	1.1	3.2	39.8	14	5	4.6	334.7
2026/07/28 16:00:00	1.2	3	36.2	9	6	3.75	329.5
2026/07/28 17:00:00	1.1	4.4	34.2	10	7	2.94	341.3
2026/07/28 18:00:00	1.1	5.3	32.1	12	7	0.43	288.6
2026/07/28 19:00:00	1	4.2	28	12	7	0.23	135.8
2026/07/28 20:00:00	1	3.5	25.6	12	8	0.13	142.8
2026/07/28 21:00:00	1	3.8	24.1	12	8	0.46	190.2
2026/07/28 22:00:00	1	3.6	20.8	11	8	0.07	194.1
2026/07/28 23:00:00	1	3.2	17.9	13	8	0.09	230.9

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/29 00:00:00	1	2.7	17.2	19	7	0.09	222.5
2026/07/29 01:00:00	1	2.2	15	18	6	0.07	197.7
2026/07/29 02:00:00	1.1	2.6	12	13	6	0.22	189.7
2026/07/29 03:00:00	1	2.2	13.9	16	5	0.1	209.2
2026/07/29 04:00:00	1	2.1	13.2	20	6	0.1	217.1
2026/07/29 05:00:00	1	2.2	13.5	21	6	0.09	181.3
2026/07/29 06:00:00	1.1	2.8	10.4	17	5	0.43	190.9
2026/07/29 07:00:00	1.1	3.5	8.6	18	4	0.37	192.5
2026/07/29 08:00:00	1.2	4.2	12.8	19	6	0.46	202.5
2026/07/29 09:00:00	1.2	5.8	16.3	19	7	0.55	185.8
2026/07/29 10:00:00	1.3	7.4	22.5	21	9	0.34	287.6
2026/07/29 11:00:00	1.3	8.3	31.2	21	10	1.58	340.3
2026/07/29 12:00:00	1.2	7.2	43.2	23	9	1.47	319.3
2026/07/29 13:00:00	1.2	4.7	55	22	9	0.96	292
2026/07/29 14:00:00	1.5	3.8	65.6	21	9	0.83	307.4
2026/07/29 15:00:00	2	3.9	65.3	22	9	1.86	307.3
2026/07/29 16:00:00	2.3	5.6	56.4	24	11	2.23	307.6
2026/07/29 17:00:00	3.2	8.1	41.8	23	12	1.97	331.6
2026/07/29 18:00:00	4.6	12.5	33.2	24	10	1.99	330.6
2026/07/29 19:00:00	4.9	15.3	26.1	31	9	1.21	295.4
2026/07/29 20:00:00	2.3	9.2	26.9	28	9	0.23	246.6
2026/07/29 21:00:00	1.3	7.9	24	18	8	0.45	229.3
2026/07/29 22:00:00	1.1	6.7	20.9	14	8	0.24	123.5
2026/07/29 23:00:00	1.3	5.4	24.5	21	11	0.43	110
2026/07/30 00:00:00	1.2	4.3	22.9	28	13	0.07	160.9
2026/07/30 01:00:00	1.1	3.8	18.9	30	14	0.05	151.2
2026/07/30 02:00:00	1.3	3.5	15.9	30	14	0.09	193.7
2026/07/30 03:00:00	1.2	3.9	13.5	30	12	0.27	194.8
2026/07/30 04:00:00	1	2.6	14.8	28	9	0.12	267.4
2026/07/30 05:00:00	1	2.3	15.2	28	7	0.16	199.5
2026/07/30 06:00:00	1	2.7	8.6	27	6	0.42	192.1
2026/07/30 07:00:00	0.8	3.3	8.2	27	5	0.57	191.2
2026/07/30 08:00:00	--	--	--	--	--	--	0

台電 台中電廠 草屯測站

2026/07/30 09:00:00	1	3.5	17.8	28	7	0.57	192.3
2026/07/30 10:00:00	1.1	3.6	31.8	24	8	0.42	246.5
2026/07/30 11:00:00	1.1	3.5	42.9	19	8	1.51	321.8
2026/07/30 12:00:00	1.1	3.2	49.4	24	10	1.45	309
2026/07/30 13:00:00	1.2	3.7	61.5	21	10	1.38	271.3
2026/07/30 14:00:00	1.2	4.2	70.3	24	11	1.21	279.4
2026/07/30 15:00:00	1.1	4.3	66.7	32	15	2.05	293.5
2026/07/30 16:00:00	1.1	3.9	64.5	35	20	1.86	269.7
2026/07/30 17:00:00	1.2	4.1	54.6	36	18	2.49	310.5
2026/07/30 18:00:00	1.2	4.4	41.3	28	16	2.38	334.2
2026/07/30 19:00:00	1.1	5.1	37.6	25	10	1.97	348.1
2026/07/30 20:00:00	2.2	8.3	26.5	20	9	2.06	325.7
2026/07/30 21:00:00	3.5	10.3	19.9	26	8	1.23	322.7
2026/07/30 22:00:00	2.2	7.6	21.6	24	7	0.31	288.2
2026/07/30 23:00:00	2.3	8.4	17.9	21	10	0.18	188.6

台電 台中電廠 草屯測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/31 00:00:00	2.1	7.3	13.7	19	9	0.09	157.5
2026/07/31 01:00:00	1.7	6.7	11.3	20	11	0.1	163.3
2026/07/31 02:00:00	1.3	4.6	16.3	21	9	0.07	195.1
2026/07/31 03:00:00	1.3	3.8	17.3	22	9	0.04	205.2
2026/07/31 04:00:00	1.2	3.3	13.7	28	--	0.05	234.3
2026/07/31 05:00:00	1.1	3	11.5	25	--	0.05	225.3
2026/07/31 06:00:00	1	2.2	10.4	21	--	0.12	224.6
2026/07/31 07:00:00	1	2.3	10.8	22	--	0.06	221.4
2026/07/31 08:00:00	1	2.1	10.9	19	--	0.12	191.1
2026/07/31 09:00:00	1.1	3.1	14	21	--	0.61	191.6
2026/07/31 10:00:00	1.1	3.2	23.8	18	--	0.51	254
2026/07/31 11:00:00	1.2	3.2	37.3	13	--	1.51	322.7
2026/07/31 12:00:00	1.3	3.6	42.6	15	--	1.45	319.3
2026/07/31 13:00:00	1.3	3.8	52.3	17	--	1.04	270.1
2026/07/31 14:00:00	1.5	4.8	67.2	20	7	1.34	297.6
2026/07/31 15:00:00	2	5.7	73.8	29	12	1.7	302.2
2026/07/31 16:00:00	2	5.6	64	34	13	2.45	304.5
2026/07/31 17:00:00	1.7	4.8	60.2	34	15	1.81	328.1
2026/07/31 18:00:00	1.7	6.3	48.9	32	13	1.75	356
2026/07/31 19:00:00	1.8	6.4	47.5	26	12	1.7	321.4
2026/07/31 20:00:00	1.6	6.1	33.5	30	13	1.6	330.2
2026/07/31 21:00:00	1.7	6.4	27	24	9	1.18	343.8
2026/07/31 22:00:00	1.7	5.8	26.1	18	6	0.92	321.5
2026/07/31 23:00:00	1.3	5.3	23.5	21	7	0.59	283.9