

臺中市政府環境保護局
空氣品質監測月報表

測站名稱： 清水

監測時間: 2026/7/1 ~ 2026/7/31

項目 日期		二氧化氮(NO ₂)ppb				二氧化硫(SO ₂)ppb				懸浮微粒(PM-10) μg/m ³			臭氧(O ₃)ppb		懸浮微粒(PM-2.5) μg/m ³			風速	風向
		每日	小時	小時	超限	每日	小時	小時	超限	每日	小時	超限	每日	小時	每日	小時	超限	每日	每日
		平均值	最大值	最小值	次數	平均值	最大值	最小值	次數	平均值	最大值	次數	平均值	最大值	平均值	最大值	次數	平均值	平均值
01	5.43	10.9	2.4	0	1.75	2.9	1.3	0	17.2	22	0	19.08	32.5	5	9	0	1.65	北北西	
02	5.89	11.6	3.1	0	1.76	2.2	1.6	0	19.8	28	0	22.47	38.6	7.6	15	0	1.27	東北東	
03	7.31	11.8	2.6	0	2.32	4.5	1.7	0	21.5	31	0	19.8	39.6	8.5	15	0	1.5	西北	
04	6.4	12.8	2.9	0	2.55	6.1	1.8	0	19.8	41	0	19.43	47.3	5.4	18	0	2.09	西南	
05	5.95	10.4	2.9	0	2.86	5.7	1.7	0	15.8	27	0	14.73	27.6	3.5	9	0	2.4	南南東	
06	7.21	15.4	4.9	0	3.02	7.1	1.7	0	17.1	26	0	16.22	33.6	4.2	15	0	2.3	南	
07	8.05	14.5	5	0	2.68	6.7	1.6	0	-	-	0	13.15	26.9	3.7	9	0	2.3	南南東	
08	8.24	16.4	4.8	0	1.72	3.1	1.3	0	14.4	22	0	12.62	26.1	4.4	12	0	1.46	西	
09	8.76	16.4	2.3	0	1.65	3.9	1.2	0	19	26	0	17.47	51	7	13	0	1.48	東北東	
10	6.17	15.5	1.2	0	1.39	1.8	1.2	0	31	65	0	12.67	20.6	10.1	14	0	3.69	北北東	
11	2.65	6.3	0.7	0	1.37	2.1	1.2	0	18.5	34	0	22.35	35.4	7.1	11	0	3.92	北北西	
12	3.03	4.8	1.3	0	1.35	1.7	1.2	0	16.7	22	0	25.38	33.1	6.2	10	0	4.13	南南西	
13	5.92	13.3	2.7	0	1.63	3.3	1.2	0	16	24	0	23.15	37.7	5	10	0	1.82	南南東	
14	9.68	17.3	4.8	0	1.88	3.2	1.2	0	20.7	30	0	21	50.4	7.3	14	0	1.1	東北東	
15	5.48	7.8	3.9	0	1.69	2.4	1.3	0	17.8	32	0	22.74	41.3	4.8	11	0	3.11	西南	
16	5.83	10.4	3.8	0	1.92	5.4	1.2	0	16.6	25	0	21.27	36.6	6	10	0	3.16	南	
17	5.66	8.4	4.3	0	1.79	3.4	1.3	0	18	33	0	22.02	41.1	5.8	10	0	3.28	南	
18	6	11.4	3.8	0	1.7	5	1.3	0	14.2	26	0	21.12	35.7	4.5	9	0	2.8	南	
19	4.91	8.7	3.1	0	1.8	3.3	1.2	0	15.4	25	0	20.22	29.7	6	9	0	2.52	南	
20	6.13	9.9	3.7	0	1.91	4.2	1.5	0	18.2	30	0	21.3	36.9	6.9	14	0	2.66	南南東	
21	9.81	19.2	3.4	0	1.86	3.5	1.3	0	28.7	37	0	18.32	38.3	12.4	20	0	2.11	南南東	
22	9.12	14.5	5.1	0	1.95	4.4	1.3	0	34.7	63	0	15.3	29.7	12.7	18	0	1.85	東南	
23	8.52	14.4	2.6	0	1.65	3.4	1.2	0	36.1	44	0	12.85	22.5	13.2	18	0	1.31	東南	
24	7.87	16.5	2.7	0	1.74	2.7	1.5	0	34.5	39	0	26.17	55.4	16.3	25	0	1.23	西北	
25	8.6	16.2	4.8	0	1.98	3.3	1.5	0	33.7	50	0	26.04	48.7	15.5	24	0	1.6	東南	
26	6.87	13.6	2.3	0	1.62	2.1	1.3	0	21.7	27	0	18.15	33.9	9.3	16	0	1.48	東北東	
27	9.24	16.4	2.3	0	1.75	3.5	1.3	0	21	29	0	15.99	38.9	8.7	14	0	1.33	東	
28	6.77	14.4	2.6	0	1.47	1.7	1.2	0	15.5	21	0	20.56	39.7	5.4	13	0	1.66	東北東	
29	5.35	8.8	2.7	0	1.25	1.6	0.9	0	15.8	20	0	22.55	39.3	6.2	11	0	1.11	西北	
30	6.2	12.2	3.4	0	1.4	2.2	1.1	0	18.7	27	0	24	34.3	7.3	13	0	1.29	南南東	
31	7.22	12.6	3.3	0	2.12	4.6	1.5	0	16.7	26	0	24.51	33.9	6.9	11	0	1.35	南南東	
月平均值		6.8			1.9				20.8			19.8		7.5			2.1		
最大值 發生日期		9.81 21			3.02 6				36.1 23					16.3 24			4.13 12		
超標準次數				0				0			0	24				0			
日標準值									75					30					
時標準值			100			65													

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/01 00:00:00	1.7	11.2	5	25	5	1.15	57.4
2026/07/01 01:00:00	1.6	10.6	5.6	16	6	1.36	56.4
2026/07/01 02:00:00	2	9.6	7.9	21	5	0.84	70.8
2026/07/01 03:00:00	2.1	10.7	5.3	16	4	1.42	99.7
2026/07/01 04:00:00	2	8.9	6.8	12	4	1.27	91.1
2026/07/01 05:00:00	2.9	9.9	5.5	18	8	1.54	81.3
2026/07/01 06:00:00	2	10.9	5.4	19	6	1.04	59.3
2026/07/01 07:00:00	1.7	9.9	7.4	19	5	0.93	62.8
2026/07/01 08:00:00	1.7	4.4	18.1	20	4	1.56	18.8
2026/07/01 09:00:00	1.7	2.9	20.3	16	3	1.89	355.3
2026/07/01 10:00:00	1.6	3.2	20.9	17	3	1.64	332.7
2026/07/01 11:00:00	1.5	3.3	23.2	16	3	2.09	320.6
2026/07/01 12:00:00	1.5	3.3	23.1	16	5	2.89	310.7
2026/07/01 13:00:00	1.6	2.8	27.4	17	6	2.34	325.1
2026/07/01 14:00:00	1.5	2.4	29.9	12	4	2.27	345.5
2026/07/01 15:00:00	1.7	2.8	31.6	12	3	2.21	328.4
2026/07/01 16:00:00	1.7	2.9	32.5	18	5	2.5	326.8
2026/07/01 17:00:00	1.8	3.8	32.4	18	6	2.09	332.6
2026/07/01 18:00:00	1.7	3.9	28.9	14	9	2.06	338.7
2026/07/01 19:00:00	1.3	4.2	25.9	19	7	1.9	338.1
2026/07/01 20:00:00	1.7	4.4	22	20	5	1.53	355.7
2026/07/01 21:00:00	1.7	4.5	21.2	16	5	1.32	358.7
2026/07/01 22:00:00	1.7	3.9	20.5	18	5	1.33	22
2026/07/01 23:00:00	1.7	3.3	20.4	22	5	0.94	31.9
2026/07/02 00:00:00	1.7	3.9	15.9	21	5	0.74	80.1
2026/07/02 01:00:00	1.8	5.1	12.3	14	5	0.76	70.5
2026/07/02 02:00:00	1.8	8.4	7.3	19	3	1	65.8
2026/07/02 03:00:00	1.7	6.5	10.6	21	2	0.72	76.4
2026/07/02 04:00:00	1.7	6.2	11.5	19	4	0.98	64.6
2026/07/02 05:00:00	2	6.7	10	24	6	1.01	59.9
2026/07/02 06:00:00	1.8	7	9.2	19	8	0.59	83.4
2026/07/02 07:00:00	1.8	7.1	10.7	17	5	0.71	64.2
2026/07/02 08:00:00	1.8	6.3	14.5	20	3	0.72	347.3
2026/07/02 09:00:00	1.8	7.2	13.1	21	4	1.2	330.3
2026/07/02 10:00:00	1.8	6.8	15.1	27	7	1.23	321.8
2026/07/02 11:00:00	1.7	4.3	28.4	15	8	1.99	323.4
2026/07/02 12:00:00	1.6	4	33.5	16	4	2.5	309
2026/07/02 13:00:00	1.7	3.9	33.7	18	15	2.55	308.3
2026/07/02 14:00:00	1.8	3.5	37.6	20	6	2.06	315
2026/07/02 15:00:00	1.8	3.2	37.1	23	9	2.01	314
2026/07/02 16:00:00	1.8	3.1	38.6	22	9	1.75	341.6
2026/07/02 17:00:00	1.7	3.2	35.7	22	9	1.59	327.9
2026/07/02 18:00:00	1.7	4	31	20	11	1.59	315.2
2026/07/02 19:00:00	1.6	4.5	30	16	9	1.78	296.9
2026/07/02 20:00:00	1.7	4.5	32.2	16	10	0.88	330.7
2026/07/02 21:00:00	1.6	6.1	26.5	16	10	0.85	70.2
2026/07/02 22:00:00	1.7	8.3	23.1	23	10	0.61	75.9

台電 台中電廠 清水測站

2026/07/02 23:00:00	1.7	11.6	18.8	21	13	0.38	75.6
---------------------	-----	------	------	----	----	------	------

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/03 00:00:00	2.2	9.9	19	28	14	0.99	151.2
2026/07/03 01:00:00	2.6	11.4	16.8	22	11	0.83	136.7
2026/07/03 02:00:00	2	7.8	16.7	20	10	0.63	147.3
2026/07/03 03:00:00	2	8.4	13.9	21	8	0.35	143
2026/07/03 04:00:00	2	11.6	9	20	8	1.34	96
2026/07/03 05:00:00	1.8	11.8	7.1	25	10	0.68	83.4
2026/07/03 06:00:00	2	11.5	6.3	25	12	1.58	99.5
2026/07/03 07:00:00	2.1	8.1	8.7	25	9	2.16	100.7
2026/07/03 08:00:00	3.7	7.7	14.3	21	10	0.74	63.6
2026/07/03 09:00:00	4.5	9	17.9	28	15	0.74	333.4
2026/07/03 10:00:00	3.5	9.4	17.7	31	9	1.55	294.2
2026/07/03 11:00:00	2.4	6.8	22.7	22	11	1.86	315.5
2026/07/03 12:00:00	2.1	3.7	28.4	22	10	1.94	319.7
2026/07/03 13:00:00	1.8	3.1	26.9	20	8	2.14	318.9
2026/07/03 14:00:00	1.7	2.6	30.3	16	7	2.6	321
2026/07/03 15:00:00	1.7	2.7	33.3	13	6	2.63	316.6
2026/07/03 16:00:00	1.8	3.5	39.6	21	6	2.88	310.6
2026/07/03 17:00:00	1.8	4.4	37.9	23	11	1.93	307.6
2026/07/03 18:00:00	2	7.2	27.8	19	11	1.88	287
2026/07/03 19:00:00	2.1	8.7	26.7	21	8	1.6	289.9
2026/07/03 20:00:00	2.1	8.2	22.2	24	6	1.31	281.5
2026/07/03 21:00:00	3.9	9.6	15.1	24	5	0.84	252.3
2026/07/03 22:00:00	2.1	5.5	14.5	20	4	0.96	184.9
2026/07/03 23:00:00	2	6.2	12.1	15	4	1.22	145.6
2026/07/04 00:00:00	2	6.6	9.4	18	6	1.54	146.8
2026/07/04 01:00:00	2	6.2	9.2	15	4	1.18	155
2026/07/04 02:00:00	2.3	6.3	7.8	14	2	1.14	145.8
2026/07/04 03:00:00	2.3	6	7.1	18	3	1.25	153
2026/07/04 04:00:00	1.8	5.1	11.8	22	3	1.15	154.4
2026/07/04 05:00:00	1.8	5.9	12.1	15	4	1.44	145.6
2026/07/04 06:00:00	2	7.8	9.8	16	5	0.42	136.5
2026/07/04 07:00:00	2	9	10.4	15	4	1.25	149.7
2026/07/04 08:00:00	2	5.4	17.9	18	4	1.61	160.6
2026/07/04 09:00:00	2	5.4	24.9	20	5	1.33	178.4
2026/07/04 10:00:00	2.1	5.3	31.3	17	4	2.44	229.4
2026/07/04 11:00:00	2.8	7	40.3	23	7	2.38	236.1
2026/07/04 12:00:00	4.2	9.5	46.8	29	12	2.48	246.4
2026/07/04 13:00:00	6.1	12.8	47.3	41	15	3.04	256
2026/07/04 14:00:00	4	7.6	36.6	38	18	3.37	252.2
2026/07/04 15:00:00	2.7	6	29.5	22	4	2.7	258.7
2026/07/04 16:00:00	3.1	5.9	19.8	18	5	2.56	259.8
2026/07/04 17:00:00	2.3	5.9	17.8	19	4	3.05	260.1
2026/07/04 18:00:00	2	6.1	16.2	19	2	2.89	259.4
2026/07/04 19:00:00	3.3	7.7	3.8	17	3	2.94	230.8
2026/07/04 20:00:00	2.2	5	14.7	18	4	2.8	232.9
2026/07/04 21:00:00	1.8	4.6	15	15	5	2.22	222

台電 台中電廠 清水測站

2026/07/04 22:00:00	2.6	5.9	12.7	16	6	2.42	218.6
2026/07/04 23:00:00	2.1	4.5	12	13	5	2.01	179.8

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/05 00:00:00	1.8	2.9	11.6	18	2	2	178.9
2026/07/05 01:00:00	1.7	2.9	10.4	14	1	1.9	158
2026/07/05 02:00:00	2	4.8	8.8	14	1	2.26	148
2026/07/05 03:00:00	2.1	6.5	7	12	1	2.3	150.1
2026/07/05 04:00:00	2.1	6.2	7.7	13	1	1.86	156.5
2026/07/05 05:00:00	2.3	6.3	7.8	14	2	1.7	159.2
2026/07/05 06:00:00	2.3	7.6	5.4	13	2	1.68	165.7
2026/07/05 07:00:00	2.7	6.1	7.6	13	3	2.01	173.1
2026/07/05 08:00:00	2.4	5.1	11.4	21	7	2.61	197.9
2026/07/05 09:00:00	2.3	4.6	17	9	5	2.8	196.8
2026/07/05 10:00:00	2.3	4.9	23.2	15	4	2.37	223
2026/07/05 11:00:00	3.2	7	27.6	20	6	2.48	245.4
2026/07/05 12:00:00	4.5	8.5	25.6	23	9	2.5	253.3
2026/07/05 13:00:00	4.2	7.1	24.8	27	5	2.59	256.4
2026/07/05 14:00:00	2.6	4.4	27.6	22	4	3.49	264.4
2026/07/05 15:00:00	2.1	3.8	26	17	7	3.65	260.3
2026/07/05 16:00:00	2	3.5	21.4	21	4	3.21	263.7
2026/07/05 17:00:00	3.9	6.8	15.4	18	1	2.95	253.9
2026/07/05 18:00:00	5.7	10.1	10	20	3	2.7	250.5
2026/07/05 19:00:00	5.4	10.1	9.2	13	4	2.89	221.6
2026/07/05 20:00:00	2.3	6.1	13.1	14	4	2.31	221.5
2026/07/05 21:00:00	4.4	10.4	8.1	12	5	2.09	226.4
2026/07/05 22:00:00	2.2	3.9	14.4	14	3	2.21	217.8
2026/07/05 23:00:00	2	3.2	11	10	2	1.68	188.2
2026/07/06 00:00:00	2	3.1	13.1	11	2	1.32	163.5
2026/07/06 01:00:00	1.8	5.3	10.9	12	1	2.06	121.8
2026/07/06 02:00:00	1.8	7	11	11	1	1.81	143.1
2026/07/06 03:00:00	1.7	5.7	9.3	9	3	1.84	144.1
2026/07/06 04:00:00	1.8	5.9	8.8	8	5	1.56	145.4
2026/07/06 05:00:00	1.7	5.3	8.2	--	8	2.37	144
2026/07/06 06:00:00	2	6.2	6.6	13	5	1.78	150.2
2026/07/06 07:00:00	2.1	6.1	7.1	13	2	1.89	167.5
2026/07/06 08:00:00	2.6	6.2	9.2	12	4	2.54	189.5
2026/07/06 09:00:00	2.6	4.9	14.3	17	7	2.39	173.3
2026/07/06 10:00:00	2.7	5.4	22.7	16	4	2.89	199.3
2026/07/06 11:00:00	2.4	5.5	32.4	18	2	2.3	190.9
2026/07/06 12:00:00	3.7	8.9	33.6	21	5	3.06	249.5
2026/07/06 13:00:00	4	8.4	28.1	25	7	3.09	262.3
2026/07/06 14:00:00	4.4	7.7	25.9	22	7	3.17	259.5
2026/07/06 15:00:00	2.9	6.2	25.5	22	--	2.81	262.2
2026/07/06 16:00:00	4.4	9.4	20.4	19	15	2.7	238.2
2026/07/06 17:00:00	5.4	10.6	17.9	26	6	3.05	234.2
2026/07/06 18:00:00	7.1	14.2	11.5	25	4	2.45	232.9
2026/07/06 19:00:00	6.1	15.4	10	21	2	2.06	233.2
2026/07/06 20:00:00	3.1	7.2	18.4	16	2	2.49	213.3

台電 台中電廠 清水測站

2026/07/06 21:00:00	2.2	5.4	16.6	16	3	2.06	222.2
2026/07/06 22:00:00	2.1	5	14.5	--	2	1.76	187.3
2026/07/06 23:00:00	2.1	5.9	13.6	--	1	1.6	181.6

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/07 00:00:00	2	5.4	12.9	--	1	1.51	163.1
2026/07/07 01:00:00	1.8	5.9	9.9	--	1	1.1	165.7
2026/07/07 02:00:00	2	5.3	9.5	--	1	1.82	185.6
2026/07/07 03:00:00	1.8	5.4	9.6	--	1	1.88	164.9
2026/07/07 04:00:00	1.8	7.1	7	--	2	2.15	149.3
2026/07/07 05:00:00	2.1	8.2	5.3	--	2	1.97	150.5
2026/07/07 06:00:00	2.2	8.4	5.3	--	1	1.65	175
2026/07/07 07:00:00	2	5.7	8.3	--	2	2.09	158.5
2026/07/07 08:00:00	2.1	5	9.4	--	4	2.43	169.7
2026/07/07 09:00:00	2.4	5.7	13.2	--	7	3.11	206.2
2026/07/07 10:00:00	2.2	5.5	19.2	--	5	3.1	186.5
2026/07/07 11:00:00	2.1	5.4	24.7	--	5	2.56	207.1
2026/07/07 12:00:00	4.4	10.9	26.1	--	3	3.05	258.1
2026/07/07 13:00:00	3.1	7.1	26.9	--	6	3.32	256.6
2026/07/07 14:00:00	2.4	6.7	25.2	15	5	3.26	261.4
2026/07/07 15:00:00	2.2	7.2	22.2	15	3	3.41	264.5
2026/07/07 16:00:00	3.3	8.4	17.5	20	2	3.16	262.9
2026/07/07 17:00:00	4.3	10.4	12	23	3	2.45	253.7
2026/07/07 18:00:00	6.7	14	7.1	21	4	2.88	244.3
2026/07/07 19:00:00	6.2	14.5	7.1	19	4	2.76	234.1
2026/07/07 20:00:00	1.6	8.1	13.6	17	2	1.83	210.4
2026/07/07 21:00:00	1.6	9.3	11	13	4	1.31	195.2
2026/07/07 22:00:00	2.1	9.3	9.2	17	6	1.26	152.1
2026/07/07 23:00:00	1.8	9.3	8.3	13	8	1.27	158.3
2026/07/08 00:00:00	2.3	10.5	8.1	17	9	1.29	149.4
2026/07/08 01:00:00	2.1	10.3	7.3	12	7	1.48	146.8
2026/07/08 02:00:00	1.6	6.7	9.6	13	5	1.33	149.1
2026/07/08 03:00:00	1.5	7.9	7.1	15	3	1.09	138.5
2026/07/08 04:00:00	1.3	6.6	9	16	2	1.36	145.6
2026/07/08 05:00:00	1.3	6	10.5	12	2	1.03	146.3
2026/07/08 06:00:00	1.3	10.7	4.6	13	2	1.07	128.6
2026/07/08 07:00:00	1.3	8.9	9.5	11	1	1.2	157.9
2026/07/08 08:00:00	1.8	6.2	14	8	2	1.44	215.3
2026/07/08 09:00:00	2	5.1	18.4	10	3	1.49	179.5
2026/07/08 10:00:00	2.6	8.2	22.8	15	4	0.87	228.1
2026/07/08 11:00:00	2.9	10	22.6	20	5	2.32	281.1
2026/07/08 12:00:00	2	7.4	26.1	21	6	2.8	282.3
2026/07/08 13:00:00	1.6	5.6	23.2	12	5	2.7	280
2026/07/08 14:00:00	1.6	6.1	21.9	12	3	2.48	278.6
2026/07/08 15:00:00	1.5	5.6	16.6	11	2	2.42	271.5
2026/07/08 16:00:00	1.6	6.2	15.9	14	1	2.41	294.9
2026/07/08 17:00:00	1.6	4.8	16.8	17	2	1.54	294.2
2026/07/08 18:00:00	1.5	5.6	15.5	13	4	1.1	321.1
2026/07/08 19:00:00	1.5	6	13.6	14	5	1.18	329.3

台電 台中電廠 清水測站

2026/07/08 20:00:00	1.3	7	9.8	17	4	0.74	55.6
2026/07/08 21:00:00	1.5	11.7	3.5	14	9	0.87	67.3
2026/07/08 22:00:00	1.3	13.4	2.4	16	12	0.79	69.7
2026/07/08 23:00:00	1.6	16.4	1.2	19	10	0.82	69.3

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/09 00:00:00	3.1	15.5	1	22	8	0.39	102.9
2026/07/09 01:00:00	2	13.8	2.6	21	8	0.73	141
2026/07/09 02:00:00	1.7	9.5	5.6	18	7	0.43	142.2
2026/07/09 03:00:00	1.7	11.5	4	13	5	0.34	106.5
2026/07/09 04:00:00	1.7	16.4	1.3	14	6	0.68	77.1
2026/07/09 05:00:00	1.7	14	1.3	24	9	0.49	72
2026/07/09 06:00:00	1.7	13.8	2	21	9	0.56	84.4
2026/07/09 07:00:00	2.1	11.1	4.5	20	8	1.33	107
2026/07/09 08:00:00	3.9	8.8	10.7	23	8	0.11	78.1
2026/07/09 09:00:00	2.4	10.3	13.4	22	7	1.44	299.3
2026/07/09 10:00:00	1.6	6.8	24.1	21	6	1.73	304.5
2026/07/09 11:00:00	1.3	4.4	27.2	21	6	1.79	320
2026/07/09 12:00:00	1.2	3.7	25.2	16	6	2.34	307.4
2026/07/09 13:00:00	1.2	2.9	25.4	12	4	2.8	315.3
2026/07/09 14:00:00	1.2	2.3	27.5	16	3	2.52	321.1
2026/07/09 15:00:00	1.2	2.8	30.8	14	3	1.93	340.5
2026/07/09 16:00:00	1.3	3.4	40.4	13	2	2.5	338.2
2026/07/09 17:00:00	1.3	4.4	51	12	2	2.27	336.8
2026/07/09 18:00:00	1.5	4.5	45.1	20	6	2.44	353
2026/07/09 19:00:00	1.3	5	34.6	19	10	2.19	8
2026/07/09 20:00:00	1.5	7.8	22.8	21	9	1.55	22.5
2026/07/09 21:00:00	1.5	9.6	10.9	26	13	1.43	67
2026/07/09 22:00:00	1.6	13.4	4.3	22	9	1.09	60.7
2026/07/09 23:00:00	1.6	14.4	2.4	24	11	1.49	62.2
2026/07/10 00:00:00	1.5	15.8	2.2	25	13	1.43	59.7
2026/07/10 01:00:00	1.5	13.4	4.8	26	12	1.38	61.3
2026/07/10 02:00:00	1.8	12.8	5.7	19	8	0.89	60.4
2026/07/10 03:00:00	1.7	15.3	5.9	24	8	0.68	66.9
2026/07/10 04:00:00	1.6	15.5	3.3	26	12	1.16	65.4
2026/07/10 05:00:00	1.6	14.9	2.8	26	14	0.77	67.7
2026/07/10 06:00:00	1.5	10.4	6.2	29	11	1.05	44.9
2026/07/10 07:00:00	1.5	7.7	9.2	25	10	1.28	33.5
2026/07/10 08:00:00	1.6	7.4	14.2	18	11	2.25	35.4
2026/07/10 09:00:00	1.3	4.2	17.5	31	10	3.28	29.8
2026/07/10 10:00:00	1.7	5.1	19.4	26	8	3.16	12.4
2026/07/10 11:00:00	1.5	3.8	20.6	34	11	4.44	13.3
2026/07/10 12:00:00	1.3	2.4	16.5	65	13	5.38	7.7
2026/07/10 13:00:00	1.3	2.3	15	53	11	5.81	8.4
2026/07/10 14:00:00	1.5	2.4	16	61	11	5.87	10.8
2026/07/10 15:00:00	1.2	2.9	14.8	60	11	6.18	18.1
2026/07/10 16:00:00	1.2	2.9	14.3	53	11	5.46	12.2
2026/07/10 17:00:00	1.2	2.9	14.8	26	9	5.9	12.8
2026/07/10 18:00:00	1.2	3.9	13.6	29	12	4.68	16.4

台電 台中電廠 清水測站

2026/07/10 19:00:00	1.2	3.9	14	21	14	5.05	12.2
2026/07/10 20:00:00	1.2	5.4	11.5	12	7	4.7	13.3
2026/07/10 21:00:00	1.2	2.4	14.2	22	5	4.77	12.1
2026/07/10 22:00:00	1.2	2.8	14.8	28	8	4.55	14
2026/07/10 23:00:00	1.3	2.2	17.3	21	8	4.9	15.8

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/11 00:00:00	1.2	1.2	17.9	9	9	5.02	24.4
2026/07/11 01:00:00	1.2	1.2	18.4	10	6	4.31	20.8
2026/07/11 02:00:00	1.5	0.9	17.5	13	1	5.03	14.8
2026/07/11 03:00:00	1.3	0.7	16.5	19	3	4.47	359.7
2026/07/11 04:00:00	1.3	0.7	17.7	29	11	4.51	7.8
2026/07/11 05:00:00	1.2	0.7	16.6	27	8	4.6	360
2026/07/11 06:00:00	1.2	0.7	16.7	20	6	4.2	345.5
2026/07/11 07:00:00	1.2	0.9	17.2	28	7	4.49	344.3
2026/07/11 08:00:00	1.2	0.9	17.6	24	11	4.52	347.4
2026/07/11 09:00:00	1.2	1.1	17	23	8	4.42	331.3
2026/07/11 10:00:00	1.2	1.3	17.5	34	8	3.68	323.8
2026/07/11 11:00:00	1.3	1.6	19.3	20	9	5.23	309.9
2026/07/11 12:00:00	1.3	2.7	20.6	31	10	4.96	292.4
2026/07/11 13:00:00	1.3	2.9	22.2	21	8	3.76	274.6
2026/07/11 14:00:00	1.3	3.1	24.9	10	6	3.71	270.2
2026/07/11 15:00:00	1.6	2.8	25.8	15	4	3.39	246.5
2026/07/11 16:00:00	2.1	4.6	23.6	17	7	3.49	227
2026/07/11 17:00:00	1.6	4.4	24.7	21	11	2.34	203.2
2026/07/11 18:00:00	1.5	5.3	25.3	17	8	1.68	252.6
2026/07/11 19:00:00	1.5	3.5	24.9	14	6	3.04	234.7
2026/07/11 20:00:00	1.8	3.9	24.1	13	5	2.86	182.2
2026/07/11 21:00:00	1.3	2.8	35.4	11	5	3.64	152.7
2026/07/11 22:00:00	1.3	4.5	33.9	8	8	2.37	145
2026/07/11 23:00:00	1.3	6.2	29.5	9	7	4.2	136.4
2026/07/12 00:00:00	1.3	6.3	29.5	10	8	5.19	139.3
2026/07/12 01:00:00	1.3	3.2	33	16	10	5.27	144.3
2026/07/12 02:00:00	1.5	2	30.8	15	8	4.25	164.7
2026/07/12 03:00:00	1.3	1.5	26.5	22	10	4.93	177.1
2026/07/12 04:00:00	1.3	1.3	22	21	9	4.57	178.8
2026/07/12 05:00:00	1.2	1.6	21.1	19	6	3.86	184.9
2026/07/12 06:00:00	1.2	2.2	20.5	13	3	3.75	167.3
2026/07/12 07:00:00	1.3	2.4	21.9	16	1	4.47	178.3
2026/07/12 08:00:00	1.3	3.1	21.6	18	2	4.62	186
2026/07/12 09:00:00	1.3	3.3	22	20	4	4.27	183.6
2026/07/12 10:00:00	1.3	3.3	25.2	17	6	4.65	191.4
2026/07/12 11:00:00	1.3	3.2	28.3	19	6	5.69	197.1
2026/07/12 12:00:00	1.3	2.9	29.4	19	6	5.53	200
2026/07/12 13:00:00	1.3	2.8	29.2	14	7	5.52	196.3
2026/07/12 14:00:00	1.3	2.9	27.1	14	4	5.73	200.2
2026/07/12 15:00:00	1.3	2.7	28.2	16	2	4.44	213.6
2026/07/12 16:00:00	1.3	2.7	27.8	16	3	4.22	211.2
2026/07/12 17:00:00	1.3	3.3	29.4	14	4	4.09	213.8

台電 台中電廠 清水測站

2026/07/12 18:00:00	1.5	3.7	33.1	14	5	3.75	201.2
2026/07/12 19:00:00	1.5	4	28.6	16	8	3.39	197.6
2026/07/12 20:00:00	1.3	4.6	24.4	16	7	2.65	191.3
2026/07/12 21:00:00	1.5	4.3	21.9	16	10	2.54	184.4
2026/07/12 22:00:00	1.7	4.8	18.8	19	10	2.28	169.8
2026/07/12 23:00:00	1.5	4	18.2	18	10	2.21	175.1

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/13 00:00:00	1.3	3.1	20.3	15	8	2.32	178.5
2026/07/13 01:00:00	1.3	2.7	19.8	15	10	1.58	174.9
2026/07/13 02:00:00	1.5	2.9	18.3	15	7	1.39	147.8
2026/07/13 03:00:00	1.5	2.9	18.1	15	6	1.58	154.2
2026/07/13 04:00:00	1.3	3.1	18.4	15	4	1.03	167.4
2026/07/13 05:00:00	1.3	3.5	15.8	14	2	0.87	163.7
2026/07/13 06:00:00	1.3	4.3	16	16	2	1.16	168.6
2026/07/13 07:00:00	1.5	5.3	17.2	10	1	1.54	184.7
2026/07/13 08:00:00	1.5	4.5	20.4	12	2	2.67	186.7
2026/07/13 09:00:00	1.6	5.3	24.2	16	3	2.98	193.3
2026/07/13 10:00:00	1.7	5.4	31.7	15	3	2.75	198.2
2026/07/13 11:00:00	2	5.7	37.4	19	2	2.36	230.3
2026/07/13 12:00:00	2.6	8.4	37.7	21	6	2.37	256.5
2026/07/13 13:00:00	3.3	7.6	33.9	21	10	2.49	268.3
2026/07/13 14:00:00	2.9	8.4	32.4	21	10	2.48	274.7
2026/07/13 15:00:00	2.2	6.6	31.1	24	7	2.66	269.9
2026/07/13 16:00:00	1.3	5.9	25.4	21	6	2.03	286.2
2026/07/13 17:00:00	1.3	6	24.2	16	6	1.95	298
2026/07/13 18:00:00	1.5	8.3	23.9	17	5	2.03	287.2
2026/07/13 19:00:00	1.3	7	24.5	21	6	1.92	299.3
2026/07/13 20:00:00	1.3	6	23.3	15	6	1.32	304.8
2026/07/13 21:00:00	1.3	4.4	21	10	5	0.42	44.8
2026/07/13 22:00:00	1.2	7.7	14	15	5	1.5	84.8
2026/07/13 23:00:00	1.2	7.1	16.1	12	4	1.82	107.1
2026/07/14 00:00:00	1.3	13.3	11	10	3	0.67	133.8
2026/07/14 01:00:00	1.2	15.6	8.5	13	5	1.38	92
2026/07/14 02:00:00	1.5	8.2	13.7	10	7	0.16	154.5
2026/07/14 03:00:00	1.3	11.7	7.1	12	6	0.57	78.2
2026/07/14 04:00:00	1.3	12.3	2.4	13	4	1.21	64.1
2026/07/14 05:00:00	1.5	11.7	5.1	22	2	0.62	67.8
2026/07/14 06:00:00	1.5	11.5	4.9	21	4	0.66	75.4
2026/07/14 07:00:00	1.6	11.4	6.7	17	5	0.94	71.1
2026/07/14 08:00:00	1.8	6.3	17.2	18	4	0.73	117.7
2026/07/14 09:00:00	2	7.1	22	19	5	0.9	144.4
2026/07/14 10:00:00	2.9	16.1	19.4	23	10	0.43	316.8
2026/07/14 11:00:00	2.1	8.5	34.1	27	9	0.92	34.1
2026/07/14 12:00:00	1.8	6.1	40.3	25	9	1.49	323.1
2026/07/14 13:00:00	2.7	7.2	50.4	21	10	0.93	274.2
2026/07/14 14:00:00	3.2	11	44.3	21	14	1.5	274.7
2026/07/14 15:00:00	2.7	10.3	36.3	25	10	0.67	278.9
2026/07/14 16:00:00	2.2	7.1	33.1	20	7	1.62	63.1

台電 台中電廠 清水測站

2026/07/14 17:00:00	2	6.6	28.2	25	6	1.67	68.7
2026/07/14 18:00:00	2.2	17.3	11.8	24	5	0.77	340.9
2026/07/14 19:00:00	2.3	14.4	17.8	30	7	1.77	72.4
2026/07/14 20:00:00	1.6	8.1	29.9	28	12	0.84	81.7
2026/07/14 21:00:00	1.6	8.5	20.5	22	14	1.21	226.9
2026/07/14 22:00:00	1.6	5.9	18.3	24	5	2.22	187.3
2026/07/14 23:00:00	1.3	4.8	16.8	22	7	1.82	185.3

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/15 00:00:00	1.3	4.8	15.3	16	10	1.37	162.4
2026/07/15 01:00:00	1.3	4	17.3	16	7	1.93	149.2
2026/07/15 02:00:00	1.6	3.9	18.1	15	6	1.78	150.8
2026/07/15 03:00:00	1.6	5	16	18	5	1.77	150.2
2026/07/15 04:00:00	1.6	4.8	15.3	17	3	1.32	178.5
2026/07/15 05:00:00	1.6	5.1	15.3	17	3	2.25	186.8
2026/07/15 06:00:00	1.5	6	15.1	16	4	2.08	179.8
2026/07/15 07:00:00	1.6	6.1	15.4	13	5	2.27	185.1
2026/07/15 08:00:00	1.6	5.4	18.7	12	4	4.25	197.4
2026/07/15 09:00:00	1.6	5.4	23.3	16	3	3.86	187.1
2026/07/15 10:00:00	1.5	4.8	28.9	17	1	3.54	202.2
2026/07/15 11:00:00	1.6	4.6	31.4	17	1	3.96	214
2026/07/15 12:00:00	1.6	4.9	31.4	17	1	3.96	225.6
2026/07/15 13:00:00	2.3	6.5	39.9	15	2	4.1	238.4
2026/07/15 14:00:00	2.4	6	41.3	22	5	4.97	239.1
2026/07/15 15:00:00	2.2	5.7	33.7	26	10	4.86	242.2
2026/07/15 16:00:00	2.1	5.6	26.7	32	11	4.48	221
2026/07/15 17:00:00	1.6	4.6	24.2	24	9	4.44	220.1
2026/07/15 18:00:00	2.2	7	21.6	18	6	3.17	214.7
2026/07/15 19:00:00	1.8	7.8	19.4	17	6	3.21	225.4
2026/07/15 20:00:00	2	7.6	17.5	19	5	3.41	215.8
2026/07/15 21:00:00	1.3	4.9	20.1	18	4	3.24	197.8
2026/07/15 22:00:00	1.3	4.3	21.1	20	4	2.5	188
2026/07/15 23:00:00	1.3	5.4	18.3	12	5	1.77	162.3
2026/07/16 00:00:00	1.5	6.3	15.9	14	6	1.56	158.6
2026/07/16 01:00:00	1.6	5.6	16	14	6	1.83	178.5
2026/07/16 02:00:00	1.7	5.3	15.3	15	5	1.76	163.2
2026/07/16 03:00:00	1.7	5.3	14.9	15	7	1.53	162
2026/07/16 04:00:00	1.7	6.7	12.5	15	9	1.42	159.8
2026/07/16 05:00:00	1.6	6.8	12.2	12	8	2.01	178
2026/07/16 06:00:00	1.6	7.2	12.8	11	6	1.83	168.9
2026/07/16 07:00:00	1.7	5.9	16.4	14	5	2.31	181.4
2026/07/16 08:00:00	2	5.7	19.8	14	4	3.69	195.9
2026/07/16 09:00:00	2	6	23.2	13	5	4.19	194.3
2026/07/16 10:00:00	1.6	4.6	28.6	14	5	4.11	202.4
2026/07/16 11:00:00	1.6	4.5	32.6	19	4	3.92	203.5
2026/07/16 12:00:00	2.1	7.4	36.6	19	4	4.55	240.4
2026/07/16 13:00:00	2.6	7.4	33.7	25	5	4.63	242.4
2026/07/16 14:00:00	5.4	10.4	25.4	25	9	4	235.2
2026/07/16 15:00:00	4	7.2	22	24	10	4.16	232.6

台電 台中電廠 清水測站

2026/07/16 16:00:00	2.3	3.9	27.4	23	8	4.64	234.3
2026/07/16 17:00:00	1.5	4.4	22.6	22	5	4.1	225.1
2026/07/16 18:00:00	1.6	5.7	22.2	19	4	3.74	221.3
2026/07/16 19:00:00	1.6	6.1	20.6	16	6	3.43	210.2
2026/07/16 20:00:00	1.2	3.8	21	20	8	3.68	180.8
2026/07/16 21:00:00	1.2	4.2	21.1	15	8	3.24	181.8
2026/07/16 22:00:00	1.3	5.3	18.3	10	5	2.52	169.5
2026/07/16 23:00:00	1.3	5.6	17.5	14	4	2.26	158.6

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/17 00:00:00	1.3	5	17.9	11	5	2.25	166.5
2026/07/17 01:00:00	1.5	5.1	16.5	11	5	2.17	178.7
2026/07/17 02:00:00	1.6	4.9	16.6	13	5	2.12	188.2
2026/07/17 03:00:00	1.5	5.1	15.5	13	6	1.72	192.4
2026/07/17 04:00:00	1.6	7.8	11.7	16	6	2.31	196.2
2026/07/17 05:00:00	1.7	7.2	12.2	14	7	3.11	186.6
2026/07/17 06:00:00	1.6	6.5	14.4	16	6	2.16	168
2026/07/17 07:00:00	1.7	7.3	13.9	16	6	2.86	186.3
2026/07/17 08:00:00	1.7	8.4	13.2	16	6	2.48	186.9
2026/07/17 09:00:00	1.6	7	17.8	14	5	2.5	177.4
2026/07/17 10:00:00	1.6	5.6	26.9	17	5	2.65	174.5
2026/07/17 11:00:00	1.6	5.4	35.9	19	6	3.49	190.1
2026/07/17 12:00:00	2.2	6.5	37.4	19	6	3.41	217.2
2026/07/17 13:00:00	3.2	7.2	41.1	24	6	4.29	240.1
2026/07/17 14:00:00	2.7	6	35	28	10	5.19	237.1
2026/07/17 15:00:00	2.2	4.5	28.1	33	10	5.12	241.7
2026/07/17 16:00:00	3.4	5.7	29.4	29	10	4.69	241.9
2026/07/17 17:00:00	2	4.6	24.4	27	8	3.37	184.9
2026/07/17 18:00:00	1.5	4.3	22.7	23	8	4.84	196
2026/07/17 19:00:00	1.3	4.3	21.9	22	6	5.02	191.3
2026/07/17 20:00:00	1.3	4.6	19.7	27	5	4.05	181.5
2026/07/17 21:00:00	1.3	4.6	19.2	10	3	3.42	177.8
2026/07/17 22:00:00	1.3	4.5	18.6	9	2	2.63	164.6
2026/07/17 23:00:00	1.5	4.5	18.4	8	2	2.8	169.6
2026/07/18 00:00:00	1.5	4.3	18.1	10	2	2.3	166.2
2026/07/18 01:00:00	1.6	4.6	17.9	10	1	2.72	179.1
2026/07/18 02:00:00	1.6	5	16.5	8	1	2.17	182.4
2026/07/18 03:00:00	1.5	3.8	17.3	8	3	2.22	186
2026/07/18 04:00:00	1.3	4.3	16.1	9	4	2.01	186.4
2026/07/18 05:00:00	1.5	5.7	12.3	12	3	1.65	192.6
2026/07/18 06:00:00	1.3	6.2	13.7	13	5	1.72	171.3
2026/07/18 07:00:00	1.6	5.4	18.3	14	5	2.06	167.4
2026/07/18 08:00:00	1.5	4.8	20.6	11	4	2.6	155.9
2026/07/18 09:00:00	1.3	4.9	24.4	11	3	2.71	190.2
2026/07/18 10:00:00	1.5	4.6	30.4	15	1	3.32	188.5
2026/07/18 11:00:00	1.5	5.4	33.2	14	2	3	216.3
2026/07/18 12:00:00	2.3	5.9	35.7	17	6	3.83	237.2
2026/07/18 13:00:00	3.1	6.1	33.2	25	7	4.19	232.4
2026/07/18 14:00:00	5	11.4	21.6	22	8	4.54	240.1

台電 台中電廠 清水測站

2026/07/18 15:00:00	1.6	3.9	26.7	26	8	4.09	212.7
2026/07/18 16:00:00	1.7	4.8	26.7	19	9	3.94	215.7
2026/07/18 17:00:00	1.6	5.9	24.3	17	8	2.41	179
2026/07/18 18:00:00	1.5	11	17.1	14	6	2.7	136.6
2026/07/18 19:00:00	1.3	10.5	16.4	15	5	3.33	144.5
2026/07/18 20:00:00	1.3	10.4	15.5	14	3	2.78	161.1
2026/07/18 21:00:00	1.3	6.7	16.6	12	2	2.54	188.6
2026/07/18 22:00:00	1.3	4.5	17.8	10	4	1.97	174.7
2026/07/18 23:00:00	1.3	4.2	17.6	14	6	2.09	169.7

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/19 00:00:00	1.5	4.2	17	11	6	2.54	161.5
2026/07/19 01:00:00	1.5	4.3	16.1	11	5	2.53	158.8
2026/07/19 02:00:00	1.6	4	16	12	3	2.43	173.4
2026/07/19 03:00:00	1.5	3.4	15.9	12	4	2.22	172.2
2026/07/19 04:00:00	1.5	3.1	16.1	12	5	2.17	173.7
2026/07/19 05:00:00	1.5	3.4	16	13	6	2.64	149.5
2026/07/19 06:00:00	1.7	4.3	16	13	6	2.52	162.2
2026/07/19 07:00:00	2	5.4	15.4	15	5	2.44	174.1
2026/07/19 08:00:00	1.7	4.4	17.3	19	6	2.58	176.9
2026/07/19 09:00:00	1.6	4.4	21.9	12	9	3.46	193
2026/07/19 10:00:00	2.9	7.8	20.9	19	9	2.97	224
2026/07/19 11:00:00	3.3	8.7	17	25	7	0.32	198.9
2026/07/19 12:00:00	2.6	7.7	17.7	21	8	1.05	151.3
2026/07/19 13:00:00	2	5.6	27.8	18	6	1.86	211.9
2026/07/19 14:00:00	2.7	4.6	29.7	16	5	2.91	236.8
2026/07/19 15:00:00	2.4	4.5	27.7	17	7	2.87	228.3
2026/07/19 16:00:00	1.6	3.5	24.7	17	6	3.46	219.1
2026/07/19 17:00:00	1.5	3.9	28.1	15	5	3.42	193.2
2026/07/19 18:00:00	1.5	4.9	28.3	14	5	2.38	172.2
2026/07/19 19:00:00	1.5	5	25.9	15	7	3.08	188.1
2026/07/19 20:00:00	1.5	5.5	22.2	17	6	2.41	172.1
2026/07/19 21:00:00	1.3	5.5	18.2	15	5	2.53	179.9
2026/07/19 22:00:00	1.3	4.6	17.7	14	7	2.55	179.3
2026/07/19 23:00:00	1.5	5.1	15.3	15	7	2.55	199
2026/07/20 00:00:00	1.2	4.4	13.6	14	7	3.22	196.9
2026/07/20 01:00:00	1.5	3.7	18.1	15	7	3.59	191.9
2026/07/20 02:00:00	1.5	3.8	17.8	15	4	1.93	167.8
2026/07/20 03:00:00	1.7	4.8	15.8	12	3	2.48	158.6
2026/07/20 04:00:00	1.7	3.9	17.3	13	4	2.08	160.7
2026/07/20 05:00:00	1.7	4.2	17	15	5	2.66	158.9
2026/07/20 06:00:00	1.6	7.3	13.9	11	6	2.59	149.3
2026/07/20 07:00:00	1.5	5.7	14.9	14	5	1.81	162.2
2026/07/20 08:00:00	1.5	5.3	17.3	12	5	2.17	178
2026/07/20 09:00:00	1.6	6.8	19.7	13	4	3.49	198.5
2026/07/20 10:00:00	1.7	7	21.5	15	4	2.93	237.5
2026/07/20 11:00:00	1.6	4.2	30.4	25	5	2.72	205.5
2026/07/20 12:00:00	1.6	4.5	34.1	19	6	2.98	183
2026/07/20 13:00:00	1.5	4.4	35.7	19	8	3.91	198.4

台電 台中電廠 清水測站

2026/07/20 14:00:00	1.8	4.5	36.9	16	6	3.38	227.4
2026/07/20 15:00:00	3.8	6.6	28.7	19	6	3.8	239.6
2026/07/20 16:00:00	--	--	--	30	12	3.6	233.9
2026/07/20 17:00:00	4.2	9.9	18.1	27	12	2.93	236.6
2026/07/20 18:00:00	3.4	9.5	24.9	21	6	2.97	231
2026/07/20 19:00:00	2.2	7.4	24.2	26	5	2.84	218.3
2026/07/20 20:00:00	1.5	6.8	23.7	23	12	1.45	182.7
2026/07/20 21:00:00	1.6	7.2	18.8	19	14	2	150.5
2026/07/20 22:00:00	1.6	7.6	14.3	19	11	2.03	148.2
2026/07/20 23:00:00	1.6	7	14	18	8	1.77	156.2

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/21 00:00:00	1.6	8.9	12.8	21	8	1.67	160.6
2026/07/21 01:00:00	1.6	9.2	11.6	26	10	1.54	157.5
2026/07/21 02:00:00	1.8	9	10.1	27	14	1.78	150.9
2026/07/21 03:00:00	2.2	9.3	8.9	29	10	2.27	150.3
2026/07/21 04:00:00	2	8.2	9.8	26	9	2.58	149.2
2026/07/21 05:00:00	2	9	9.4	29	10	2.54	147.8
2026/07/21 06:00:00	1.8	8.1	11.2	27	11	2.39	146.2
2026/07/21 07:00:00	1.7	8.3	12.1	28	13	1.65	165.1
2026/07/21 08:00:00	2	6.3	15.5	26	14	2.08	166.3
2026/07/21 09:00:00	1.8	5.7	21.7	27	13	2.54	188.6
2026/07/21 10:00:00	1.7	5.4	28.1	32	10	2.65	192.4
2026/07/21 11:00:00	1.8	6.3	33.6	29	11	2.61	222.4
2026/07/21 12:00:00	2.2	8.7	38.3	32	15	2.21	246.1
2026/07/21 13:00:00	3.4	10.9	32	35	19	2.91	261.2
2026/07/21 14:00:00	2.2	6.5	28.6	33	11	2.97	249.8
2026/07/21 15:00:00	1.3	3.4	23.9	31	13	3.68	251.3
2026/07/21 16:00:00	1.3	4.2	24.8	36	16	3.1	260.3
2026/07/21 17:00:00	3.5	12.2	18.9	34	17	1.9	244.5
2026/07/21 18:00:00	2.4	11.2	20.4	35	20	1.4	185
2026/07/21 19:00:00	1.6	14.8	16.7	37	14	1.7	157.8
2026/07/21 20:00:00	1.3	13.6	16.5	27	8	2	157.8
2026/07/21 21:00:00	1.3	16.2	13.8	23	12	1.54	159
2026/07/21 22:00:00	1.3	12.2	15.1	20	9	0.83	151.7
2026/07/21 23:00:00	1.3	19.2	9.8	17	9	0.76	137.6
2026/07/22 00:00:00	1.3	17.7	9	23	11	1.03	184.9
2026/07/22 01:00:00	1.3	10	12	21	13	1.5	134.1
2026/07/22 02:00:00	1.5	9.8	10.7	19	9	1.73	137.9
2026/07/22 03:00:00	1.3	14.2	5.1	22	8	1.5	154.3
2026/07/22 04:00:00	1.3	5.3	14.8	22	9	1.56	161.8
2026/07/22 05:00:00	1.5	6.2	12.9	24	10	1.84	147
2026/07/22 06:00:00	1.5	13.1	7	30	15	1.9	134.7
2026/07/22 07:00:00	1.5	13.1	7.9	38	11	1.97	135.7
2026/07/22 08:00:00	1.5	5.5	17.1	30	10	1.93	153.9
2026/07/22 09:00:00	1.5	5.5	20.6	31	13	1.71	189.5
2026/07/22 10:00:00	1.3	5.1	29.7	37	12	2.65	199.3
2026/07/22 11:00:00	1.7	8.9	26.3	45	11	1.97	250.5
2026/07/22 12:00:00	1.7	7	21.9	63	15	2.77	268.1

台電 台中電廠 清水測站

2026/07/22 13:00:00	2.8	6.3	26.7	42	14	2.94	268.4
2026/07/22 14:00:00	3.3	7.1	23.2	36	9	2.65	274.5
2026/07/22 15:00:00	2.8	7.4	20.8	37	10	2.65	264.6
2026/07/22 16:00:00	4.4	9.8	20.4	38	14	2.32	262.9
2026/07/22 17:00:00	2.2	6.7	19.9	37	16	2.39	250.5
2026/07/22 18:00:00	2.3	8.3	16.5	36	15	2.27	262.2
2026/07/22 19:00:00	3.8	14.5	9.5	39	15	1.17	229.7
2026/07/22 20:00:00	1.5	7.3	14.7	40	16	0.94	134
2026/07/22 21:00:00	1.5	11.2	9	35	15	1.12	139.1
2026/07/22 22:00:00	1.5	12.3	7.6	37	14	0.93	148.1
2026/07/22 23:00:00	1.5	11.5	7.4	40	15	0.88	144.4

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/23 00:00:00	1.6	12.9	5.5	36	18	1.01	146.8
2026/07/23 01:00:00	1.7	13.6	7.2	37	16	1.07	141.6
2026/07/23 02:00:00	2	9.6	8.4	39	14	0.77	147.3
2026/07/23 03:00:00	1.7	11.7	3.7	35	14	1.11	143
2026/07/23 04:00:00	1.7	9.2	7	40	18	0.98	144.4
2026/07/23 05:00:00	1.7	10.3	5.5	35	18	1.07	135
2026/07/23 06:00:00	1.6	11	4.9	37	17	1.17	143.6
2026/07/23 07:00:00	1.7	9.3	7.6	38	17	1.26	154.8
2026/07/23 08:00:00	1.7	6	13.7	37	15	1.21	178.5
2026/07/23 09:00:00	1.6	5.3	21.6	34	13	1.49	203.3
2026/07/23 10:00:00	3.4	10.7	20.4	37	11	2.1	259.8
2026/07/23 11:00:00	3.3	11.6	17.6	44	12	2.34	273.1
2026/07/23 12:00:00	1.7	8.3	17.1	41	13	2.04	278.9
2026/07/23 13:00:00	1.6	6.1	18.2	35	8	2.19	279.3
2026/07/23 14:00:00	1.3	4.5	19	36	6	2.34	291.1
2026/07/23 15:00:00	1.3	2.9	22.5	36	7	1.95	318.9
2026/07/23 16:00:00	1.3	2.8	20.6	35	11	1.01	338.3
2026/07/23 17:00:00	1.2	2.6	20.6	32	14	0.88	4
2026/07/23 18:00:00	1.2	4.5	17.7	29	13	1.33	329.8
2026/07/23 19:00:00	1.2	4.9	15.3	32	15	0.84	50.2
2026/07/23 20:00:00	1.3	6.8	10.4	31	12	1.27	68.2
2026/07/23 21:00:00	1.3	10.7	7.1	37	14	0.78	76.5
2026/07/23 22:00:00	1.3	14.4	8.1	38	15	0.77	71.9
2026/07/23 23:00:00	1.5	14.3	7.7	36	14	0.77	68.7
2026/07/24 00:00:00	1.5	13.6	6.5	37	12	0.7	76
2026/07/24 01:00:00	1.5	13.3	5.5	38	14	0.61	88.6
2026/07/24 02:00:00	1.6	12.1	5.1	34	15	0.77	72.5
2026/07/24 03:00:00	1.5	14.8	3.2	32	17	0.61	71.2
2026/07/24 04:00:00	1.5	15.1	3.1	36	17	0.65	64.1
2026/07/24 05:00:00	1.5	9.8	6	37	13	0.87	60.5
2026/07/24 06:00:00	1.5	8.8	6.1	37	15	1.05	64.3
2026/07/24 07:00:00	1.6	9.3	8.9	32	15	0.85	39.2
2026/07/24 08:00:00	1.7	8.3	15	33	20	1.11	352.6
2026/07/24 09:00:00	1.8	5.5	22.6	39	23	1.42	349.6
2026/07/24 10:00:00	1.8	4	26.4	39	25	1.6	330.9
2026/07/24 11:00:00	1.7	3.3	28.8	36	19	1.78	318.3

台電 台中電廠 清水測站

2026/07/24 12:00:00	1.7	3.3	29.8	33	13	1.59	311.6
2026/07/24 13:00:00	1.7	2.7	31.4	32	10	1.94	306.7
2026/07/24 14:00:00	1.7	2.7	33	29	12	1.49	313.9
2026/07/24 15:00:00	1.7	3.3	40.7	27	11	2.1	315.3
2026/07/24 16:00:00	1.6	4.4	55.4	29	13	1.99	320.4
2026/07/24 17:00:00	1.5	4.8	51.8	37	18	1.45	336.6
2026/07/24 18:00:00	1.6	4.5	45.7	37	18	1.29	321.7
2026/07/24 19:00:00	1.6	5.4	47.9	34	18	1.36	310
2026/07/24 20:00:00	1.6	5.5	43.7	33	21	0.6	93.5
2026/07/24 21:00:00	1.6	11.6	33	33	19	0.7	127.7
2026/07/24 22:00:00	2.6	16.5	24.5	39	15	1.23	148.9
2026/07/24 23:00:00	2.7	11	28.9	38	17	0.98	148.4

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/25 00:00:00	2.6	8.9	31.7	36	15	1.49	143.5
2026/07/25 01:00:00	2	6.6	32.4	41	13	1.43	157.2
2026/07/25 02:00:00	2	4.8	35	41	12	1.71	161.5
2026/07/25 03:00:00	1.7	5.3	31.6	50	21	1.32	156.2
2026/07/25 04:00:00	1.5	7.2	23.6	47	24	1.17	137.4
2026/07/25 05:00:00	1.5	9.4	19	42	23	1.04	128.9
2026/07/25 06:00:00	1.5	16.2	12.7	45	22	1.4	136.5
2026/07/25 07:00:00	1.7	15.1	16.5	50	24	1.83	132
2026/07/25 08:00:00	1.7	9.2	21.6	41	21	2.36	107
2026/07/25 09:00:00	1.7	6	26.4	37	18	2.25	99.5
2026/07/25 10:00:00	1.6	5.3	32	36	16	0.12	78.4
2026/07/25 11:00:00	2.4	9.3	36.9	27	14	2.16	292.6
2026/07/25 12:00:00	2.7	10.1	48.7	29	14	2.58	281.5
2026/07/25 13:00:00	3.3	7.7	46.9	37	17	2.36	268.1
2026/07/25 14:00:00	2.8	5.3	37.4	37	14	2.36	270.8
2026/07/25 15:00:00	2.4	5.5	33	28	10	2.65	245.3
2026/07/25 16:00:00	1.7	5.4	31.5	28	14	3.05	250
2026/07/25 17:00:00	2.9	10.5	22.8	23	9	1.18	200.1
2026/07/25 18:00:00	1.8	8.3	22.3	25	10	1.38	161.1
2026/07/25 19:00:00	1.7	7.7	22.1	24	15	1.11	143.6
2026/07/25 20:00:00	2.3	8.9	22.6	26	14	1.15	238.7
2026/07/25 21:00:00	1.8	12.8	11.6	29	15	1.37	199.6
2026/07/25 22:00:00	1.7	12	9.4	27	12	0.98	169.2
2026/07/25 23:00:00	1.6	8.5	15.1	23	11	0.95	145.9
2026/07/26 00:00:00	1.6	9.5	14	18	9	0.55	114.7
2026/07/26 01:00:00	1.6	12.9	7.2	20	9	0.67	68
2026/07/26 02:00:00	1.6	13.6	8.3	18	9	0.49	65.9
2026/07/26 03:00:00	1.5	11.5	7.7	21	9	0.72	68.8
2026/07/26 04:00:00	1.3	9.4	6.3	23	9	0.78	64.3
2026/07/26 05:00:00	2.1	9.5	6.8	20	11	1.1	55
2026/07/26 06:00:00	2	8.2	11.4	25	12	0.61	9.3
2026/07/26 07:00:00	1.8	7.7	12	27	13	0.48	308.2
2026/07/26 08:00:00	1.8	7.3	12.6	24	14	0.81	60.7
2026/07/26 09:00:00	1.7	5	19.9	24	16	2.05	28.5
2026/07/26 10:00:00	1.8	3.7	26.4	25	9	2.7	16.6

台電 台中電廠 清水測站

2026/07/26 11:00:00	1.7	3.8	29.8	21	5	2.67	3.6
2026/07/26 12:00:00	1.7	3.5	32.8	22	5	2.84	357.3
2026/07/26 13:00:00	1.6	2.8	33.9	22	5	2.95	357.8
2026/07/26 14:00:00	1.6	2.4	32.6	19	6	3.02	359.3
2026/07/26 15:00:00	1.5	2.3	30.5	18	4	3.05	0.2
2026/07/26 16:00:00	1.5	2.3	29.1	19	2	3.08	6.1
2026/07/26 17:00:00	1.5	4.2	27.5	21	4	1.65	333.6
2026/07/26 18:00:00	1.5	4.8	25.5	20	7	1.77	6.5
2026/07/26 19:00:00	1.5	6.6	19.8	23	9	0.89	52.7
2026/07/26 20:00:00	1.6	6.6	16.1	25	11	0.96	77.7
2026/07/26 21:00:00	1.5	7.8	13.1	21	13	0.72	77.9
2026/07/26 22:00:00	1.5	9.5	10.1	21	15	0.49	72.1
2026/07/26 23:00:00	1.6	9.6	7.9	20	13	0.51	76.7

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/27 00:00:00	1.5	10.1	8.3	24	14	0.48	73.4
2026/07/27 01:00:00	1.5	9.3	6.8	25	12	0.33	116.9
2026/07/27 02:00:00	1.7	12.2	4.2	19	8	0.51	160.7
2026/07/27 03:00:00	1.7	11.2	5.9	21	7	1	157.2
2026/07/27 04:00:00	1.7	16.4	2.7	22	8	1.14	127.2
2026/07/27 05:00:00	1.7	16.4	3.9	24	11	1.38	143.9
2026/07/27 06:00:00	--	2.3	4.4	25	13	1.22	150.2
2026/07/27 07:00:00	1.6	8.7	9.9	23	11	1.31	146.1
2026/07/27 08:00:00	1.7	12.1	7.9	19	9	0.28	56.2
2026/07/27 09:00:00	2.2	11.5	10	21	8	0.71	350.2
2026/07/27 10:00:00	3.5	9.4	16.4	25	11	1.36	6.2
2026/07/27 11:00:00	2.7	7.2	24.8	28	14	1.45	346.8
2026/07/27 12:00:00	2	5.5	31	29	13	1.95	316.4
2026/07/27 13:00:00	1.6	3.4	36	25	10	1.44	344.4
2026/07/27 14:00:00	1.5	3.2	36.5	18	8	1.82	350.5
2026/07/27 15:00:00	1.3	3.1	38.9	19	11	2.21	337.8
2026/07/27 16:00:00	2.3	8.2	26.1	21	13	2.28	266.4
2026/07/27 17:00:00	1.7	9.4	23.4	17	8	1.4	181.1
2026/07/27 18:00:00	1.5	14.5	16	20	7	1.45	97.2
2026/07/27 19:00:00	1.3	9.9	16.8	22	7	2.08	84.9
2026/07/27 20:00:00	1.5	10	14.5	19	4	2.67	93
2026/07/27 21:00:00	1.5	10.3	12.2	18	3	1	52.7
2026/07/27 22:00:00	1.3	7.7	15.5	18	5	1.84	60.5
2026/07/27 23:00:00	1.5	9	12.8	14	6	0.55	46.1
2026/07/28 00:00:00	1.3	11	7.2	12	3	0.61	90
2026/07/28 01:00:00	1.5	10.3	5.3	19	1	0.83	75.3
2026/07/28 02:00:00	1.6	9.5	4.4	21	1	0.9	69.5
2026/07/28 03:00:00	1.3	9.5	5.6	16	1	0.82	55.9
2026/07/28 04:00:00	1.2	7.4	10.9	14	1	0.22	87.6
2026/07/28 05:00:00	1.2	8.5	6.1	12	4	0.81	66.5
2026/07/28 06:00:00	1.2	10.6	3.2	15	8	0.82	66.7
2026/07/28 07:00:00	1.3	9.5	6.1	19	7	1.34	33.1
2026/07/28 08:00:00	1.5	8.8	13.4	20	8	2.17	27.2
2026/07/28 09:00:00	1.6	4.8	29.9	20	10	3.31	33.4

台電 台中電廠 清水測站

2026/07/28 10:00:00	1.7	5.3	35.4	18	13	2.95	17.3
2026/07/28 11:00:00	1.7	4.5	39.7	20	10	2.86	3
2026/07/28 12:00:00	1.5	3.9	35.8	15	6	3.11	6
2026/07/28 13:00:00	1.5	3.1	35.7	13	5	2.5	355
2026/07/28 14:00:00	1.5	2.6	35.5	11	5	2.58	353.5
2026/07/28 15:00:00	1.5	2.8	33.8	12	4	2.17	338.5
2026/07/28 16:00:00	1.5	2.7	35.9	12	2	2.23	338.6
2026/07/28 17:00:00	1.5	3.7	31.1	11	3	2.23	8.2
2026/07/28 18:00:00	1.3	4.5	25.6	10	4	2.05	18.9
2026/07/28 19:00:00	1.3	7.3	19	13	4	1.28	59
2026/07/28 20:00:00	1.5	11.7	11.8	15	5	1	72.6
2026/07/28 21:00:00	1.6	14.4	7.4	17	6	0.85	66.6
2026/07/28 22:00:00	1.7	10	11.8	17	7	1.03	66.5
2026/07/28 23:00:00	1.6	3.9	25.3	16	7	0.94	335.3

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/29 00:00:00	1.5	3.3	24.9	16	9	0.95	333.6
2026/07/29 01:00:00	1.1	5.9	21.6	19	11	0.99	306
2026/07/29 02:00:00	1.2	4.6	20	18	11	0.42	20.1
2026/07/29 03:00:00	1	4.5	16	17	7	0.62	70.2
2026/07/29 04:00:00	1.1	5.1	16.2	17	3	0.5	358.5
2026/07/29 05:00:00	0.9	8.1	9	12	1	0.67	100.3
2026/07/29 06:00:00	1	7	5.5	11	2	1.38	76.1
2026/07/29 07:00:00	1	7.3	4.9	15	4	0.78	92.1
2026/07/29 08:00:00	1.2	8.8	4.2	19	6	0.88	87.8
2026/07/29 09:00:00	1.3	7	10.1	20	6	0.55	7.6
2026/07/29 10:00:00	1.2	4.2	16	14	5	0.87	348.1
2026/07/29 11:00:00	1.1	3.1	22.2	12	5	1.66	5.6
2026/07/29 12:00:00	1.1	2.8	27.1	12	4	1.61	355.7
2026/07/29 13:00:00	1.1	2.9	31.4	14	1	1.81	316.7
2026/07/29 14:00:00	1.3	2.7	39.3	16	3	2.3	314
2026/07/29 15:00:00	1.6	3.3	36.9	17	7	2.03	309.2
2026/07/29 16:00:00	1.6	4.6	29.7	17	6	1.44	316.5
2026/07/29 17:00:00	1.6	3.7	36.4	13	7	1.62	322.8
2026/07/29 18:00:00	1.3	7	31.9	15	10	1.33	327.2
2026/07/29 19:00:00	1.6	4.8	35.3	15	8	0.73	309.9
2026/07/29 20:00:00	1.3	5.5	28.8	16	8	0.77	84
2026/07/29 21:00:00	1.3	6.8	23	17	8	0.83	81.8
2026/07/29 22:00:00	1.6	7.4	23.7	17	8	0.74	155.3
2026/07/29 23:00:00	1.3	6.1	26.5	17	9	1.21	178.1
2026/07/30 00:00:00	1.2	5.3	25.6	20	9	0.92	162.7
2026/07/30 01:00:00	1.3	4.3	26.5	20	10	1.34	152.2
2026/07/30 02:00:00	1.2	3.8	26.9	20	12	0.99	154.5
2026/07/30 03:00:00	1.2	4.9	25.6	20	10	1.07	157.9
2026/07/30 04:00:00	1.5	5.5	23.4	26	9	1.29	151.3
2026/07/30 05:00:00	1.3	5.5	21.2	22	7	1.16	155
2026/07/30 06:00:00	1.5	9.3	10.9	23	7	1.5	152.6
2026/07/30 07:00:00	1.6	9.4	11.2	25	10	1	147.9
2026/07/30 08:00:00	2	7	19.3	27	13	0.72	155.4

台電 台中電廠 清水測站

2026/07/30 09:00:00	1.6	7.4	26.3	23	11	0.77	197.4
2026/07/30 10:00:00	2.2	11.2	28.9	21	10	1.53	301.6
2026/07/30 11:00:00	1.8	7.2	34.3	24	13	1.97	305.5
2026/07/30 12:00:00	1.3	3.4	33.6	27	13	1.92	326
2026/07/30 13:00:00	1.5	3.5	31.6	18	3	1.49	321
2026/07/30 14:00:00	--	--	--	17	4	1.93	310.5
2026/07/30 15:00:00	--	--	--	--	--	--	311.9
2026/07/30 16:00:00	1.3	3.4	33.2	15	3	1.98	308.9
2026/07/30 17:00:00	1.1	4.2	28.1	15	4	1.33	323.9
2026/07/30 18:00:00	1.1	4.6	27.8	12	4	1.71	317.9
2026/07/30 19:00:00	1.1	4.6	28.4	13	3	1.48	333.1
2026/07/30 20:00:00	1.1	4	26.1	10	4	1.21	326.8
2026/07/30 21:00:00	1.2	4.3	22.7	10	5	0.81	66.5
2026/07/30 22:00:00	1.3	4.9	19.9	11	5	0.71	96
2026/07/30 23:00:00	1.3	12	11.6	13	5	0.93	149.5

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/31 00:00:00	1.5	12.2	10.6	19	5	0.72	156.6
2026/07/31 01:00:00	1.7	10	9.9	19	3	1.05	160.5
2026/07/31 02:00:00	2.3	8.5	12.1	23	4	1.14	154.5
2026/07/31 03:00:00	1.8	5.9	17	26	7	1.64	147.3
2026/07/31 04:00:00	1.7	6.5	17.5	23	9	1.67	151.6
2026/07/31 05:00:00	1.7	7.8	15.1	21	11	1.54	152.6
2026/07/31 06:00:00	1.7	8.5	16.4	22	11	1.66	150.1
2026/07/31 07:00:00	1.7	9.5	16.8	18	7	1.31	150.9
2026/07/31 08:00:00	1.8	6.6	21.5	15	5	1.16	139.5
2026/07/31 09:00:00	3.4	8.7	21.4	19	7	0.53	175.3
2026/07/31 10:00:00	3.4	9.3	24.8	19	8	1.07	307.7
2026/07/31 11:00:00	2.3	6.7	32	20	10	1.77	317.2
2026/07/31 12:00:00	1.7	4.2	33.9	21	11	2.28	308.3
2026/07/31 13:00:00	1.5	3.8	30.5	14	8	1.84	320.2
2026/07/31 14:00:00	1.5	3.3	30.3	10	5	1.25	326.3
2026/07/31 15:00:00	1.6	5	29.2	10	6	2.01	288.9
2026/07/31 16:00:00	2.7	6.6	32.5	11	7	1.48	255.2
2026/07/31 17:00:00	4.6	12.6	31.5	15	6	1.65	262.7
2026/07/31 18:00:00	2	8.8	29.8	17	6	1.71	286.7
2026/07/31 19:00:00	2.6	12.1	26	9	6	1.61	270.9
2026/07/31 20:00:00	2.6	9.5	27.5	11	5	1.14	285.2
2026/07/31 21:00:00	1.5	5	30.2	15	5	1.1	325.1
2026/07/31 22:00:00	1.5	3.8	33.3	12	5	0.26	343.6
2026/07/31 23:00:00	1.8	5.6	26.6	16	7	0.54	124.9