

臺中市政府環境保護局
空氣品質監測月報表

測站名稱： 線西

監測時間: 2026/7/1 ~ 2026/7/31

項目 日期		二氧化氮(NO ₂)ppb				二氧化硫(SO ₂)ppb				懸浮微粒(PM-10) μg/m ³			臭氧(O ₃)ppb		懸浮微粒(PM-2.5) μg/m ³			風速	風向
		每日	小時	小時	超限	每日	小時	小時	超限	每日	小時	超限	每日	小時	每日	小時	超限	每日	每日
		平均值	最大值	最小值	次數	平均值	最大值	最小值	次數	平均值	最大值	次數	平均值	最大值	平均值	最大值	次數	平均值	平均值
01	5.24	12.4	0.9	0	1.54	2.3	1.2	0	22.8	32	0	22.18	38	6.7	11.6	0	1.96	北北西	
02	3.99	8.4	1.7	0	1.54	2.1	1.2	0	26.1	79	0	30.04	44	9.2	19.6	0	1.38	北北西	
03	4.07	7.7	1.4	0	1.52	1.8	1.2	0	26	49	0	23.97	42.9	8.7	15.6	0	1.34	西北	
04	3.1	7.2	0.3	0	1.69	2.7	1.4	0	22.8	42	0	23.14	55.1	6.2	12.6	0	1.79	西南西	
05	1.69	4.5	0.1	0	1.74	2.3	1	0	16.2	26	0	19.21	34.4	6	11.6	0	2.12	西南西	
06	2.18	3.6	0.4	0	1.36	2.3	0.9	0	17.4	27	0	20.81	35.3	4.3	7.6	0	2.02	西南西	
07	2.63	7	0.2	0	1.07	1.6	0.6	0	18.4	38	0	18.17	32.7	3.2	9.6	0	1.95	西南西	
08	3.46	6.8	1.5	0	0.71	1.4	0.5	0	29.7	61	0	19.06	34.8	6.8	13.6	0	1.25	南	
09	5.2	10	1.3	0	1.2	2.1	0.5	0	28.6	44	0	21.82	53.1	8.8	23.6	0	1.8	北北西	
10	5.27	12.6	1.3	0	1.62	3.9	0.9	0	48.7	109	0	16.74	27	12.5	22.6	0	5.13	北北東	
11	1.3	2.9	0.3	0	0.67	1	0.5	0	27.3	54	0	28.49	41.9	7.5	13.6	0	5.07	北	
12	1.4	3.5	0.5	0	0.77	1.2	0.6	0	22.6	34	0	31.88	40.8	8	18.6	0	3.75	南南西	
13	2.87	6.1	1	0	0.9	1.2	0.6	0	25.6	53	0	29.56	45.5	5.8	11.6	0	2	南南西	
14	3.88	8.7	1.2	0	1	1.5	0.7	0	22.2	32	0	28.39	44	6.2	14.6	0	1.62	南南西	
15	2.27	4.4	1.2	0	1.03	1.6	0.6	0	21.5	34	0	26.79	45.3	5.5	13.6	0	2.73	南南西	
16	2.96	6.3	1.4	0	1.2	2	0.9	0	22.9	34	0	24.43	38.9	8	19.6	0	2.45	南南西	
17	3.21	5.9	1.4	0	1.03	1.6	0.7	0	21.7	32	0	24.05	48.4	8.1	16.6	0	2.49	南南西	
18	2.81	4.5	0.9	0	1	1.4	0.7	0	17.9	27	0	24.14	40.8	5.9	13.6	0	2.26	南	
19	2.32	4.7	1.2	0	0.93	1.4	0.5	0	23.3	32	0	23.03	32	8.7	12.6	0	2.04	南南西	
20	2.76	5.7	1.4	0	1.38	3.4	0.6	0	18.9	29	0	27.29	46.6	7.9	14.6	0	1.87	西南西	
21	4	8.1	0.5	0	1.72	2.3	1.4	0	25.3	38	0	28	52.9	12.4	21.6	0	1.55	南	
22	3.8	7.5	1.4	0	1.71	2.1	1.5	0	33.5	56	0	24	41.8	14.3	21.6	0	1.16	西	
23	4.79	12	0.7	0	1.85	3.1	1.5	0	36	48	0	22.85	33.7	17.5	25.6	0	1.15	北北西	
24	4.97	13.5	1.7	0	2.02	4.3	1.5	0	33.3	49	0	41.51	78.8	18.5	26.6	0	1.51	北北西	
25	3.67	6.5	1.3	0	1.75	2.3	1.4	0	33.4	56	0	38.17	72.2	19.5	39.5	0	1.32	南南東	
26	5.52	7.5	4	0	2.48	6.2	1.5	0	23.8	33	0	27	42.9	12.2	19.6	0	1.65	北	
27	7.17	14.9	2	0	1.85	5.1	1.4	0	18.3	31	0	23.11	56.5	10.1	15.6	0	1.2	東	
28	6.89	12.6	1.2	0	2.27	5.3	1.4	0	20.3	32	0	27.67	48.8	7.5	14.6	0	2.11	北	
29	4.3	10.7	1.2	0	1.64	2.5	1.2	0	20.7	28	0	34.1	51.6	9.2	14.6	0	1.26	西北	
30	3.24	5.7	1.4	0	1.61	2.1	1.2	0	29.2	43	0	35.68	54.6	11.8	20.6	0	1.4	北北西	
31	4.39	9.7	0.7	0	1.75	3.1	1.4	0	33.9	65	0	32.25	47.7	11.3	19.6	0	1.07	西北西	
月平均值		3.7			1.4				25.4			26.4		9.3			2		
最大值		7.17			2.48				48.7					19.5			5.13		
發生日期		27			26				10			41.51		25			10		
超標準次數				0				0			0	24				0			
日標準值									75					30					
時標準值			100			65													

台電 台中電廠 線西測站

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/01 00:00:00	1.8	9.7	11.6	15	6	1.05	27.3
2026/07/01 01:00:00	2	8.6	11.6	22	7	0.61	38.7
2026/07/01 02:00:00	1.5	8.3	11.4	19	8	0.07	109.3
2026/07/01 03:00:00	1.5	10.5	9.4	22	5	0.37	73.6
2026/07/01 04:00:00	1.5	12.4	5.5	24	5	1.05	83.3
2026/07/01 05:00:00	1.5	11	4.4	22	5	0.71	91.2
2026/07/01 06:00:00	1.4	9.4	5.7	29	5	0.56	89.2
2026/07/01 07:00:00	1.8	10.3	8.9	32	9	0.68	52.2
2026/07/01 08:00:00	2.3	9.8	14.7	27	8	1.76	346.7
2026/07/01 09:00:00	1.7	3.4	20.9	23	6	2.66	340.5
2026/07/01 10:00:00	2.2	3.5	22.5	25	12	2.74	330.5
2026/07/01 11:00:00	1.5	2.6	28.4	25	9	2.78	327.9
2026/07/01 12:00:00	1.5	1.7	29.9	19	7	3.2	332
2026/07/01 13:00:00	1.4	0.9	32.8	21	5	3.66	329
2026/07/01 14:00:00	1.4	--	37.7	19	5	3.88	331.3
2026/07/01 15:00:00	1.4	1.9	38	20	11	3.69	334.1
2026/07/01 16:00:00	1.4	2.3	34.4	26	10	3.54	329
2026/07/01 17:00:00	1.5	2.8	33.6	24	7	3.1	335.1
2026/07/01 18:00:00	1.4	3.1	29.7	16	7	2.71	334.2
2026/07/01 19:00:00	1.4	3.4	28.6	23	10	2.52	342.1
2026/07/01 20:00:00	1.4	1.9	26.5	18	9	2.1	337.7
2026/07/01 21:00:00	1.4	3.5	24.9	24	9	1.76	339.7
2026/07/01 22:00:00	1.4	2.3	25.4	24	9	1.49	344.6
2026/07/01 23:00:00	1.2	4	23.1	19	9	0.59	329.6
2026/07/02 00:00:00	1.4	3.1	24.4	26	9	0.88	336.4
2026/07/02 01:00:00	1.5	4	23.2	25	7	0.88	333.9
2026/07/02 02:00:00	1.4	--	25	16	5	0.59	337.1
2026/07/02 03:00:00	1.4	--	23.1	23	7	0.76	330.1
2026/07/02 04:00:00	1.4	8.4	16.6	21	8	1.32	345.1
2026/07/02 05:00:00	1.5	5	16.5	18	9	0.93	331.5
2026/07/02 06:00:00	1.2	4.4	18.4	26	9	0.81	339.5
2026/07/02 07:00:00	1.4	6.3	16.4	22	11	0.63	357.6
2026/07/02 08:00:00	1.7	6.1	16.8	25	9	1.15	340
2026/07/02 09:00:00	1.7	4.9	19.7	22	6	1.64	336.7
2026/07/02 10:00:00	2.1	4.9	22.7	28	7	2.27	327.6
2026/07/02 11:00:00	1.7	4	31.4	25	8	2.44	332.5
2026/07/02 12:00:00	1.5	3.1	37.7	30	10	2.54	330.9
2026/07/02 13:00:00	1.6	2.2	43.8	26	11	2.69	326.7
2026/07/02 14:00:00	1.6	1.9	43.6	26	12	2.88	339.1
2026/07/02 15:00:00	1.6	2.8	44	22	11	2.56	336.6
2026/07/02 16:00:00	1.6	2.6	37.9	28	12	2.64	349.6
2026/07/02 17:00:00	1.4	2.8	37.4	22	12	1.32	321.6
2026/07/02 18:00:00	1.6	4.1	33	26	17	1.44	322.4
2026/07/02 19:00:00	1.8	7.1	33.5	25	16	1.12	303.1
2026/07/02 20:00:00	1.5	3.6	36.5	79	20	0.78	337.2
2026/07/02 21:00:00	1.5	2.9	37.2	28	14	0.54	343.9
2026/07/02 22:00:00	1.4	2.3	36.4	22	12	0.37	10

台電 台中電廠 線西測站

2026/07/02 23:00:00	1.4	2.8	36.6	21	8	0.12	175.3
---------------------	-----	-----	------	----	---	------	-------

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/03 00:00:00	1.5	1.7	33.6	22	5	0.66	187.6
2026/07/03 01:00:00	1.5	1.7	30	26	6	0.71	161.7
2026/07/03 02:00:00	1.6	5.6	23	26	12	0.61	174.4
2026/07/03 03:00:00	1.4	7.1	13.9	35	12	0.56	62.3
2026/07/03 04:00:00	1.4	7.7	11.6	34	13	0.59	66
2026/07/03 05:00:00	1.4	6.6	13.4	36	12	0.78	97.9
2026/07/03 06:00:00	1.4	6.5	11.1	36	11	0.54	94.1
2026/07/03 07:00:00	1.5	7.3	13.8	49	8	0.68	88.2
2026/07/03 08:00:00	1.8	4.4	16.8	35	10	0.46	63.1
2026/07/03 09:00:00	1.7	4	19.2	26	9	0.78	291.7
2026/07/03 10:00:00	1.6	3.5	25.4	31	7	1.15	303.5
2026/07/03 11:00:00	1.6	3.5	29.9	26	9	1.64	324.1
2026/07/03 12:00:00	1.7	3.5	28.7	29	8	2.61	319.6
2026/07/03 13:00:00	1.5	1.4	32.4	37	8	3.1	324.3
2026/07/03 14:00:00	1.4	1.8	37.7	--	--	3.3	329.6
2026/07/03 15:00:00	1.5	2.4	42.9	2	6	3.42	324.7
2026/07/03 16:00:00	1.8	2.9	34.3	1	6	2.44	314
2026/07/03 17:00:00	1.8	5.1	36	27	12	2.12	304.1
2026/07/03 18:00:00	1.6	3.3	35.2	44	15	1.54	277.1
2026/07/03 19:00:00	1.5	3.3	24.2	22	13	1.76	272.3
2026/07/03 20:00:00	1.4	3.1	24.3	24	16	1.34	274
2026/07/03 21:00:00	1.2	1.8	24.8	28	13	0.17	155.9
2026/07/03 22:00:00	1.4	2.9	17.6	0	6	0.61	185.1
2026/07/03 23:00:00	1.4	3.3	18.1	3	5	0.76	166.4
2026/07/04 00:00:00	1.4	5.1	11.2	23	7	0.46	121.4
2026/07/04 01:00:00	1.4	7.2	11	20	9	0.39	78.6
2026/07/04 02:00:00	1.5	7.1	11	16	12	0.63	102.4
2026/07/04 03:00:00	1.5	7.1	13.8	28	13	0.83	97.4
2026/07/04 04:00:00	1.4	5.6	11.5	42	10	0.73	146.9
2026/07/04 05:00:00	1.5	5.9	9.8	19	7	0.95	168.1
2026/07/04 06:00:00	1.5	5.9	10.7	31	8	0.46	178.5
2026/07/04 07:00:00	1.7	5	13.7	29	7	1.17	156.7
2026/07/04 08:00:00	1.6	3.8	17.5	27	13	1.29	167
2026/07/04 09:00:00	1.6	2.4	27.8	33	11	1.37	170.8
2026/07/04 10:00:00	1.7	1.9	33.2	29	7	1.71	220.7
2026/07/04 11:00:00	2.3	2.3	45.3	25	6	2.27	248.6
2026/07/04 12:00:00	2.7	3.5	55.1	28	7	2.61	258.7
2026/07/04 13:00:00	2.5	2.6	49.7	26	6	2.86	258
2026/07/04 14:00:00	2.3	1.9	38.5	30	5	3.2	261.2
2026/07/04 15:00:00	1.6	1.4	27.2	14	5	2.98	266.9
2026/07/04 16:00:00	1.5	0.7	26.6	13	5	3.2	255.3
2026/07/04 17:00:00	1.4	0.3	22.5	34	5	2.76	248.6
2026/07/04 18:00:00	1.4	0.8	23.1	11	6	2.69	253.8
2026/07/04 19:00:00	1.6	1.3	19.9	11	5	2.37	244.7
2026/07/04 20:00:00	1.6	1.3	21.2	20	5	2.3	243.6
2026/07/04 21:00:00	1.7	2.2	18.4	17	5	1.81	227.9

台電 台中電廠 線西測站

2026/07/04 22:00:00	1.6	2	17.5	13	5	1.37	211.5
2026/07/04 23:00:00	1.5	1.3	16.1	12	6	1.42	201.8

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/05 00:00:00	1.5	0.9	14.3	20	6	1.64	201.7
2026/07/05 01:00:00	1.4	0.5	12.1	17	7	1.47	188.7
2026/07/05 02:00:00	1.5	1.8	12.2	11	6	1.44	177.5
2026/07/05 03:00:00	1.5	3.8	10.9	15	5	1.27	162.4
2026/07/05 04:00:00	1.6	4.1	8.2	16	7	1.27	160.3
2026/07/05 05:00:00	2	4	8.3	13	9	1.44	165.2
2026/07/05 06:00:00	2	4.5	7.9	23	8	1	166.4
2026/07/05 07:00:00	2.1	3.4	10.7	25	7	1.71	157.5
2026/07/05 08:00:00	2.3	2.5	14.3	26	10	1.93	192
2026/07/05 09:00:00	2.2	2	18.8	24	12	2.25	212.3
2026/07/05 10:00:00	1.8	1.2	24.7	21	8	1.86	207.6
2026/07/05 11:00:00	1.8	1.3	29.1	15	5	2.32	257
2026/07/05 12:00:00	1.8	1.2	29.1	17	5	2.83	251.9
2026/07/05 13:00:00	2.1	1.2	34.4	15	8	3.05	259
2026/07/05 14:00:00	1.7	0.4	33.8	16	5	3.81	256
2026/07/05 15:00:00	1.4	0.1	27.4	18	5	4.03	256.3
2026/07/05 16:00:00	1.2	0.1	29.2	19	5	3.81	254.7
2026/07/05 17:00:00	1	--	22.6	17	7	2.86	252
2026/07/05 18:00:00	1.5	0.2	20.5	13	7	2.71	254.8
2026/07/05 19:00:00	1.8	1.2	18.1	11	7	2.3	246
2026/07/05 20:00:00	1.8	0.9	19.3	12	6	1.98	248.1
2026/07/05 21:00:00	2.1	1.8	15.3	13	6	1.61	249.2
2026/07/05 22:00:00	2.1	1.2	16.6	11	8	1.49	239.7
2026/07/05 23:00:00	1.6	0.2	20.5	11	8	1	220.7
2026/07/06 00:00:00	1.5	1.4	17.1	12	7	1.34	187.1
2026/07/06 01:00:00	1.4	1.3	13.1	12	5	1.44	172.6
2026/07/06 02:00:00	1.1	1.3	12.8	11	5	0.93	184.3
2026/07/06 03:00:00	1.1	2	12.6	11	5	1.07	176
2026/07/06 04:00:00	1.1	1.9	13.2	19	5	1.17	180.8
2026/07/06 05:00:00	1.4	2.5	11.1	17	5	1.05	189.9
2026/07/06 06:00:00	1.5	3.4	9.3	21	7	1	178.9
2026/07/06 07:00:00	1.7	3.6	9.2	19	6	1.44	166.1
2026/07/06 08:00:00	2.3	3	13.7	11	5	2.52	157.5
2026/07/06 09:00:00	1.8	3	17.1	15	5	2.34	166.2
2026/07/06 10:00:00	1.7	2.9	23.4	24	5	2.15	193.5
2026/07/06 11:00:00	1.5	2.2	30.6	27	5	2.42	205.6
2026/07/06 12:00:00	1.6	1.8	35.3	21	6	3.13	255.4
2026/07/06 13:00:00	1.5	1.8	34.9	18	8	3.57	259.2
2026/07/06 14:00:00	1	1	29.5	20	5	3.76	259.5
2026/07/06 15:00:00	0.9	0.4	29.1	17	5	3.64	256.6
2026/07/06 16:00:00	1	0.9	29.5	14	5	3.17	256.6
2026/07/06 17:00:00	1.4	1.7	27.6	19	5	2.59	249.8
2026/07/06 18:00:00	1.2	1.7	25.4	18	5	2.34	260.3
2026/07/06 19:00:00	1.5	2.6	24.9	19	5	1.76	253.5
2026/07/06 20:00:00	1.2	2.5	23.2	19	5	1.61	247.5

台電 台中電廠 線西測站

2026/07/06 21:00:00	1.4	2.9	19.7	15	5	1.54	239.6
2026/07/06 22:00:00	1.2	2.4	18.8	16	5	1.22	204.8
2026/07/06 23:00:00	1.2	3.4	17.9	19	5	1.56	206.9

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/07 00:00:00	1	2.3	17.7	17	7	1.1	198.9
2026/07/07 01:00:00	1	2.2	13.4	18	8	0.76	196.1
2026/07/07 02:00:00	0.9	2.3	11.7	17	10	0.85	180.1
2026/07/07 03:00:00	0.9	2.6	12.3	14	8	1.1	170.3
2026/07/07 04:00:00	0.9	3.4	9.9	19	5	1.22	165.2
2026/07/07 05:00:00	1.1	7	5.5	23	5	1.54	163.6
2026/07/07 06:00:00	1.2	7	5.9	28	5	1.27	165.7
2026/07/07 07:00:00	1.4	5.1	9.2	38	5	1.95	164.7
2026/07/07 08:00:00	1.2	3.6	13.1	16	5	2.22	176
2026/07/07 09:00:00	1.1	2.6	15.4	16	3	2.59	203.7
2026/07/07 10:00:00	1.1	1.8	22.5	18	3	2.76	205.3
2026/07/07 11:00:00	1.1	1.5	28.6	19	3	2.56	219.2
2026/07/07 12:00:00	1.5	2	32.7	18	3	3.35	261.1
2026/07/07 13:00:00	1.2	1.4	29.5	19	3	3.44	265.1
2026/07/07 14:00:00	1	1.2	27.8	19	3	3.49	257.1
2026/07/07 15:00:00	0.6	0.4	25.9	16	3	3.64	255.6
2026/07/07 16:00:00	0.6	0.2	20.6	14	3	3.25	254.7
2026/07/07 17:00:00	1	0.9	23.2	12	3	2.59	251
2026/07/07 18:00:00	1.5	1.9	18.8	29	5	1.88	242.3
2026/07/07 19:00:00	1.6	2.3	21.1	15	3	1.51	249.4
2026/07/07 20:00:00	1.4	3.4	17.6	21	3	1.12	248.4
2026/07/07 21:00:00	1.2	2.6	19.7	17	3	1.07	221.5
2026/07/07 22:00:00	0.9	2.5	21	12	3	1	219.3
2026/07/07 23:00:00	0.6	2	16.7	12	3	0.83	189
2026/07/08 00:00:00	0.9	3.4	14	12	5	0.85	178.4
2026/07/08 01:00:00	0.9	2.9	15.3	16	5	1.03	180.5
2026/07/08 02:00:00	0.7	3	15.8	18	4	0.95	199.8
2026/07/08 03:00:00	0.5	3	14.9	17	10	0.85	184.7
2026/07/08 04:00:00	0.9	3	15.3	27	7	0.83	182.1
2026/07/08 05:00:00	0.6	3	13.2	22	4	0.42	172.5
2026/07/08 06:00:00	0.5	4.5	10.5	23	4	0.85	157.3
2026/07/08 07:00:00	1	4.5	12.1	19	5	1.05	160.1
2026/07/08 08:00:00	1.1	3.8	16.2	20	5	1.07	185.2
2026/07/08 09:00:00	1.2	3.3	20.6	18	5	1	204.2
2026/07/08 10:00:00	1.4	2.8	29.8	22	3	1.32	246.7
2026/07/08 11:00:00	1.2	2.6	34.8	31	7	2.44	276
2026/07/08 12:00:00	--	--	--	--	--	--	288.8
2026/07/08 13:00:00	0.5	2.8	28.1	61	13	2.59	295.5
2026/07/08 14:00:00	0.5	1.8	27.1	45	14	2.86	288.8
2026/07/08 15:00:00	0.5	1.5	25.3	59	11	2.64	288.6
2026/07/08 16:00:00	0.6	2.4	23.1	40	6	2.1	301.9
2026/07/08 17:00:00	0.7	3.3	21.2	60	12	1.9	315.3
2026/07/08 18:00:00	0.6	3.4	19.9	31	14	1.25	328.6
2026/07/08 19:00:00	0.5	4.1	18.7	25	9	1.32	327.6

台電 台中電廠 線西測站

2026/07/08 20:00:00	0.5	4.4	18.4	23	7	1.07	341.5
2026/07/08 21:00:00	0.5	3.6	17.3	21	8	0.44	318.1
2026/07/08 22:00:00	0.5	5.6	13.9	28	9	0.29	254.9
2026/07/08 23:00:00	0.5	6.8	12.3	34	11	0.51	254.4

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/09 00:00:00	0.5	3.5	14.8	25	8	0.02	210.4
2026/07/09 01:00:00	0.5	3.1	14.7	22	6	0.15	168.7
2026/07/09 02:00:00	0.6	3.6	12.8	21	10	0.2	160.6
2026/07/09 03:00:00	0.9	5.7	8.4	23	12	0.54	190.8
2026/07/09 04:00:00	1.1	10	4	44	12	0.15	86.9
2026/07/09 05:00:00	1.2	10	3.8	40	8	0.29	103.9
2026/07/09 06:00:00	1	9.1	4.5	43	24	0.54	99.5
2026/07/09 07:00:00	1.2	7.9	7.8	35	10	0.73	98.8
2026/07/09 08:00:00	1.2	7.6	15.1	41	16	0.56	84
2026/07/09 09:00:00	1	5.1	21	31	19	0.78	334.2
2026/07/09 10:00:00	1.1	3.5	27.4	30	11	1.81	333.4
2026/07/09 11:00:00	1	2.8	28.6	27	9	2.34	327.6
2026/07/09 12:00:00	0.9	1.8	27.1	26	3	2.71	330.2
2026/07/09 13:00:00	0.7	1.4	27.1	23	3	3.03	326.8
2026/07/09 14:00:00	0.7	1.3	32.2	24	4	3.39	329.5
2026/07/09 15:00:00	1.1	2.4	34.6	18	6	2.91	329
2026/07/09 16:00:00	1.1	2.9	37	24	3	3.69	331.9
2026/07/09 17:00:00	1.1	2.8	40.2	26	3	3.86	336.5
2026/07/09 18:00:00	1.4	3.6	53.1	18	12	3.49	345.8
2026/07/09 19:00:00	2	5.7	44.3	25	15	3.32	2.5
2026/07/09 20:00:00	2.1	5.7	29.9	33	12	2.34	2.4
2026/07/09 21:00:00	1.8	7.6	16.8	28	9	1.76	15.1
2026/07/09 22:00:00	1.7	6.3	12.5	29	9	1.2	359.9
2026/07/09 23:00:00	1.4	7.3	10.6	25	10	1.76	10.8
2026/07/10 00:00:00	2	7.8	10.4	32	10	1.59	33.2
2026/07/10 01:00:00	1.2	9.1	8.2	32	12	1.42	29.9
2026/07/10 02:00:00	1.4	8.7	9.9	24	10	1.07	47.8
2026/07/10 03:00:00	1.1	12.1	6.2	30	11	1.25	50.2
2026/07/10 04:00:00	1.1	11.2	11.4	35	10	1.47	48.1
2026/07/10 05:00:00	1.2	8.7	12	42	14	1.05	37.2
2026/07/10 06:00:00	2.3	12.6	6.1	32	16	0.88	40.4
2026/07/10 07:00:00	2.1	8.9	10.9	43	18	2	34.6
2026/07/10 08:00:00	2.1	5.1	16.1	29	14	1.9	36.9
2026/07/10 09:00:00	1.4	4.9	24.2	29	9	3.32	25.9
2026/07/10 10:00:00	1.4	3.4	24.7	42	13	4.54	22.9
2026/07/10 11:00:00	1.2	3.6	27	47	15	5.42	17.5
2026/07/10 12:00:00	1.6	2.8	23.4	74	12	6.74	13.4
2026/07/10 13:00:00	2	2.6	18.3	91	13	7.13	7.9
2026/07/10 14:00:00	1.2	2.3	18.9	109	23	7.5	14.4
2026/07/10 15:00:00	1	1.7	19	92	20	7.86	23.3
2026/07/10 16:00:00	1	2.5	19.7	90	18	7.4	22.2
2026/07/10 17:00:00	1.2	1.7	17	45	12	9.28	20.1
2026/07/10 18:00:00	1.2	2.3	20	84	15	8.64	14.3

台電 台中電廠 線西測站

2026/07/10 19:00:00	1.6	3.3	17.1	50	13	7.81	10.7
2026/07/10 20:00:00	3.9	6.2	14.8	28	13	7.72	8.5
2026/07/10 21:00:00	3.9	6.1	13.7	33	12	7.67	7.1
2026/07/10 22:00:00	1.7	3.5	18.6	42	16	7.45	13.1
2026/07/10 23:00:00	1.2	2	21.4	30	11	7.57	10.5

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/11 00:00:00	0.9	1.3	23.2	18	6	6.11	14.9
2026/07/11 01:00:00	0.9	1.5	22	16	4	5.15	23.3
2026/07/11 02:00:00	1	2.3	21.6	13	3	6.86	9.1
2026/07/11 03:00:00	0.7	1.5	23	24	4	7.67	354.6
2026/07/11 04:00:00	0.7	0.9	21.4	33	6	8.08	350.9
2026/07/11 05:00:00	0.7	1.5	21.2	36	13	7.96	354.3
2026/07/11 06:00:00	0.7	0.5	22.3	33	12	7.91	346
2026/07/11 07:00:00	0.6	0.3	23.1	31	12	7.33	335.6
2026/07/11 08:00:00	0.6	0.4	23.3	31	12	7.23	335.9
2026/07/11 09:00:00	0.5	0.9	22.1	42	13	7.77	325.4
2026/07/11 10:00:00	0.6	1	23.7	42	10	6.67	319
2026/07/11 11:00:00	0.9	1.5	26.7	25	8	5.93	313.8
2026/07/11 12:00:00	1	2.9	25	37	9	5.05	296.3
2026/07/11 13:00:00	0.7	2.8	29.5	54	14	4.52	281.8
2026/07/11 14:00:00	0.6	1.3	33	40	11	4.93	273.1
2026/07/11 15:00:00	0.6	0.5	31	23	6	4.1	260.7
2026/07/11 16:00:00	0.7	0.4	29.7	15	4	3.22	249
2026/07/11 17:00:00	0.6	1.3	27.8	29	7	1.81	198.7
2026/07/11 18:00:00	0.6	1.4	24.9	22	6	2.71	185.1
2026/07/11 19:00:00	0.6	1.7	32.6	18	5	2.66	275.4
2026/07/11 20:00:00	0.6	1.4	38.5	23	6	1.76	214.8
2026/07/11 21:00:00	0.6	1.4	41.9	15	9	3.42	155.1
2026/07/11 22:00:00	0.6	1.8	40.2	15	11	1.54	133.8
2026/07/11 23:00:00	0.5	1.2	38.9	18	11	3.86	152.2
2026/07/12 00:00:00	0.6	0.8	40.4	21	10	3.42	155.6
2026/07/12 01:00:00	0.6	0.9	40.3	19	11	3.88	163.1
2026/07/12 02:00:00	0.7	1	39.8	20	12	3.57	189.9
2026/07/12 03:00:00	0.6	0.9	32.8	28	11	4.25	190.9
2026/07/12 04:00:00	0.7	0.5	26.3	22	7	3.32	193.7
2026/07/12 05:00:00	0.6	0.7	29.8	30	5	3.69	186.6
2026/07/12 06:00:00	0.7	1.2	25.4	16	7	3.79	178.3
2026/07/12 07:00:00	0.6	1.3	27.4	26	5	3.25	190.4
2026/07/12 08:00:00	0.7	1	29.3	24	5	3.52	196.7
2026/07/12 09:00:00	0.6	1.3	30	27	9	3.69	195.5
2026/07/12 10:00:00	0.6	1.5	32.1	22	9	4.44	204.2
2026/07/12 11:00:00	0.7	1	33.5	20	9	4.4	203.3
2026/07/12 12:00:00	0.7	0.9	33.6	19	19	4.79	203.2
2026/07/12 13:00:00	0.7	0.9	32.5	22	12	4.79	201.8
2026/07/12 14:00:00	0.7	0.7	31.7	22	7	5.27	209.2
2026/07/12 15:00:00	0.7	1.2	32.7	16	7	4.69	211.1
2026/07/12 16:00:00	0.7	1.3	33	17	6	3.96	212.5
2026/07/12 17:00:00	0.9	1.2	38.2	20	7	4.15	215

台電 台中電廠 線西測站

2026/07/12 18:00:00	0.9	1.3	40.8	22	9	3.22	212
2026/07/12 19:00:00	1	1.5	34.7	22	14	3.3	211
2026/07/12 20:00:00	1	2.4	34.2	18	8	2.78	210.3
2026/07/12 21:00:00	1	2.9	29.7	27	12	2.3	202.3
2026/07/12 22:00:00	1.2	3.5	23.7	29	10	2.86	201
2026/07/12 23:00:00	1	2.8	27	34	10	2.69	192.9

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/13 00:00:00	0.9	1.7	26.7	22	7	3.37	206
2026/07/13 01:00:00	1	1.2	25.8	21	3	2.44	201.7
2026/07/13 02:00:00	0.6	1.3	27.2	17	3	2.91	207.8
2026/07/13 03:00:00	0.7	1	27.2	19	4	2.78	205.4
2026/07/13 04:00:00	0.9	1.3	23.6	17	8	1.56	196.4
2026/07/13 05:00:00	0.9	1.3	21.9	18	8	1.32	195
2026/07/13 06:00:00	0.9	1.4	20.8	22	9	0.68	184.1
2026/07/13 07:00:00	1	2.2	19.5	17	5	1.12	150.3
2026/07/13 08:00:00	1.1	2.5	22.6	17	8	1.61	186.7
2026/07/13 09:00:00	1	2.5	28.4	19	4	3.17	204.7
2026/07/13 10:00:00	1	2	35.8	23	6	3.64	210
2026/07/13 11:00:00	1.2	2	39.4	19	7	2.37	207.6
2026/07/13 12:00:00	1	2.3	45.5	22	5	2.15	243.8
2026/07/13 13:00:00	1.2	2.8	40.3	27	5	2.61	273.8
2026/07/13 14:00:00	1	2.2	37.1	43	9	2.93	270.9
2026/07/13 15:00:00	1	2.4	37.7	26	10	3.15	275.9
2026/07/13 16:00:00	1.1	3.3	32.5	41	7	2.32	285
2026/07/13 17:00:00	1	3.6	32.8	53	6	2.54	279.3
2026/07/13 18:00:00	1	4.6	33.7	38	12	2.05	278.1
2026/07/13 19:00:00	1	4.5	32.4	39	10	1	274.6
2026/07/13 20:00:00	0.7	3.1	30.4	49	8	0.66	178.2
2026/07/13 21:00:00	0.6	5.4	24.2	22	8	0.98	119.1
2026/07/13 22:00:00	0.7	5.6	22.8	20	5	1.73	101.9
2026/07/13 23:00:00	0.6	6.1	23.7	14	6	1.17	124.3
2026/07/14 00:00:00	0.6	4.5	24.3	12	9	1.07	142.2
2026/07/14 01:00:00	0.7	4.5	21.7	16	6	0.85	103.1
2026/07/14 02:00:00	0.7	4.1	22.8	12	3	1.34	112.3
2026/07/14 03:00:00	0.7	4.5	22.5	17	3	0.29	116.3
2026/07/14 04:00:00	0.7	4.5	19.8	19	3	0.63	43.3
2026/07/14 05:00:00	0.9	6.3	13.3	18	3	0.05	196.6
2026/07/14 06:00:00	0.9	7.9	10.7	20	5	0.07	157.6
2026/07/14 07:00:00	1.2	8.7	11.2	21	11	1.03	143.9
2026/07/14 08:00:00	1.5	6.6	18.3	30	8	0.88	175.9
2026/07/14 09:00:00	1.5	6.5	25.9	19	5	1.12	64.5
2026/07/14 10:00:00	1.4	4.4	34.9	25	10	0.39	175.7
2026/07/14 11:00:00	1.2	2.5	41.8	27	11	1.49	201.7
2026/07/14 12:00:00	1	2	43.1	22	11	2.34	202.3
2026/07/14 13:00:00	1	1.8	42.9	20	9	2.42	217.9
2026/07/14 14:00:00	1	2	44	15	6	2.88	217.8
2026/07/14 15:00:00	1	2.2	38.5	22	6	3.22	214.9
2026/07/14 16:00:00	1	2.2	35	27	8	2.86	209.9

台電 台中電廠 線西測站

2026/07/14 17:00:00	0.9	2.5	32.4	24	5	2.17	211.6
2026/07/14 18:00:00	1.5	5.2	33.6	23	4	1.54	229.4
2026/07/14 19:00:00	1.1	2.9	40	31	10	2.12	206.2
2026/07/14 20:00:00	1	2.6	30.4	27	9	1.83	205.9
2026/07/14 21:00:00	0.9	3.3	27	22	10	1.86	212.1
2026/07/14 22:00:00	0.9	3.4	21.6	32	15	2.37	204.4
2026/07/14 23:00:00	0.7	1.5	23.3	21	9	2.12	200.7

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/15 00:00:00	0.7	1.2	26.7	23	4	3.08	208.3
2026/07/15 01:00:00	0.7	1.2	23.9	16	4	1.61	187.1
2026/07/15 02:00:00	0.7	1.7	23.2	17	3	1.49	194.5
2026/07/15 03:00:00	0.6	2	21.9	15	5	1.22	189.5
2026/07/15 04:00:00	0.7	3	18.7	18	5	1.17	193.8
2026/07/15 05:00:00	0.7	3.3	20.9	23	4	1.76	201.1
2026/07/15 06:00:00	0.9	2.9	18.1	19	6	1.81	172.6
2026/07/15 07:00:00	1	4.4	16.8	25	9	2.1	175.4
2026/07/15 08:00:00	1	3.8	21.5	25	10	2.78	205.1
2026/07/15 09:00:00	1	1.8	27.7	19	8	3.54	203.5
2026/07/15 10:00:00	0.9	1.4	31.9	16	6	4.25	208.4
2026/07/15 11:00:00	1	1.3	33.1	20	5	3.98	212.2
2026/07/15 12:00:00	1	1.3	35.7	19	6	3.17	214.9
2026/07/15 13:00:00	1.2	2	45.3	16	12	3.76	238.2
2026/07/15 14:00:00	1.6	2.9	40.9	29	9	3.96	249.1
2026/07/15 15:00:00	1.6	2.6	33	33	4	4.1	246.9
2026/07/15 16:00:00	1.5	2.8	28.7	34	14	3.27	238.3
2026/07/15 17:00:00	1.2	2	27.6	24	10	3.15	243.4
2026/07/15 18:00:00	1.4	2.6	24.9	24	9	2.83	221.5
2026/07/15 19:00:00	1	1.7	27	26	4	2.88	217.7
2026/07/15 20:00:00	0.9	1.9	27	15	3	3.83	215.6
2026/07/15 21:00:00	1	2.2	26.4	24	3	3.13	209.6
2026/07/15 22:00:00	1.1	1.9	26.3	21	8	2.37	210.1
2026/07/15 23:00:00	1.1	1.9	21.7	19	8	2.08	204
2026/07/16 00:00:00	1	2	20.8	19	3	1.25	172.4
2026/07/16 01:00:00	1	2.6	19.8	21	5	0.9	191.1
2026/07/16 02:00:00	1.1	3	17.9	23	4	0.68	179.2
2026/07/16 03:00:00	1.4	3.6	14.8	27	3	0.98	193.1
2026/07/16 04:00:00	1.1	3.9	14.8	25	10	1.32	177.1
2026/07/16 05:00:00	1.1	6.3	10.1	25	8	1.44	153.8
2026/07/16 06:00:00	1	6.3	12.8	27	9	1.47	166.9
2026/07/16 07:00:00	1.1	3.9	16.4	24	8	1.98	178.4
2026/07/16 08:00:00	1.7	4	20	18	5	2.1	194.5
2026/07/16 09:00:00	1.4	3.3	27	22	6	3.05	204.1
2026/07/16 10:00:00	1	1.5	30.9	23	9	3.79	211.3
2026/07/16 11:00:00	1.1	1.4	35.9	22	8	3.13	217.1
2026/07/16 12:00:00	1.5	2.8	38.9	25	12	3.08	237.6
2026/07/16 13:00:00	2	3.9	34.3	34	14	3.71	248
2026/07/16 14:00:00	2	4	29.7	32	20	3.66	256.4
2026/07/16 15:00:00	1.2	2.5	26.7	30	19	3.81	252.9

台電 台中電廠 線西測站

2026/07/16 16:00:00	1.1	2.4	32.2	23	10	3.83	244.6
2026/07/16 17:00:00	1.2	1.9	27	21	11	3.27	237.7
2026/07/16 18:00:00	1	1.5	31.9	17	8	2.61	232.9
2026/07/16 19:00:00	1.1	2.5	27.4	20	7	3.17	210.6
2026/07/16 20:00:00	0.9	1.7	24.5	22	5	3	200.5
2026/07/16 21:00:00	0.9	2	23.7	21	7	1.9	192.9
2026/07/16 22:00:00	1	1.5	24.9	19	12	2.39	202.5
2026/07/16 23:00:00	0.9	2	22.8	11	9	1.78	181.6

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/17 00:00:00	1	2.6	22.1	18	8	1.64	184.6
2026/07/17 01:00:00	0.9	3.8	18.3	16	6	1.73	174.2
2026/07/17 02:00:00	1	4.1	18.1	10	5	1.66	176.4
2026/07/17 03:00:00	1	4.4	14.8	12	7	0.76	185.7
2026/07/17 04:00:00	1	4.6	13.6	25	13	1.32	202.6
2026/07/17 05:00:00	1.1	5.1	12.6	18	13	1.66	183.3
2026/07/17 06:00:00	1	5.5	11.2	20	12	1.76	165.3
2026/07/17 07:00:00	1	5.9	13.3	21	11	1.2	198.8
2026/07/17 08:00:00	1.1	5.9	15.9	22	12	1.25	203.4
2026/07/17 09:00:00	1.2	5	19.4	26	11	1.25	197.5
2026/07/17 10:00:00	1.1	3.1	28.6	32	17	2.27	204.8
2026/07/17 11:00:00	0.9	2.2	33.3	25	12	2.93	212.3
2026/07/17 12:00:00	1.2	2.3	37.4	24	8	2.86	240.6
2026/07/17 13:00:00	1.4	3.1	48.4	23	12	3.76	249.3
2026/07/17 14:00:00	1.6	3.5	30.9	32	9	4.22	244.8
2026/07/17 15:00:00	1.4	2.3	32.5	28	3	3.79	245.4
2026/07/17 16:00:00	1.2	2.6	30.8	29	8	3.25	237.4
2026/07/17 17:00:00	1	1.4	27.4	22	9	3.74	221.3
2026/07/17 18:00:00	1	1.7	29.2	25	10	4.54	210.5
2026/07/17 19:00:00	0.7	1.7	24.9	32	10	4	207.2
2026/07/17 20:00:00	0.7	1.7	24.3	23	5	3.3	198.2
2026/07/17 21:00:00	0.9	2.2	22.8	20	3	2.39	193.1
2026/07/17 22:00:00	0.7	2.2	23.3	9	3	1.98	189.6
2026/07/17 23:00:00	0.9	1.5	23.9	14	11	2.08	197.1
2026/07/18 00:00:00	0.9	1.4	22.5	14	9	2	179
2026/07/18 01:00:00	0.9	2	18.9	12	6	1.29	160.7
2026/07/18 02:00:00	0.9	3.4	16.7	10	7	1.64	167.5
2026/07/18 03:00:00	0.7	3.4	16.5	12	10	1.42	174.5
2026/07/18 04:00:00	0.9	3.9	16.6	17	5	1.59	180.5
2026/07/18 05:00:00	1	4.1	14.7	12	3	0.98	177.9
2026/07/18 06:00:00	0.9	4.1	13.8	20	6	1.51	170.5
2026/07/18 07:00:00	1.2	4.5	13.9	7	3	2	164
2026/07/18 08:00:00	1.1	3.1	21	23	9	1.88	167.5
2026/07/18 09:00:00	1	3	28.1	15	9	2.3	180.9
2026/07/18 10:00:00	1.1	2.3	33.9	24	6	2.39	190.6
2026/07/18 11:00:00	1	1.4	36	18	5	2.1	214.9
2026/07/18 12:00:00	1.4	1.7	40.8	24	8	2.74	243.7
2026/07/18 13:00:00	1.4	2.3	35.9	23	14	3.59	249.1
2026/07/18 14:00:00	0.9	1	32	27	10	4.08	254.9

台電 台中電廠 線西測站

2026/07/18 15:00:00	1	1	33.5	18	6	2.61	238.8
2026/07/18 16:00:00	0.9	0.9	30.3	18	8	2.88	234.9
2026/07/18 17:00:00	1.2	1.9	29.4	20	6	2.34	228
2026/07/18 18:00:00	1.2	3.1	25.9	21	4	2.71	209.1
2026/07/18 19:00:00	0.9	3	25	18	4	3.37	152.5
2026/07/18 20:00:00	1	3.5	22.2	16	7	2.91	148
2026/07/18 21:00:00	1	3.4	20.5	21	7	2.44	171.1
2026/07/18 22:00:00	1	3.5	18.7	18	6	1.83	177.7
2026/07/18 23:00:00	0.7	2.9	18.7	18	7	1.61	175

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/19 00:00:00	0.7	4.1	16.4	19	10	1.98	164.7
2026/07/19 01:00:00	0.7	4.7	14.5	21	10	1.78	163
2026/07/19 02:00:00	0.9	4.4	15	21	8	1.81	162
2026/07/19 03:00:00	0.9	3.1	15.4	20	12	1.71	165.7
2026/07/19 04:00:00	0.9	2.8	14.4	20	12	2.12	156.3
2026/07/19 05:00:00	0.9	2.2	15.1	20	9	1.56	158.3
2026/07/19 06:00:00	1	2.6	14.4	31	9	1.64	162.5
2026/07/19 07:00:00	1.4	3.6	14.8	20	13	1.66	180
2026/07/19 08:00:00	1.4	3	19.7	24	12	1.88	188.6
2026/07/19 09:00:00	1.1	2	28.3	23	9	2.91	212.3
2026/07/19 10:00:00	1.1	1.9	26	32	10	2.08	233.3
2026/07/19 11:00:00	1.4	2	27.5	25	13	1.54	249.4
2026/07/19 12:00:00	1.4	2.8	28.1	22	10	1.64	184.4
2026/07/19 13:00:00	0.7	1.2	31.3	25	9	0.27	223.3
2026/07/19 14:00:00	1.1	2	28.8	16	9	2.05	243.8
2026/07/19 15:00:00	0.9	1.4	27.4	18	5	2.59	211
2026/07/19 16:00:00	0.9	1.3	28.6	26	5	3	209.4
2026/07/19 17:00:00	0.9	1.3	32	21	11	2.39	202.9
2026/07/19 18:00:00	0.9	1.2	31.9	26	11	3.27	207.6
2026/07/19 19:00:00	1	1.4	30.5	31	11	2.93	207
2026/07/19 20:00:00	0.7	1.5	25.8	23	7	1.93	201.9
2026/07/19 21:00:00	0.6	1.8	25	24	9	1.78	197.2
2026/07/19 22:00:00	0.6	2.2	20.5	21	10	1.98	196.3
2026/07/19 23:00:00	0.5	2.9	18.2	26	11	1.68	193.4
2026/07/20 00:00:00	0.6	2.4	19.7	24	9	2.71	207.5
2026/07/20 01:00:00	0.6	1.7	21.6	17	10	1.95	205.5
2026/07/20 02:00:00	0.7	2.3	20.4	15	8	1.59	160.9
2026/07/20 03:00:00	0.7	3	17.1	17	7	1.95	154
2026/07/20 04:00:00	0.9	3.9	16	22	6	1.49	158.3
2026/07/20 05:00:00	0.9	3.8	15.5	29	6	2.49	153.4
2026/07/20 06:00:00	0.9	2.6	15.3	22	10	1.71	149.6
2026/07/20 07:00:00	1	4	13.3	20	9	0.68	142.7
2026/07/20 08:00:00	0.7	3.8	17.5	22	5	1.44	182.7
2026/07/20 09:00:00	0.9	3.9	21.6	21	9	2.44	216.7
2026/07/20 10:00:00	0.6	1.9	28.1	28	8	2.81	257.2
2026/07/20 11:00:00	--	--	--	--	--	--	224.4
2026/07/20 12:00:00	--	--	--	--	--	--	196.6
2026/07/20 13:00:00	2	--	39.2	14	--	2.15	202

台電 台中電廠 線西測站

2026/07/20 14:00:00	2.2	--	35.8	14	6	2.47	246.6
2026/07/20 15:00:00	2.9	3.4	39.2	19	5	1.93	244.9
2026/07/20 16:00:00	3.4	5.7	39.9	28	15	2.71	254.9
2026/07/20 17:00:00	1.6	1.4	40.8	12	13	2.74	257.8
2026/07/20 18:00:00	1.6	1.8	46.6	18	10	2.59	257.3
2026/07/20 19:00:00	1.4	1.9	40.5	18	11	1.9	260
2026/07/20 20:00:00	1.6	2.3	34.7	13	10	1.03	248.2
2026/07/20 21:00:00	1.7	2.3	23.7	10	11	1.39	196.1
2026/07/20 22:00:00	1.4	2	24.1	20	8	1.05	182.7
2026/07/20 23:00:00	1.4	1.7	25.4	18	7	1.25	182.2

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/21 00:00:00	1.4	1.8	24.1	19	14	1.27	177.9
2026/07/21 01:00:00	1.5	1.5	23.9	15	11	1.15	198
2026/07/21 02:00:00	1.6	4	22.1	16	4	0.68	179.7
2026/07/21 03:00:00	1.7	7.8	14.4	20	6	0.61	179.9
2026/07/21 04:00:00	1.8	8.1	13.9	32	13	1.15	173.2
2026/07/21 05:00:00	1.8	7.5	12.2	26	14	1.34	144.7
2026/07/21 06:00:00	1.7	7	13.4	30	16	1.25	143.8
2026/07/21 07:00:00	1.8	7.2	11.4	25	15	0.56	135.4
2026/07/21 08:00:00	2.1	3.4	22.6	29	13	1.64	177.8
2026/07/21 09:00:00	2	3.1	28.6	26	14	1.95	194
2026/07/21 10:00:00	1.8	2.9	34.1	27	13	2.08	212.8
2026/07/21 11:00:00	2	2.2	40	29	17	1.59	238.9
2026/07/21 12:00:00	2.1	2	52.9	29	17	2.15	256.4
2026/07/21 13:00:00	2.3	2.3	47.7	34	19	2.74	262.2
2026/07/21 14:00:00	1.6	1.2	32.4	30	22	3.15	268
2026/07/21 15:00:00	1.5	0.5	34.3	25	11	3.47	263.6
2026/07/21 16:00:00	1.5	0.8	37	28	10	3	250.5
2026/07/21 17:00:00	1.6	0.9	38.8	27	18	1.73	252.3
2026/07/21 18:00:00	1.7	2	39.6	31	18	0.68	233.3
2026/07/21 19:00:00	1.4	4.9	30.5	38	19	1.86	117.3
2026/07/21 20:00:00	1.4	4.9	30.8	21	12	1.98	124
2026/07/21 21:00:00	1.6	4.4	30.8	20	7	1.1	160
2026/07/21 22:00:00	1.6	4.2	26.3	14	9	0.12	182.9
2026/07/21 23:00:00	1.7	7.8	16.8	17	11	0.68	93.9
2026/07/22 00:00:00	1.6	5.4	17.5	19	13	0.61	104.4
2026/07/22 01:00:00	2.1	5.4	16.7	17	10	0.46	148
2026/07/22 02:00:00	1.7	6.6	11.7	12	8	0.56	138.6
2026/07/22 03:00:00	1.8	6.3	15.4	14	9	0.95	158.9
2026/07/22 04:00:00	1.6	4.9	16.8	23	13	0.66	179
2026/07/22 05:00:00	1.5	4.5	15.9	22	15	0.71	150.3
2026/07/22 06:00:00	1.6	6.7	6.5	24	16	0.95	110.6
2026/07/22 07:00:00	1.6	7.5	6.6	22	13	0.73	90.6
2026/07/22 08:00:00	1.7	6.6	14.2	28	10	0.85	114.5
2026/07/22 09:00:00	1.8	3.8	29.9	31	12	0.98	179.8
2026/07/22 10:00:00	2	3.1	31	31	15	1.29	217.1
2026/07/22 11:00:00	2	2.6	36.3	33	15	1.86	250.3
2026/07/22 12:00:00	1.8	1.7	41.8	37	20	2.22	260.7

台電 台中電廠 線西測站

2026/07/22 13:00:00	2	1.9	38	37	20	2.32	274.5
2026/07/22 14:00:00	1.6	1.4	32.7	56	20	2.27	272.1
2026/07/22 15:00:00	1.6	1.4	34.2	54	16	2.39	272.6
2026/07/22 16:00:00	1.7	2.9	28.8	51	22	2.49	267.2
2026/07/22 17:00:00	1.5	1.5	32.4	42	22	2.32	268.6
2026/07/22 18:00:00	1.5	1.9	30.3	42	14	1.49	262.2
2026/07/22 19:00:00	1.6	1.8	25.8	33	15	0.51	251.5
2026/07/22 20:00:00	1.6	1.9	25.3	39	15	0.51	218.6
2026/07/22 21:00:00	1.5	1.9	25	36	15	0.44	189.7
2026/07/22 22:00:00	1.8	4.7	20.3	33	19	0.32	222.1
2026/07/22 23:00:00	1.7	5.9	19.7	41	15	0.27	221.8

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/23 00:00:00	1.8	4.5	20.9	47	20	0.17	203.2
2026/07/23 01:00:00	1.7	5.1	17.1	36	22	0.49	188.7
2026/07/23 02:00:00	1.6	3.4	17.3	48	26	0.56	178.6
2026/07/23 03:00:00	1.6	3.5	18.3	41	23	0.59	182.1
2026/07/23 04:00:00	1.5	4.6	14.7	37	17	0.34	184.7
2026/07/23 05:00:00	1.5	6.5	12.5	38	15	0.68	159.4
2026/07/23 06:00:00	1.6	7.3	12.5	27	12	0.29	160
2026/07/23 07:00:00	1.6	5.9	15	38	20	0.93	158.9
2026/07/23 08:00:00	1.7	4.4	19.2	38	17	0.98	160.7
2026/07/23 09:00:00	1.6	2.6	24.5	38	18	0.73	195.8
2026/07/23 10:00:00	1.8	1.9	32.6	31	23	1.22	253.4
2026/07/23 11:00:00	1.7	3.1	33.7	31	17	2.44	268.5
2026/07/23 12:00:00	1.6	1.4	24.1	32	20	2.25	267.9
2026/07/23 13:00:00	1.5	0.8	26.6	32	14	2.15	286.1
2026/07/23 14:00:00	1.5	0.7	32.8	40	14	2.44	305
2026/07/23 15:00:00	1.6	1	30.9	35	15	2.03	310.8
2026/07/23 16:00:00	1.5	1.5	22.7	41	20	2.22	341.5
2026/07/23 17:00:00	1.7	4	23.7	38	21	1.59	337.3
2026/07/23 18:00:00	2.8	9.7	19.4	36	23	1.07	325.7
2026/07/23 19:00:00	2.1	6.8	26.5	38	19	1.39	334.6
2026/07/23 20:00:00	2	5.2	22.3	31	18	0.95	332.1
2026/07/23 21:00:00	2	7	29.9	35	15	0.34	308.8
2026/07/23 22:00:00	2.8	9.4	20.4	36	20	0.85	327.9
2026/07/23 23:00:00	3.1	12	27.1	31	17	0.66	318.5
2026/07/24 00:00:00	2.3	7.3	24.7	38	20	0.32	328.1
2026/07/24 01:00:00	1.7	4.4	24.2	37	17	0.51	343.1
2026/07/24 02:00:00	1.8	9.4	13.1	22	20	0.2	69.7
2026/07/24 03:00:00	1.8	11.3	13.3	32	19	0.17	42.5
2026/07/24 04:00:00	1.6	9.3	15.5	33	24	0.22	351.9
2026/07/24 05:00:00	1.5	8.6	23.2	32	17	0.76	343.2
2026/07/24 06:00:00	1.5	4.4	21.2	32	16	1.49	340
2026/07/24 07:00:00	1.7	5.4	18.2	31	17	1.39	346
2026/07/24 08:00:00	1.8	7.9	21.6	29	21	2.12	350.2
2026/07/24 09:00:00	2	4.5	30.3	34	19	2.88	337.8
2026/07/24 10:00:00	2	2.6	39.1	34	19	3	336.3
2026/07/24 11:00:00	1.8	2	42.4	37	25	2.78	333.4

台電 台中電廠 線西測站

2026/07/24 12:00:00	1.8	1.9	42.4	32	18	2.93	326.5
2026/07/24 13:00:00	1.8	1.7	43.6	24	16	2.59	328.9
2026/07/24 14:00:00	1.8	1.7	41.1	26	15	2.15	326.7
2026/07/24 15:00:00	2.8	4	43.5	34	17	1.73	324
2026/07/24 16:00:00	2.7	3.3	51.4	36	15	2.08	322
2026/07/24 17:00:00	2.5	4.2	78.8	25	19	2.3	329.9
2026/07/24 18:00:00	4.3	13.5	58.9	37	27	1.66	332.6
2026/07/24 19:00:00	1.8	4.6	54.2	38	27	1.29	322.9
2026/07/24 20:00:00	2.3	2.8	66.5	38	17	0.59	288.9
2026/07/24 21:00:00	1.8	2.8	68.1	38	21	0.49	239.3
2026/07/24 22:00:00	2.2	2.9	56.2	31	15	0.81	192.4
2026/07/24 23:00:00	1.8	2.6	67.6	39	21	0.83	198.2

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/25 00:00:00	1.7	3.5	61.9	49	27	1.25	186.5
2026/07/25 01:00:00	1.7	2.6	67.3	56	36	1.73	167.3
2026/07/25 02:00:00	1.8	2.6	72.2	52	35	1.83	158.1
2026/07/25 03:00:00	1.7	2	59.3	56	40	1.68	142.9
2026/07/25 04:00:00	1.7	2.8	47	56	32	1.1	169.4
2026/07/25 05:00:00	1.7	3	37.7	46	27	0.88	170.4
2026/07/25 06:00:00	1.6	3.9	29.8	49	30	2.08	147.2
2026/07/25 07:00:00	1.7	4.5	22.6	35	23	2.44	139
2026/07/25 08:00:00	2	6.1	24.7	42	23	1.66	108.1
2026/07/25 09:00:00	2.1	6.5	26.9	52	36	1.54	107.3
2026/07/25 10:00:00	2	5.4	33.2	38	15	0.2	194.4
2026/07/25 11:00:00	2.3	3.5	44.7	31	20	1.07	253.5
2026/07/25 12:00:00	2.2	1.5	47.3	36	14	1.9	265.7
2026/07/25 13:00:00	2.2	1.4	53.6	29	17	1.95	280.1
2026/07/25 14:00:00	2	1.8	49	34	20	1.9	273
2026/07/25 15:00:00	1.6	1.7	45.4	29	11	1.78	265.9
2026/07/25 16:00:00	1.4	1.3	60	26	11	1.05	251.3
2026/07/25 17:00:00	1.4	1.5	29.3	26	15	0.93	186.5
2026/07/25 18:00:00	1.6	3.5	21.1	15	14	1.15	143.6
2026/07/25 19:00:00	1.5	5.7	24.9	27	12	1.22	165.7
2026/07/25 20:00:00	1.6	5.7	23.8	12	9	0.85	201.7
2026/07/25 21:00:00	1.5	4.2	24.3	13	14	1	187.3
2026/07/25 22:00:00	1.6	5.2	22.5	14	11	0.61	146
2026/07/25 23:00:00	1.5	5.7	28	14	16	0.29	152.4
2026/07/26 00:00:00	1.6	6	21.7	14	12	0.76	78.1
2026/07/26 01:00:00	1.7	7.5	18.1	21	15	0.29	126.6
2026/07/26 02:00:00	1.5	6.3	18.6	20	16	1.12	102.9
2026/07/26 03:00:00	1.5	6.2	20.9	24	16	0.88	98
2026/07/26 04:00:00	1.5	6	17.9	27	18	0.17	14.1
2026/07/26 05:00:00	1.5	6.7	12	27	16	0.15	82.6
2026/07/26 06:00:00	1.6	7	11.1	23	14	0.1	101.3
2026/07/26 07:00:00	1.6	7.5	14.3	25	14	0.56	73.4
2026/07/26 08:00:00	1.7	5.6	18.9	25	20	0.56	72.3
2026/07/26 09:00:00	2.2	5.7	20.6	33	14	1.03	44.6
2026/07/26 10:00:00	2.6	4	30.3	32	13	2.76	26.8

台電 台中電廠 線西測站

2026/07/26 11:00:00	3.2	4.4	36.3	21	18	3.57	0.2
2026/07/26 12:00:00	3.4	5.1	34.2	22	12	4.1	350.7
2026/07/26 13:00:00	4.3	4.9	41.8	29	7	3.83	350.8
2026/07/26 14:00:00	6.2	7.3	42.9	25	9	4.3	355.5
2026/07/26 15:00:00	5.7	6.8	34.1	25	10	4	351.8
2026/07/26 16:00:00	3.9	5	33.8	27	12	3.37	342.6
2026/07/26 17:00:00	2.2	4.5	37.9	22	13	1.95	4
2026/07/26 18:00:00	2.3	4.4	32.1	25	12	1.78	31.1
2026/07/26 19:00:00	2.2	4.5	33.1	17	11	1.37	12.6
2026/07/26 20:00:00	2.2	4.6	32.5	24	10	1.44	31.4
2026/07/26 21:00:00	2	5.7	30.2	20	14	0.78	163.5
2026/07/26 22:00:00	1.6	4.7	25.3	18	12	0.51	194.7
2026/07/26 23:00:00	1.5	4.1	25.4	21	11	0.56	211.2

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/27 00:00:00	1.5	4.2	25.8	20	12	0.46	184.9
2026/07/27 01:00:00	1.6	4.5	20.9	24	13	0.66	191.6
2026/07/27 02:00:00	1.6	4.4	23.8	19	14	0.71	184.9
2026/07/27 03:00:00	1.5	6	21.9	23	16	1.12	167.7
2026/07/27 04:00:00	1.5	5.5	15.4	31	14	1.56	147.2
2026/07/27 05:00:00	1.5	5.5	13.7	23	15	1.71	169.2
2026/07/27 06:00:00	1.5	6.2	12.7	28	14	0.95	176.9
2026/07/27 07:00:00	1.5	6.5	9.4	21	12	1.1	106.2
2026/07/27 08:00:00	1.7	7.9	11.6	26	12	1.07	101.8
2026/07/27 09:00:00	1.8	8.6	15	27	10	0.95	54
2026/07/27 10:00:00	2.1	7	27.2	22	11	0.9	354.8
2026/07/27 11:00:00	2.2	4.9	29.3	21	12	1.2	331.9
2026/07/27 12:00:00	2.8	5.2	34.1	14	7	1.47	332
2026/07/27 13:00:00	5.1	7	35.2	17	6	1.34	332.1
2026/07/27 14:00:00	2.6	2.2	56.5	21	11	2.52	322.5
2026/07/27 15:00:00	2	2	45.8	13	13	2.98	278.5
2026/07/27 16:00:00	1.5	2.2	37.2	13	12	2.15	221
2026/07/27 17:00:00	1.5	2.8	31.7	12	9	0.59	151.9
2026/07/27 18:00:00	1.4	8.6	23.8	9	10	1.17	100.6
2026/07/27 19:00:00	1.5	12	21.2	8	9	1.22	98.4
2026/07/27 20:00:00	1.5	14.9	16.8	8	8	0.88	100.7
2026/07/27 21:00:00	1.6	10.3	18.2	15	11	1.25	70.8
2026/07/27 22:00:00	1.5	11.8	13.3	14	12	0.44	80.5
2026/07/27 23:00:00	1.5	13.1	10.5	15	10	0.54	73.7
2026/07/28 00:00:00	1.5	13	9.5	16	7	0.37	83
2026/07/28 01:00:00	1.4	12.6	6.8	23	4	0.61	82.3
2026/07/28 02:00:00	1.5	8.9	9.9	21	8	0.68	86.5
2026/07/28 03:00:00	1.4	6.7	14.2	25	6	0.66	80.9
2026/07/28 04:00:00	1.4	7.9	9.6	23	12	0.9	53.6
2026/07/28 05:00:00	1.5	10.5	6.1	20	9	0.39	55.6
2026/07/28 06:00:00	1.6	11	4.6	23	4	0.51	56.3
2026/07/28 07:00:00	1.8	10.2	8.7	26	6	1.54	50.7
2026/07/28 08:00:00	2.6	7.6	19.9	20	9	2.27	39.5
2026/07/28 09:00:00	2.5	7	30.6	29	8	3.13	35.1

台電 台中電廠 線西測站

2026/07/28 10:00:00	1.8	4.4	43	32	15	3.79	25
2026/07/28 11:00:00	2.9	6.8	43.3	18	11	3.49	7.7
2026/07/28 12:00:00	2.7	6.3	42.6	25	14	4.35	4.2
2026/07/28 13:00:00	4.5	6.3	37.5	24	11	3.93	356.2
2026/07/28 14:00:00	2.7	3.3	48.8	14	11	3.98	347.8
2026/07/28 15:00:00	2	3	40.8	20	8	3.47	336.4
2026/07/28 16:00:00	1.6	2.9	47	18	6	2.98	337.8
2026/07/28 17:00:00	2.5	5.5	38	10	8	3.13	352.1
2026/07/28 18:00:00	5.3	11.6	24.1	12	8	2.59	17.2
2026/07/28 19:00:00	3.3	7.7	24.5	23	8	1.78	21.2
2026/07/28 20:00:00	2.2	7.5	24.4	21	6	0.95	350
2026/07/28 21:00:00	2.3	7.9	21.2	14	5	0.76	2.8
2026/07/28 22:00:00	2.1	6	34.8	18	8	1.44	331
2026/07/28 23:00:00	1.4	1.2	43.8	18	10	1.78	330.5

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/29 00:00:00	1.5	2.6	39.9	12	11	1.59	324.3
2026/07/29 01:00:00	1.5	4.1	33.8	17	12	1.9	323.5
2026/07/29 02:00:00	1.6	5.7	32.6	21	12	1.32	328.2
2026/07/29 03:00:00	1.7	5.2	36	18	11	1	318.7
2026/07/29 04:00:00	1.4	3.4	33.8	16	8	0.27	336.8
2026/07/29 05:00:00	1.5	3.3	28.3	11	8	0.27	87.5
2026/07/29 06:00:00	1.5	7.6	1.5	12	6	0.66	94.1
2026/07/29 07:00:00	1.5	8.1	9.4	21	14	0.71	87.5
2026/07/29 08:00:00	1.5	8.6	11.4	23	12	0.24	107.3
2026/07/29 09:00:00	1.7	10.7	14.2	21	10	0.29	359.9
2026/07/29 10:00:00	2.5	8.8	16.2	28	10	1.12	349.3
2026/07/29 11:00:00	2	5.7	21	23	11	1.78	337.8
2026/07/29 12:00:00	1.8	3.5	30.2	17	9	2.05	335.4
2026/07/29 13:00:00	2.2	3.8	44.7	18	8	2.25	330.5
2026/07/29 14:00:00	1.8	2.3	51.6	22	7	2.3	320.8
2026/07/29 15:00:00	1.7	2.3	45.5	20	9	2.56	316.9
2026/07/29 16:00:00	1.8	3	40.3	22	10	2.42	321.8
2026/07/29 17:00:00	1.7	2.6	44.3	21	10	2.49	325.6
2026/07/29 18:00:00	1.7	5.5	46.8	23	12	2.27	331.8
2026/07/29 19:00:00	1.5	2	44.8	22	11	1.44	326.2
2026/07/29 20:00:00	1.4	1.5	48.1	19	12	0.63	275.7
2026/07/29 21:00:00	1.2	1.5	48.5	27	15	0.54	241
2026/07/29 22:00:00	1.2	1.8	47.3	27	11	0.56	236.2
2026/07/29 23:00:00	1.6	1.2	44	23	7	0.76	216.9
2026/07/30 00:00:00	1.4	1.2	44.2	27	12	0.44	229
2026/07/30 01:00:00	1.2	1.7	43.6	30	10	0.49	177.8
2026/07/30 02:00:00	1.4	1.4	46.5	32	9	0.71	181.5
2026/07/30 03:00:00	1.4	1.7	47	41	14	1.05	180.4
2026/07/30 04:00:00	1.4	2.6	34.8	40	21	1.51	176.1
2026/07/30 05:00:00	1.4	5.2	15.6	42	17	1.44	163.3
2026/07/30 06:00:00	1.5	5.6	18.7	30	15	1.1	158.3
2026/07/30 07:00:00	1.6	5.1	17.7	33	14	0.9	153.3
2026/07/30 08:00:00	1.8	5.7	24.9	28	17	0.93	146.8

台電 台中電廠 線西測站

2026/07/30 09:00:00	2	4.7	31.3	38	12	0.59	185.5
2026/07/30 10:00:00	1.8	3	39.2	35	16	0.61	298.4
2026/07/30 11:00:00	1.8	4.9	54.6	35	16	2.15	322.1
2026/07/30 12:00:00	1.6	2.8	44.3	43	20	2.27	323
2026/07/30 13:00:00	1.5	2	41.1	30	11	2.17	327.1
2026/07/30 14:00:00	1.7	3.6	41.9	16	9	2.08	327.3
2026/07/30 15:00:00	1.6	2.4	42	19	7	1.93	324.7
2026/07/30 16:00:00	1.5	1.8	41.1	29	10	2.1	305
2026/07/30 17:00:00	1.6	2.5	36.5	26	11	1.98	326.2
2026/07/30 18:00:00	1.5	1.9	41.9	19	9	2.61	336.1
2026/07/30 19:00:00	1.6	2.5	36.9	20	10	1.93	336.6
2026/07/30 20:00:00	1.5	3.4	32.8	19	9	1.86	340.3
2026/07/30 21:00:00	1.5	2.4	34.4	23	15	0.98	354.3
2026/07/30 22:00:00	1.7	2.5	34.6	19	12	0.24	334.4
2026/07/30 23:00:00	2.1	4.5	26.9	28	12	0.73	197.5

台電 台中電廠 線西測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m3)	PM25 (µg/m3)迴歸	風速 (m/s)	風向
2026/07/31 00:00:00	2	4	28.2	28	12	1.12	208.7
2026/07/31 01:00:00	1.6	3.8	28.9	25	11	1	202.8
2026/07/31 02:00:00	1.7	3.1	28.4	30	13	1	193.9
2026/07/31 03:00:00	1.5	2.5	34.4	30	15	0.93	184.6
2026/07/31 04:00:00	1.5	3.1	18.6	37	20	1.25	161.7
2026/07/31 05:00:00	1.6	5.5	23	35	14	1.03	174.7
2026/07/31 06:00:00	1.5	5.4	25	36	15	0.95	163.5
2026/07/31 07:00:00	1.5	5.6	22.8	33	13	0.81	166.2
2026/07/31 08:00:00	1.8	7.5	15.6	37	17	0.68	100.7
2026/07/31 09:00:00	2.1	9.7	16.8	39	18	0.9	95
2026/07/31 10:00:00	1.8	5.9	29.5	35	12	0.44	60
2026/07/31 11:00:00	1.8	4.1	44.3	39	12	1.83	319.6
2026/07/31 12:00:00	1.8	4.6	38.3	28	11	2.05	329.8
2026/07/31 13:00:00	1.6	2.8	40.7	23	11	1.83	326.7
2026/07/31 14:00:00	3.1	6.5	34.4	30	9	1.76	322.9
2026/07/31 15:00:00	1.8	4.6	40	27	10	1.78	297.1
2026/07/31 16:00:00	1.8	4.9	32.8	40	13	1.32	297.1
2026/07/31 17:00:00	2.8	5.6	47.7	33	10	0.93	280.4
2026/07/31 18:00:00	1.8	5.6	41.9	45	15	1.66	287
2026/07/31 19:00:00	1.4	2.8	39.8	65	14	1.34	272.3
2026/07/31 20:00:00	1.5	4.9	34.7	32	13	0.73	296
2026/07/31 21:00:00	1.5	2.8	38	53	14	0.44	335
2026/07/31 22:00:00	1.5	1.8	31.4	18	9	0.29	243.5
2026/07/31 23:00:00	1.4	1.7	32.6	24	4	0.32	241.5