

臺中市政府環境保護局
空氣品質監測月報表

測站名稱： 清水

監測時間: 2026/8/1 ~ 2026/8/31

項目 日期	二氧化氮(NO ₂)ppb				二氧化硫(SO ₂)ppb				懸浮微粒(PM-10) μg/m ³			臭氧(O ₃)ppb		懸浮微粒(PM-2.5) μg/m ³			風速	風向
	每日	小時	小時	超限	每日	小時	小時	超限	每日	小時	超限	每日	小時	每日	小時	超限	每日	每日
	平均值	最大值	最小值	次數	平均值	最大值	最小值	次數	平均值	最大值	次數	平均值	最大值	平均值	最大值	次數	平均值	平均值
01	7.04	17.6	3.2	0	1.8	3.1	1.5	0	14.6	20	0	23.28	39.1	7.2	11	0	1.07	西北
02	4.93	7.4	2.2	0	1.67	2.3	1.2	0	13.5	22	0	17.54	28	4.7	12	0	1.38	西北
03	5.32	12.1	3.1	0	1.53	2.1	1.3	0	11.6	17	0	19	39.9	3.2	8	0	1.51	北
04	6.76	16.4	2.4	0	1.67	2.1	1.3	0	23	31	0	22.35	58.7	8.1	15	0	1.79	南南東
05	6.89	14	3.1	0	1.67	3.4	1.2	0	23.6	35	0	31.89	55.1	10.8	14	0	1.74	北
06	7.1	16.5	2.2	0	1.56	2.3	1.3	0	24.8	38	0	33.82	59.8	12.2	21	0	1.85	北
07	6.75	15.4	2.4	0	1.61	2	1.2	0	26.7	32	0	30.24	48	15.2	21	0	1.83	北北西
08	5.79	14	3.1	0	1.79	3.4	1.2	0	21	30	0	43.66	65.1	10.3	17	0	1.86	東南東
09	5.57	8.4	3.2	0	1.46	1.7	1.3	0	18.6	30	0	30.8	38.7	9.4	13	0	2.69	南南東
10	4.87	7	2.4	0	1.47	1.8	1.2	0	25.5	42	0	37.67	45.8	11.3	17	0	3.57	南
11	5.64	8.3	3.1	0	1.57	2.1	1.1	0	34.1	48	0	40.45	56.7	16.2	27	0	3.03	南
12	5.85	9.2	3.1	0	1.55	2	1.3	0	34.5	44	0	33.99	90	17	23	0	2.56	南
13	5.55	8.1	2.4	0	1.66	2.8	1.2	0	32.1	40	0	33.82	51	15.1	22	0	2.62	南
14	5.89	8.8	3.7	0	1.7	3.3	1.2	0	22.8	32	0	25.26	41.9	9.2	12	0	2.72	南
15	4.44	6.8	2.9	0	1.25	1.5	1.1	0	15.1	22	0	22.16	32.7	6.3	10	0	2.78	南
16	6.6	14	3.4	0	1.94	5.3	1.2	0	14.2	24	0	21.72	32.7	4.2	8	0	2.2	南
17	6.27	17.6	2.6	0	1.34	2	1.1	0	17	25	0	21.65	49.3	6.5	14	0	1.5	東
18	7.82	17.8	3.5	0	1.57	2.7	1.2	0	25.9	36	0	31.28	50.2	13.1	21	0	1.22	北北西
19	8.82	18.2	3.3	0	1.41	2	1.1	0	23.7	35	0	25.2	53.4	10.4	15	0	1.6	南南東
20	7.32	14.7	3.2	0	1.44	1.7	1.2	0	14.6	28	0	23.45	38.1	3.5	10	0	2.28	南南東
21	5.36	8.9	0.4	0	1.53	1.7	1.2	0	11.8	17	0	21.42	31.3	2.9	5	0	2.68	南
22	5.65	9.6	2.8	0	1.29	1.6	1.1	0	11.9	56	0	21.43	29.4	2.7	8	0	2.93	南
23	6.58	12.1	2.6	0	1.57	2.1	1.2	0	12.2	24	0	24.73	45.9	3.2	7	0	1.18	東南
24	10.04	14.9	3.9	0	1.3	1.5	1.2	0	11.3	21	0	12.88	23.1	3.3	10	0	0.98	東
25	11.85	21.6	4.9	0	1.42	1.7	1.3	0	12.3	20	0	12.88	23	4.1	8	0	1.35	南南東
26	10.37	14	5.6	0	2.05	4.9	1.1	0	21.5	33	0	24.64	54.8	9.7	19	0	1.3	西
27	6.19	9	4.2	0	1.37	1.6	1.2	0	22.3	31	0	20.12	31.1	9.9	17	0	2.16	南南東
28	5.17	8.1	2.2	0	1.21	1.3	1.1	0	21.3	29	0	23.61	33.1	8	15	0	2.85	南南東
29	5.75	10.3	3.2	0	1.45	3.2	1.2	0	16.7	26	0	27.17	42.5	5.2	9	0	1.8	南南東
30	5.95	10.4	2.8	0	1.82	3.5	1.3	0	17.5	24	0	23.3	54.9	5.6	11	0	1.27	東北東
31	8.23	17.2	4.5	0	1.68	2.1	1.5	0	16.3	25	0	23.37	45.7	3.7	9	0	1.34	東北東
月平均值	6.7				1.6				19.7			26		8.1			2	
最大值 發生日期	11.85 25				2.05 26				34.5 12					17 12			3.57 10	
超標準次數				0				0			0	8				0		
日標準值									75					30				
時標準值		100				65												

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/01 00:00:00	1.8	5.1	22.6	17	8	0.99	147.6
2026/08/01 01:00:00	1.5	7	18.6	14	7	0.89	160.5
2026/08/01 02:00:00	1.7	4	21.1	12	6	1.18	167.3
2026/08/01 03:00:00	1.6	4.9	21.5	12	6	0.81	142.9
2026/08/01 04:00:00	1.7	9.2	14.8	14	7	0.55	118.6
2026/08/01 05:00:00	1.6	14	8.2	15	6	0.32	82.8
2026/08/01 06:00:00	1.6	17.6	4	17	6	0.46	84
2026/08/01 07:00:00	1.7	12.2	10	16	8	0.42	117
2026/08/01 08:00:00	2	9.5	17.2	19	10	0.66	47.1
2026/08/01 09:00:00	2.2	8.7	20.8	18	8	0.76	7.3
2026/08/01 10:00:00	3.1	7.1	26.3	20	9	1.31	337
2026/08/01 11:00:00	2.3	4.5	29.5	18	8	2.01	309.6
2026/08/01 12:00:00	2	5.1	28.2	12	7	1.79	311.8
2026/08/01 13:00:00	2	3.4	33.9	15	6	1.43	324.2
2026/08/01 14:00:00	1.8	3.9	35.9	12	6	1.86	318.4
2026/08/01 15:00:00	1.8	3.2	39.1	10	7	1.56	315.3
2026/08/01 16:00:00	1.7	3.4	38.3	12	6	1.6	336.4
2026/08/01 17:00:00	2	3.5	36.6	13	6	1.42	337
2026/08/01 18:00:00	1.6	4.4	30.8	13	7	1.86	307.3
2026/08/01 19:00:00	1.6	6.6	26.9	14	7	1.12	339.3
2026/08/01 20:00:00	1.5	4.6	27	12	7	0.53	4.4
2026/08/01 21:00:00	1.5	6.7	20.9	13	7	0.98	75.3
2026/08/01 22:00:00	1.6	7.9	19.2	15	8	0.67	84.3
2026/08/01 23:00:00	1.5	7.8	18.1	17	9	0.63	84
2026/08/02 00:00:00	1.8	9.9	12	18	11	0.81	77.4
2026/08/02 01:00:00	2.3	7.4	16.1	17	11	0.73	154.4
2026/08/02 02:00:00	2	6.1	17.5	17	7	0.83	152.6
2026/08/02 03:00:00	2.1	6.6	17.8	15	6	0.61	143.7
2026/08/02 04:00:00	2	7.4	15.3	16	7	0.5	112.5
2026/08/02 05:00:00	1.7	7.3	11.8	19	7	0.98	66.7
2026/08/02 06:00:00	1.6	7.2	11.2	19	9	1.1	65.1
2026/08/02 07:00:00	1.6	5.9	13.3	18	6	1.2	57.8
2026/08/02 08:00:00	1.8	5.1	17.1	13	4	1.38	49.1
2026/08/02 09:00:00	2.2	6.1	19.8	18	7	0.93	19.3
2026/08/02 10:00:00	2.2	5	24.9	22	12	1.23	328.5
2026/08/02 11:00:00	2	3.7	28	22	11	2.08	307.1
2026/08/02 12:00:00	1.7	2.7	24.7	19	8	2.06	310.2
2026/08/02 13:00:00	1.5	2.2	19.9	14	4	2.11	323.7
2026/08/02 14:00:00	1.5	2.6	14.9	9	2	2.08	311.1
2026/08/02 15:00:00	1.5	2.3	12.1	8	1	2.12	305.8
2026/08/02 16:00:00	1.2	2.6	14.8	9	1	1.68	324
2026/08/02 17:00:00	1.5	4.6	14	8	1	1.62	325.3
2026/08/02 18:00:00	1.5	5	19.9	8	2	1.75	318.9
2026/08/02 19:00:00	1.3	3.9	21.7	10	2	1.43	321.5
2026/08/02 20:00:00	1.5	4.9	21.7	9	1	1.59	310.8
2026/08/02 21:00:00	1.6	4.9	20.8	7	1	1.76	303.5
2026/08/02 22:00:00	1.5	5.5	15.8	8	1	1.56	305.5

台電 台中電廠 清水測站

2026/08/02 23:00:00	1.2	4.5	15.9	11	1	0.93	310.4
---------------------	-----	-----	------	----	---	------	-------

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/03 00:00:00	1.2	4.9	12.1	8	1	0.89	57.4
2026/08/03 01:00:00	1.5	4.5	10.3	9	1	0.94	79.6
2026/08/03 02:00:00	1.6	5	8.5	10	2	0.79	69.4
2026/08/03 03:00:00	1.5	5.5	7.7	10	1	0.73	74.9
2026/08/03 04:00:00	1.5	5.9	7.6	5	2	0.88	67.3
2026/08/03 05:00:00	1.3	5.7	6.2	3	4	1.16	71.7
2026/08/03 06:00:00	1.5	8.4	3.4	7	2	1.22	62.6
2026/08/03 07:00:00	1.5	7.3	6.2	9	1	0.99	38.9
2026/08/03 08:00:00	1.8	5.6	11	12	1	1.54	24.9
2026/08/03 09:00:00	2.1	5.9	14.3	11	1	1.75	19.4
2026/08/03 10:00:00	1.7	5.4	17.3	13	2	1.79	1.8
2026/08/03 11:00:00	1.7	5	25.5	13	3	2	354.4
2026/08/03 12:00:00	1.7	4.2	34.1	12	3	2.5	342.6
2026/08/03 13:00:00	1.5	3.3	34.7	15	3	2.47	341
2026/08/03 14:00:00	1.5	3.2	27.7	11	5	2.38	340.6
2026/08/03 15:00:00	1.6	3.1	32.2	11	5	2.43	335.6
2026/08/03 16:00:00	1.6	3.1	39.9	11	4	2.27	343.1
2026/08/03 17:00:00	1.7	3.7	38.9	17	5	2.31	358.6
2026/08/03 18:00:00	1.7	3.9	32.7	14	8	2.38	8.2
2026/08/03 19:00:00	1.3	4.2	23.3	14	7	1.71	4.4
2026/08/03 20:00:00	1.3	4.6	19	16	4	1.1	13.4
2026/08/03 21:00:00	1.3	4.2	18.9	12	4	0.29	7
2026/08/03 22:00:00	1.3	6.1	14.9	16	4	0.82	117.7
2026/08/03 23:00:00	1.3	7.9	13.6	14	3	0.81	140.2
2026/08/04 00:00:00	1.3	12.1	8.1	14	3	0.95	144.4
2026/08/04 01:00:00	1.7	11.2	8.4	15	2	1.05	156.9
2026/08/04 02:00:00	2.1	6.3	12.8	18	3	1.59	166.2
2026/08/04 03:00:00	2	4.4	17	24	5	2.01	167.5
2026/08/04 04:00:00	1.7	4.4	18.4	22	6	1.95	171.9
2026/08/04 05:00:00	2	5.6	16.5	23	5	1.77	152.3
2026/08/04 06:00:00	1.8	7.7	12.9	21	5	1.45	176.7
2026/08/04 07:00:00	1.7	8.3	10.9	22	6	1.15	158.5
2026/08/04 08:00:00	1.7	7.4	21.6	20	3	1.59	155.3
2026/08/04 09:00:00	1.7	7.2	28.8	26	8	1.09	151.3
2026/08/04 10:00:00	1.7	9.3	31.9	23	14	0.46	61
2026/08/04 11:00:00	2	6.7	--	26	15	1.73	325.2
2026/08/04 12:00:00	--	--	--	28	13	1.86	343.2
2026/08/04 13:00:00	1.7	5	58.7	31	12	2.3	331.2
2026/08/04 14:00:00	1.7	3.2	55.9	31	13	3.13	321.3
2026/08/04 15:00:00	1.6	2.4	32.8	25	15	2.66	335.3
2026/08/04 16:00:00	1.3	2.6	24.8	13	10	2.74	354.5
2026/08/04 17:00:00	1.3	2.9	23.1	21	6	2.83	359.9
2026/08/04 18:00:00	1.3	4.6	22.8	13	6	2.21	353.1
2026/08/04 19:00:00	1.3	5.7	20.4	25	5	2.14	1
2026/08/04 20:00:00	1.3	7	18.3	22	10	1.98	22.6
2026/08/04 21:00:00	1.5	7.4	15	30	6	1.58	57.8

台電 台中電廠 清水測站

2026/08/04 22:00:00	1.5	8.8	12.9	25	5	0.99	101.5
2026/08/04 23:00:00	1.8	16.4	12.2	20	11	1.25	170.5

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/05 00:00:00	2.1	11	15.8	28	12	1.33	158.2
2026/08/05 01:00:00	1.8	14	8.1	29	10	1.31	162.9
2026/08/05 02:00:00	1.7	7.3	19.3	24	10	2.03	145.6
2026/08/05 03:00:00	1.6	9.3	19.3	20	9	1.68	138.6
2026/08/05 04:00:00	1.6	7.6	20	24	10	2	150.2
2026/08/05 05:00:00	1.6	6.6	19.3	29	13	1.45	151.7
2026/08/05 06:00:00	1.5	10.5	16.7	30	12	1.47	136.4
2026/08/05 07:00:00	1.6	10	18.8	27	12	1.67	155.1
2026/08/05 08:00:00	1.7	7.4	22.7	24	12	1.59	170.2
2026/08/05 09:00:00	1.7	5.5	30.4	19	9	1.01	180.2
2026/08/05 10:00:00	2	6.3	44.9	20	9	1.36	255.6
2026/08/05 11:00:00	3.4	10.7	39.7	25	10	1.98	304.4
2026/08/05 12:00:00	2.4	5.7	53.5	35	13	2.23	326.1
2026/08/05 13:00:00	1.8	4	53.5	28	14	2.37	332.1
2026/08/05 14:00:00	1.7	3.5	51.3	24	12	2.45	355.9
2026/08/05 15:00:00	1.7	3.5	55.1	22	13	2.55	352.7
2026/08/05 16:00:00	1.3	3.1	47.3	23	14	2.37	357.5
2026/08/05 17:00:00	1.3	3.8	43.1	17	8	2.28	350.2
2026/08/05 18:00:00	1.3	4.6	44.2	15	6	2.3	359.2
2026/08/05 19:00:00	1.5	5.7	38.1	20	13	1.97	7
2026/08/05 20:00:00	1.5	5.9	32.5	25	12	1.7	3.3
2026/08/05 21:00:00	1.2	5.9	28.3	23	10	1.1	53.6
2026/08/05 22:00:00	1.3	8.2	20.1	21	9	1.1	68
2026/08/05 23:00:00	1.5	7.3	20.5	20	11	0.83	83.6
2026/08/06 00:00:00	1.6	9	18.8	24	10	1.06	167
2026/08/06 01:00:00	1.5	5	33.8	31	9	2.39	196.4
2026/08/06 02:00:00	1.5	5	36.5	16	10	1.82	188.7
2026/08/06 03:00:00	1.5	4.8	37.1	19	9	1.5	152.2
2026/08/06 04:00:00	1.5	5.7	33.6	15	10	1.36	141.6
2026/08/06 05:00:00	1.7	9.5	29.5	20	11	1.32	137.6
2026/08/06 06:00:00	1.6	16.5	24.8	20	11	1.1	135.9
2026/08/06 07:00:00	1.6	14.5	20.5	27	18	0.6	78.9
2026/08/06 08:00:00	1.7	9.9	27.4	25	10	1	75.2
2026/08/06 09:00:00	2.3	8.8	36.4	27	11	0.72	27
2026/08/06 10:00:00	2	6.6	45.5	28	12	1.42	335.6
2026/08/06 11:00:00	1.8	5.5	55.8	32	14	1.62	322.9
2026/08/06 12:00:00	2	5.3	59.8	26	14	2.06	336.9
2026/08/06 13:00:00	1.6	3.5	43.1	28	13	2.5	344.5
2026/08/06 14:00:00	1.3	2.3	29.8	20	9	2.97	358.2
2026/08/06 15:00:00	1.3	2.2	30	14	6	3.04	353.1
2026/08/06 16:00:00	1.3	2.7	32.7	19	5	3.24	4
2026/08/06 17:00:00	1.3	4	37.6	18	8	3.32	4.4
2026/08/06 18:00:00	1.3	4.6	39.4	25	11	3.37	6.2
2026/08/06 19:00:00	1.5	6.6	39.2	29	13	2.71	13
2026/08/06 20:00:00	1.5	7.3	34.1	38	21	1.9	11.3

台電 台中電廠 清水測站

2026/08/06 21:00:00	1.3	8.9	28	32	21	1.72	7.2
2026/08/06 22:00:00	1.6	8.7	24.9	30	15	1.15	31.2
2026/08/06 23:00:00	1.5	9.4	19.7	28	18	0.88	75.3

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/07 00:00:00	1.3	13.3	12.7	29	16	0.73	65.5
2026/08/07 01:00:00	1.2	15.4	8.4	26	19	1.37	63
2026/08/07 02:00:00	1.5	12.9	7.2	27	15	1.23	62
2026/08/07 03:00:00	1.5	11	9.9	27	15	0.94	45.9
2026/08/07 04:00:00	1.6	8.4	12.5	30	21	1.33	36.2
2026/08/07 05:00:00	1.6	9.6	8.9	27	15	0.45	63.3
2026/08/07 06:00:00	1.6	11.8	5.5	27	14	1.18	67.4
2026/08/07 07:00:00	1.8	11.6	7.6	26	11	1.25	58.3
2026/08/07 08:00:00	2	7.7	15.1	24	12	2.45	53.6
2026/08/07 09:00:00	1.7	5.7	21	26	12	2.1	32.7
2026/08/07 10:00:00	1.8	6	26.9	23	12	2.41	345.1
2026/08/07 11:00:00	1.8	3.5	35.7	28	14	2.43	345.1
2026/08/07 12:00:00	1.7	3.5	38.9	28	16	2.69	346.1
2026/08/07 13:00:00	1.8	3.4	44	27	13	2.7	348
2026/08/07 14:00:00	1.7	2.8	46	25	17	2.74	342.6
2026/08/07 15:00:00	1.7	2.4	47.6	27	17	2.95	339
2026/08/07 16:00:00	1.8	3.1	47.4	21	17	2.98	355.3
2026/08/07 17:00:00	1.6	3.9	48	28	17	2.74	354.4
2026/08/07 18:00:00	1.5	5	47.1	25	20	2.82	4.7
2026/08/07 19:00:00	1.3	5.7	47.6	28	16	2.65	17.4
2026/08/07 20:00:00	1.3	7.9	37.1	32	15	1.54	47.3
2026/08/07 21:00:00	--	3.3	32.2	31	16	1.09	38.5
2026/08/07 22:00:00	1.5	5.4	44.8	25	12	0.59	7.8
2026/08/07 23:00:00	1.5	4.9	43	26	14	0.4	42.8
2026/08/08 00:00:00	1.7	7.2	43.5	29	16	0.99	253.6
2026/08/08 01:00:00	3.2	9	37.4	29	17	1.33	241.1
2026/08/08 02:00:00	1.5	3.3	32.8	29	16	2.59	117.3
2026/08/08 03:00:00	1.2	3.7	33.1	18	7	2.41	83.3
2026/08/08 04:00:00	1.2	3.7	33.9	9	6	2.25	100.7
2026/08/08 05:00:00	1.3	4.4	33	14	6	2.88	110.6
2026/08/08 06:00:00	1.3	5.1	30.5	11	3	2.86	110.1
2026/08/08 07:00:00	1.8	9.3	24.7	8	2	2.78	116.7
2026/08/08 08:00:00	2	14	21.5	11	2	1.92	109.5
2026/08/08 09:00:00	2.1	12	24.8	16	5	1.81	106.9
2026/08/08 10:00:00	3.4	6	46.6	18	12	0.95	96.7
2026/08/08 11:00:00	2.7	5.3	58.6	24	15	0.23	18.6
2026/08/08 12:00:00	2.7	6.5	65.1	22	13	1.48	324.4
2026/08/08 13:00:00	1.8	4.6	61.1	30	17	2.16	317.5
2026/08/08 14:00:00	1.7	5.7	60.9	28	13	2.59	294.6
2026/08/08 15:00:00	1.6	3.7	60.8	25	11	1.73	318.2
2026/08/08 16:00:00	1.6	3.7	60.4	26	12	1.6	340
2026/08/08 17:00:00	1.6	4	61.1	24	14	2.23	318.8
2026/08/08 18:00:00	1.6	4.5	58.4	28	17	1.9	340
2026/08/08 19:00:00	1.5	4.4	45.8	26	13	1.97	12.7

台電 台中電廠 清水測站

2026/08/08 20:00:00	1.3	4.8	33.9	22	9	0.38	349.8
2026/08/08 21:00:00	1.3	6.8	26.9	17	6	0.87	147.7
2026/08/08 22:00:00	1.6	7.6	40.2	18	8	1.51	192.3
2026/08/08 23:00:00	1.5	3.1	46.6	25	14	2.48	198

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/09 00:00:00	1.6	3.8	49.9	26	10	1.78	206.9
2026/08/09 01:00:00	1.7	4.6	34.8	30	11	1.29	215.7
2026/08/09 02:00:00	1.6	3.2	30.6	19	9	1.75	129.8
2026/08/09 03:00:00	1.3	7	24.4	16	7	2.45	138.3
2026/08/09 04:00:00	1.3	3.3	31.1	14	7	2.8	149.1
2026/08/09 05:00:00	1.3	3.9	26.3	14	10	2.41	164.2
2026/08/09 06:00:00	1.5	4.9	27.1	20	8	2.1	174.8
2026/08/09 07:00:00	1.5	4.4	32.7	19	7	2.78	153.3
2026/08/09 08:00:00	1.5	4.9	35.7	18	8	4	146.8
2026/08/09 09:00:00	1.5	7.3	35	19	10	3.47	147.3
2026/08/09 10:00:00	1.3	4.5	38.7	16	11	3.21	150.5
2026/08/09 11:00:00	1.3	7.6	32.2	16	11	3.76	138.7
2026/08/09 12:00:00	1.3	5.4	34.3	17	11	2.32	170.6
2026/08/09 13:00:00	1.3	6.3	27.8	16	9	3.52	127.6
2026/08/09 14:00:00	1.3	6.5	26.7	13	5	3.92	120.4
2026/08/09 15:00:00	1.3	7	29.8	15	6	3.5	141.4
2026/08/09 16:00:00	1.5	8.4	28.6	19	10	2.94	142.6
2026/08/09 17:00:00	1.5	7.4	29.8	19	11	2.06	160.9
2026/08/09 18:00:00	1.6	6.2	30.8	23	12	1.88	165.3
2026/08/09 19:00:00	1.7	6.7	29.2	4	10	2.77	180.4
2026/08/09 20:00:00	1.6	5.1	32.4	26	13	2.88	188.7
2026/08/09 21:00:00	1.5	5	31.9	24	10	2.19	178.4
2026/08/09 22:00:00	1.5	4.3	31.7	24	9	1.78	172.4
2026/08/09 23:00:00	1.6	5.7	28.2	21	10	1.92	180.6
2026/08/10 00:00:00	1.6	4.2	29.5	25	12	2.95	178.7
2026/08/10 01:00:00	1.5	3.8	29.7	20	12	2.69	167.6
2026/08/10 02:00:00	1.7	3.9	26.5	22	13	2.98	169.2
2026/08/10 03:00:00	1.5	3.3	26	23	11	2.58	171.9
2026/08/10 04:00:00	1.5	2.6	32.4	20	10	3.26	173.6
2026/08/10 05:00:00	1.3	2.4	33.8	24	12	3.37	176
2026/08/10 06:00:00	1.5	3.4	34.3	22	12	2.88	181.4
2026/08/10 07:00:00	1.5	5.6	31.5	26	11	2.19	177.3
2026/08/10 08:00:00	1.5	6.7	33.1	25	12	3.86	196.8
2026/08/10 09:00:00	1.3	5.9	33.9	27	11	4.37	189.1
2026/08/10 10:00:00	1.3	5.5	37.6	26	9	4.37	190.2
2026/08/10 11:00:00	1.2	4.6	40.2	25	8	4.24	180.1
2026/08/10 12:00:00	1.2	4.3	43	26	7	3.96	172.9
2026/08/10 13:00:00	1.5	5	43.3	20	6	4.51	187.1
2026/08/10 14:00:00	1.3	4.4	42.7	19	10	3.96	172.8
2026/08/10 15:00:00	1.5	4.9	45.8	21	12	3.24	176.2
2026/08/10 16:00:00	1.8	6	45.3	25	15	4.37	204.7
2026/08/10 17:00:00	1.6	5.4	44.2	37	12	4.63	208.8
2026/08/10 18:00:00	1.6	6.8	41.9	42	11	3.92	186

台電 台中電廠 清水測站

2026/08/10 19:00:00	1.6	7	39.2	35	12	3.96	184.9
2026/08/10 20:00:00	1.6	6	39.3	25	9	4.14	193.1
2026/08/10 21:00:00	1.5	5.4	39.8	29	11	3.88	191.1
2026/08/10 22:00:00	1.5	5.3	39.9	26	15	2.7	180.5
2026/08/10 23:00:00	1.5	4.8	40.9	27	17	2.84	179.3

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/11 00:00:00	1.3	4	39.9	21	14	2.87	174.6
2026/08/11 01:00:00	1.3	3.4	39.3	22	11	3.13	179.1
2026/08/11 02:00:00	1.5	3.1	39.9	23	12	2.37	175.7
2026/08/11 03:00:00	1.3	3.4	40.5	19	11	2.65	167.1
2026/08/11 04:00:00	1.3	4.3	37.4	25	11	2.52	167.2
2026/08/11 05:00:00	1.2	5.4	32	20	9	2.42	164.2
2026/08/11 06:00:00	1.1	6.2	30.6	24	12	2.39	180.4
2026/08/11 07:00:00	1.2	7.9	29.8	22	11	2.19	172.9
2026/08/11 08:00:00	1.5	7.4	33	23	9	3.03	176.5
2026/08/11 09:00:00	1.6	7.1	43	30	14	2.97	177.4
2026/08/11 10:00:00	1.6	5.9	54.6	26	18	4.3	194.2
2026/08/11 11:00:00	1.3	5	53.4	35	20	4.33	200.8
2026/08/11 12:00:00	--	--	--	--	--	3.64	234.4
2026/08/11 13:00:00	2	6.2	56.7	48	23	3.89	231.9
2026/08/11 14:00:00	2	5.6	55.6	44	21	3.93	234.9
2026/08/11 15:00:00	2.1	6.1	55.3	42	18	3.87	238.5
2026/08/11 16:00:00	1.8	6.1	49.9	47	27	3.58	242.9
2026/08/11 17:00:00	2	7	48.7	44	26	3.2	234.5
2026/08/11 18:00:00	2	7.8	41.3	46	22	3.1	229.5
2026/08/11 19:00:00	2.1	8.3	33	43	20	2.19	225.8
2026/08/11 20:00:00	1.6	6.8	31.4	43	18	2.7	225.6
2026/08/11 21:00:00	1.5	5.7	31.3	44	16	2.5	225
2026/08/11 22:00:00	1.5	4.3	31.7	44	14	2.6	186
2026/08/11 23:00:00	1.5	3.7	31.6	35	14	2.7	188.1
2026/08/12 00:00:00	1.3	3.1	30.5	37	16	2.49	182.2
2026/08/12 01:00:00	1.3	3.1	28.8	33	13	2.34	177.3
2026/08/12 02:00:00	1.6	4	25.4	32	13	2.03	168.4
2026/08/12 03:00:00	1.5	3.8	90	33	19	2.09	172
2026/08/12 04:00:00	1.3	3.7	35.8	33	15	2.56	179.5
2026/08/12 05:00:00	1.3	4	23.3	33	15	2.39	174.6
2026/08/12 06:00:00	1.5	5.4	22.5	39	17	1.89	169.3
2026/08/12 07:00:00	1.6	7.4	19.5	32	16	1.7	165.5
2026/08/12 08:00:00	1.7	7.2	21.4	31	19	2.41	180.7
2026/08/12 09:00:00	1.6	5.7	31.7	33	14	3.48	194.8
2026/08/12 10:00:00	1.7	6.7	35.5	34	11	3.8	203.7
2026/08/12 11:00:00	1.6	5.9	38.6	31	13	3.27	212.6
2026/08/12 12:00:00	1.6	7.1	38.1	27	15	2.64	221.7
2026/08/12 13:00:00	1.5	5.5	38.5	29	18	2.89	214.9
2026/08/12 14:00:00	1.3	5.7	38.2	28	16	2.89	207.9
2026/08/12 15:00:00	1.6	5.1	41.9	27	18	3.58	216
2026/08/12 16:00:00	1.8	6.1	42.5	32	20	3.38	228.5
2026/08/12 17:00:00	1.8	6.3	40.7	37	16	2.87	230.7

台電 台中電廠 清水測站

2026/08/12 18:00:00	2	7.8	38.8	33	17	2	213.5
2026/08/12 19:00:00	1.7	8.1	32.6	40	20	2.11	193.1
2026/08/12 20:00:00	1.6	9.2	24.7	44	20	1.54	175.3
2026/08/12 21:00:00	1.5	7.3	24.4	43	22	2.11	185
2026/08/12 22:00:00	1.5	6.1	27	43	19	2.55	188.2
2026/08/12 23:00:00	1.3	5.6	26.6	40	20	2.16	185.3

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/13 00:00:00	1.3	3.8	29.4	41	23	2.67	196.5
2026/08/13 01:00:00	1.3	2.6	30.9	38	22	2.74	183.9
2026/08/13 02:00:00	1.5	2.4	30.6	36	18	2.6	185
2026/08/13 03:00:00	1.5	2.8	30.5	35	13	2.05	176.2
2026/08/13 04:00:00	1.5	4.2	26.6	30	17	2.39	181.4
2026/08/13 05:00:00	1.5	5.3	22.5	37	21	1.66	176.9
2026/08/13 06:00:00	1.3	5.3	26.1	38	19	2.93	187.7
2026/08/13 07:00:00	1.2	5	32.2	33	20	2.25	164.5
2026/08/13 08:00:00	1.5	8.1	24.8	18	13	2.08	172.7
2026/08/13 09:00:00	1.6	7.1	28.9	26	20	3.2	197.9
2026/08/13 10:00:00	1.5	6	35.9	29	16	4.15	194.5
2026/08/13 11:00:00	1.5	5.6	41.8	28	11	3.44	200.4
2026/08/13 12:00:00	1.5	4.8	49.9	26	14	3.03	197.2
2026/08/13 13:00:00	1.5	4.8	47.6	19	13	3.33	230.9
2026/08/13 14:00:00	2.3	4.5	50.3	28	12	3.58	242.2
2026/08/13 15:00:00	2.4	5.3	51	33	13	3.6	237.7
2026/08/13 16:00:00	2.3	5.6	48.5	34	13	3.66	240.1
2026/08/13 17:00:00	2.8	6.8	40.4	39	17	3.14	236.1
2026/08/13 18:00:00	1.8	7.6	36.6	40	17	2.77	222.9
2026/08/13 19:00:00	1.6	7.3	33.1	38	14	2.1	230.2
2026/08/13 20:00:00	1.6	7.8	28.4	30	13	1.53	196.5
2026/08/13 21:00:00	1.8	7.9	23	38	15	1.53	172.2
2026/08/13 22:00:00	1.6	7.4	21.6	33	11	1.38	190.6
2026/08/13 23:00:00	1.5	5.3	24.3	36	12	1.93	190.3
2026/08/14 00:00:00	1.3	3.9	26.4	29	10	1.71	171.5
2026/08/14 01:00:00	1.3	3.9	25.4	24	10	1.72	171.1
2026/08/14 02:00:00	1.3	3.7	24.4	26	12	2.01	185.7
2026/08/14 03:00:00	1.3	4.9	20.5	21	10	1.49	154.3
2026/08/14 04:00:00	1.6	6.3	17	22	10	1.68	161.2
2026/08/14 05:00:00	2	8.8	14.5	21	10	1.62	166.9
2026/08/14 06:00:00	1.6	5.6	17.5	29	11	2.08	150.7
2026/08/14 07:00:00	1.7	7.2	17	20	12	1.76	168.7
2026/08/14 08:00:00	1.6	7.2	17.7	23	10	2.1	174.1
2026/08/14 09:00:00	1.5	8.7	16.5	21	11	2.44	188.6
2026/08/14 10:00:00	1.6	5	25.8	28	12	3.59	192.7
2026/08/14 11:00:00	1.5	4.6	34.2	17	11	3.39	203.5
2026/08/14 12:00:00	1.2	4.8	--	21	10	3.09	206.2
2026/08/14 13:00:00	1.3	4.2	38.6	22	9	3.2	224.8
2026/08/14 14:00:00	2.4	5.3	41.9	15	7	3.5	228.7
2026/08/14 15:00:00	2.6	5.5	39.4	25	6	3.82	235.4
2026/08/14 16:00:00	2.9	6.8	36.3	28	7	4.21	238.7

台電 台中電廠 清水測站

2026/08/14 17:00:00	2.3	6.7	32.5	29	6	3.36	236.1
2026/08/14 18:00:00	3.3	7.4	26.6	29	5	3.28	231.9
2026/08/14 19:00:00	1.6	6.7	25.3	32	10	2.89	214.5
2026/08/14 20:00:00	1.2	6.2	26.5	21	8	3.24	192.3
2026/08/14 21:00:00	1.2	7.4	20	19	6	2.17	179.2
2026/08/14 22:00:00	1.2	5.9	19.9	18	8	2.5	188.7
2026/08/14 23:00:00	1.3	4.4	20.8	19	11	2.81	192.9

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/15 00:00:00	1.3	4.2	22.8	19	9	3.33	187.7
2026/08/15 01:00:00	1.2	4	21.5	11	4	2.94	183.6
2026/08/15 02:00:00	1.3	3.2	21.9	10	2	2.84	183.3
2026/08/15 03:00:00	1.5	3.7	20.6	11	4	2.45	160.3
2026/08/15 04:00:00	1.3	3.7	21.5	13	7	2.84	156.1
2026/08/15 05:00:00	1.2	3.1	21.7	17	10	3.06	153.1
2026/08/15 06:00:00	1.3	4.4	19.5	19	8	2.34	160.6
2026/08/15 07:00:00	1.5	6.1	17.8	18	7	1.83	168
2026/08/15 08:00:00	1.3	5	19.9	18	8	2.64	171.3
2026/08/15 09:00:00	1.3	5.6	20.1	21	10	2.54	174.5
2026/08/15 10:00:00	1.2	4.4	22.2	18	9	2.72	160
2026/08/15 11:00:00	1.3	4.2	29.7	13	7	3.22	179.9
2026/08/15 12:00:00	1.3	3.9	32.7	19	9	2.98	206.1
2026/08/15 13:00:00	1.5	4.6	32.4	19	9	3.66	206.2
2026/08/15 14:00:00	1.2	3.2	29.4	22	8	4.25	201.4
2026/08/15 15:00:00	1.2	2.9	27.4	12	8	5.08	209.3
2026/08/15 16:00:00	1.1	2.9	22.7	16	5	2.84	172.7
2026/08/15 17:00:00	1.2	3.5	24.9	15	6	2.6	167.8
2026/08/15 18:00:00	1.1	3.9	23.7	13	8	2.89	180.1
2026/08/15 19:00:00	1.1	5.7	19.3	7	5	2.01	165.9
2026/08/15 20:00:00	1.1	6.5	16.6	15	3	1.67	169.1
2026/08/15 21:00:00	1.2	6.8	16.4	15	4	2.21	208.8
2026/08/15 22:00:00	1.3	4.8	17.2	15	4	2.47	180.4
2026/08/15 23:00:00	1.2	3.9	18.2	15	4	1.94	171.1
2026/08/16 00:00:00	1.3	6.6	14.7	12	4	2.71	203
2026/08/16 01:00:00	1.5	5.6	13.1	14	6	2.27	187.8
2026/08/16 02:00:00	1.6	3.9	15.6	15	6	2.63	182.7
2026/08/16 03:00:00	1.3	3.4	18.8	12	3	1.79	179.7
2026/08/16 04:00:00	1.5	3.7	17.8	11	1	1.39	166.9
2026/08/16 05:00:00	1.3	4.8	16	12	3	1.28	171.4
2026/08/16 06:00:00	1.2	5.9	15.9	11	4	1.48	180.1
2026/08/16 07:00:00	1.5	5.6	16.6	13	2	1.61	173
2026/08/16 08:00:00	1.3	4.9	17.9	13	3	2.2	171.6
2026/08/16 09:00:00	1.5	4	24.9	15	5	3.33	194.2
2026/08/16 10:00:00	1.5	3.5	31.1	14	5	2.94	201.5
2026/08/16 11:00:00	1.3	4.2	32.7	13	4	2.39	218.5
2026/08/16 12:00:00	2.1	5.9	32.2	17	4	2.7	241.5
2026/08/16 13:00:00	3.2	9.4	32.5	22	6	2.83	270
2026/08/16 14:00:00	5.3	14	24.9	20	8	2.92	260.9
2026/08/16 15:00:00	4.4	11.2	26.5	24	6	2.83	246.7

台電 台中電廠 清水測站

2026/08/16 16:00:00	4.3	11.5	22.6	22	8	2.71	263.8
2026/08/16 17:00:00	3.3	9.4	24.3	20	7	1.79	129.7
2026/08/16 18:00:00	1.2	4.2	27.4	11	3	4.18	113.6
2026/08/16 19:00:00	1.2	4.5	25.4	8	1	3.65	113.6
2026/08/16 20:00:00	1.2	5	24.3	5	1	2.66	115.3
2026/08/16 21:00:00	1.2	5.4	23.4	8	2	1.65	115.5
2026/08/16 22:00:00	1.2	7.6	18.6	13	7	0.24	127.5
2026/08/16 23:00:00	1.3	12.1	9.2	15	5	0.7	76.1

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/17 00:00:00	1.2	8.9	9.8	15	3	0.72	68.8
2026/08/17 01:00:00	1.2	7	8.5	13	2	1.14	94.9
2026/08/17 02:00:00	1.3	10	6.7	16	4	0.43	95.5
2026/08/17 03:00:00	1.3	17.6	2.7	18	7	0.45	152.4
2026/08/17 04:00:00	1.2	8.9	6.1	18	14	0.43	91.1
2026/08/17 05:00:00	1.2	8.9	4.5	14	8	0.45	91.9
2026/08/17 06:00:00	1.2	7.1	4.3	19	3	1.43	82.4
2026/08/17 07:00:00	1.2	6.1	6.6	18	1	0.72	85.1
2026/08/17 08:00:00	1.3	5.4	13.4	17	2	0.6	72.8
2026/08/17 09:00:00	1.3	4.3	24.4	15	4	0.93	87.7
2026/08/17 10:00:00	1.2	2.9	32.5	24	6	1.05	126
2026/08/17 11:00:00	1.5	4.3	40.9	25	6	0.56	338.1
2026/08/17 12:00:00	1.6	3.7	43	13	8	2.23	331.2
2026/08/17 13:00:00	1.3	2.6	39.9	17	11	2.43	344.2
2026/08/17 14:00:00	1.5	2.7	42.6	12	8	2.47	346.5
2026/08/17 15:00:00	--	--	43.3	12	7	2.39	344.8
2026/08/17 16:00:00	1.2	3.1	47.6	14	6	2.64	349.3
2026/08/17 17:00:00	1.3	4.2	49.3	11	7	2.55	355.7
2026/08/17 18:00:00	1.1	4.2	27.6	12	9	2.17	359.4
2026/08/17 19:00:00	1.1	3.5	16.6	17	8	1.43	351.2
2026/08/17 20:00:00	1.2	4	15.4	19	5	0.68	272.5
2026/08/17 21:00:00	1.2	8.1	8.8	17	6	1.76	147.6
2026/08/17 22:00:00	2	11.4	6.1	22	8	2.12	160.3
2026/08/17 23:00:00	1.8	7.8	11.1	24	8	2.55	188.7
2026/08/18 00:00:00	1.7	6.6	17.7	23	9	2.38	179.1
2026/08/18 01:00:00	1.5	5.9	23.8	25	12	1.94	166.9
2026/08/18 02:00:00	1.3	4.9	23.9	29	18	1.55	153.2
2026/08/18 03:00:00	1.3	4.5	23.1	31	21	1.48	146.3
2026/08/18 04:00:00	1.3	10.1	21.4	29	17	1.18	139.8
2026/08/18 05:00:00	1.2	10.3	20.4	31	19	0.28	143
2026/08/18 06:00:00	1.2	8.3	17.3	29	16	0.37	86.9
2026/08/18 07:00:00	1.2	8.4	15.1	29	12	0.57	67.5
2026/08/18 08:00:00	1.6	8.4	22.3	29	13	0.76	40.7
2026/08/18 09:00:00	1.8	6.8	30.9	30	14	0.35	9.9
2026/08/18 10:00:00	1.6	5.9	39.9	23	14	1.32	315.4
2026/08/18 11:00:00	2.1	4.8	49	26	15	1.89	313.4
2026/08/18 12:00:00	2.7	8.8	50.2	34	14	1.78	281.9
2026/08/18 13:00:00	2.6	8.8	48	36	17	2.23	278.8
2026/08/18 14:00:00	1.7	8.7	43.5	33	19	1.95	285.8

台電 台中電廠 清水測站

2026/08/18 15:00:00	1.6	5.1	46.5	22	15	1.5	339.2
2026/08/18 16:00:00	1.3	3.5	45.8	22	14	1.5	335.3
2026/08/18 17:00:00	1.3	3.5	45.5	22	8	1.49	332.7
2026/08/18 18:00:00	1.3	4.3	41.8	18	6	1.25	331.3
2026/08/18 19:00:00	1.3	6.7	36.1	18	7	0.54	341
2026/08/18 20:00:00	1.2	6.3	28.3	18	6	1.28	70.8
2026/08/18 21:00:00	1.2	9	26.1	24	5	0.51	83.4
2026/08/18 22:00:00	1.3	15.8	18.9	20	10	0.74	127.6
2026/08/18 23:00:00	2	17.8	13.2	23	12	1.36	147.7

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/19 00:00:00	2.1	11.2	19.8	22	11	1.49	155.6
2026/08/19 01:00:00	2	11.1	18.8	24	11	1.44	148.9
2026/08/19 02:00:00	1.7	7.1	21	31	14	1.45	182.8
2026/08/19 03:00:00	1.6	5	24.5	33	14	1.7	181.6
2026/08/19 04:00:00	1.3	4.8	23.7	23	10	1.59	148.7
2026/08/19 05:00:00	1.3	10.7	17.6	34	9	0.94	152.4
2026/08/19 06:00:00	1.3	12.5	14.9	25	10	0.31	70.9
2026/08/19 07:00:00	1.3	10.9	13.2	24	11	0.62	53.6
2026/08/19 08:00:00	1.1	8.9	15.6	26	13	0.77	42.3
2026/08/19 09:00:00	1.5	6.6	24.8	26	13	0.94	41.8
2026/08/19 10:00:00	1.8	6.7	29.5	23	12	1.09	4.3
2026/08/19 11:00:00	1.8	6.1	39.4	29	9	2.16	313.9
2026/08/19 12:00:00	2	5.6	51.3	35	15	2.15	305.2
2026/08/19 13:00:00	1.8	5	53.4	28	12	1.49	301.9
2026/08/19 14:00:00	1.6	3.8	52.1	28	14	1.58	316.6
2026/08/19 15:00:00	1.3	3.3	32	24	12	2.7	356.1
2026/08/19 16:00:00	1.2	4.4	23	24	7	3.53	11.6
2026/08/19 17:00:00	1.2	6.1	18.8	24	4	2.94	22.9
2026/08/19 18:00:00	1.2	9.9	23.4	18	7	1.72	102.2
2026/08/19 19:00:00	1.2	13.3	22.8	16	9	2.56	139.3
2026/08/19 20:00:00	1.2	10	26.7	14	9	2.75	129.5
2026/08/19 21:00:00	1.1	9.6	23.8	11	12	1.81	154.9
2026/08/19 22:00:00	1.2	16	16	15	8	1.05	166.4
2026/08/19 23:00:00	1.1	18.2	11.4	15	6	0.26	170.2
2026/08/20 00:00:00	1.1	16.1	7.3	20	10	0.93	67.3
2026/08/20 01:00:00	1.3	14.7	11.7	24	10	0.85	141.2
2026/08/20 02:00:00	1.7	13.8	13.4	21	6	1.22	150.2
2026/08/20 03:00:00	1.5	10.7	15.6	19	7	2	141.9
2026/08/20 04:00:00	1.5	7.8	18.9	18	8	2.21	144.9
2026/08/20 05:00:00	1.6	7.8	17.5	12	6	1.25	147.3
2026/08/20 06:00:00	1.5	14.7	11.8	13	5	0.85	152.5
2026/08/20 07:00:00	1.6	14.2	11.2	15	4	1.1	155.3
2026/08/20 08:00:00	1.6	6.8	19.9	19	3	1.82	183.4
2026/08/20 09:00:00	1.6	5.9	25.4	11	5	2.7	180.9
2026/08/20 10:00:00	1.7	6.3	30.6	12	4	2.78	184.8
2026/08/20 11:00:00	1.6	5.9	35.5	18	4	2.87	205.2
2026/08/20 12:00:00	1.3	4.6	36.8	17	5	3.48	208
2026/08/20 13:00:00	1.2	4	38.1	7	4	4.43	199

台電 台中電廠 清水測站

2026/08/20 14:00:00	1.2	3.2	34.4	14	3	4.09	180
2026/08/20 15:00:00	1.2	3.2	31.7	11	1	3.58	166.9
2026/08/20 16:00:00	1.2	4.3	30.5	17	1	2.95	162.7
2026/08/20 17:00:00	1.2	4.9	29.9	8	2	1.34	161.7
2026/08/20 18:00:00	1.3	7	28.1	11	1	2.33	159.6
2026/08/20 19:00:00	1.2	7.9	24.3	9	1	1.9	157.3
2026/08/20 20:00:00	1.5	6.3	23	11	1	2.67	198.9
2026/08/20 21:00:00	1.5	5	21.2	12	1	2.22	188.7
2026/08/20 22:00:00	1.5	5.9	17.8	10	1	1.55	169.3
2026/08/20 23:00:00	1.6	6.2	16.7	28	1	1.48	185.4

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/21 00:00:00	1.6	4.6	19	14	1	2.94	192.4
2026/08/21 01:00:00	1.5	4.2	18.8	10	3	2.27	187.3
2026/08/21 02:00:00	1.7	6.5	15.4	15	4	1.51	176.4
2026/08/21 03:00:00	1.6	4.5	15.5	11	2	1.68	176.2
2026/08/21 04:00:00	1.6	4	17.6	13	2	2.3	151.5
2026/08/21 05:00:00	1.6	8.9	12.5	13	5	1.73	146.4
2026/08/21 06:00:00	1.6	6.5	13.9	13	5	1.76	149.6
2026/08/21 07:00:00	1.6	8.2	12.6	14	5	0.98	159.8
2026/08/21 08:00:00	1.7	7.9	13.8	11	1	2.1	189.5
2026/08/21 09:00:00	1.6	6.3	17.8	15	1	3.26	194.4
2026/08/21 10:00:00	1.6	6.2	21.2	13	4	2.39	180
2026/08/21 11:00:00	1.6	5.1	28.7	13	2	2.92	191.6
2026/08/21 12:00:00	1.3	4.9	29.3	16	4	3.28	200.6
2026/08/21 13:00:00	1.2	3.8	--	16	5	4.95	196
2026/08/21 14:00:00	1.3	4.5	--	14	3	3.92	191.1
2026/08/21 15:00:00	1.5	5.7	31.3	11	1	3.31	207.9
2026/08/21 16:00:00	1.6	5.6	31	17	1	3.39	201.6
2026/08/21 17:00:00	1.6	5.5	31.1	13	2	3.05	209.2
2026/08/21 18:00:00	1.6	4.9	28.7	11	2	3.85	194
2026/08/21 19:00:00	1.5	5.5	24.5	8	3	3.72	191.6
2026/08/21 20:00:00	1.5	6.3	20.8	7	3	2.7	179.9
2026/08/21 21:00:00	1.5	5.3	21	6	3	2.48	171.3
2026/08/21 22:00:00	--	0.4	22.1	9	5	2.37	168.9
2026/08/21 23:00:00	1.5	4	21.7	9	3	2.05	163.3
2026/08/22 00:00:00	1.5	4	22.1	7	1	2.36	169.2
2026/08/22 01:00:00	1.6	3.7	20.1	12	1	1.64	166.6
2026/08/22 02:00:00	1.6	9.6	16.1	9	1	1.93	141.7
2026/08/22 03:00:00	1.6	6.5	16	7	4	2.41	145.3
2026/08/22 04:00:00	1.5	2.8	20.5	15	4	2.3	158.9
2026/08/22 05:00:00	1.5	4.5	19.7	11	5	2.48	155.3
2026/08/22 06:00:00	1.3	9.4	14.8	9	8	2.91	132.2
2026/08/22 07:00:00	1.5	8.4	16.2	17	7	3.2	119.5
2026/08/22 08:00:00	1.3	9	17.6	56	5	2.17	170.7
2026/08/22 09:00:00	1.2	4.5	20.3	15	1	3.03	154.8
2026/08/22 10:00:00	1.2	9.5	16	12	1	3.05	136.5
2026/08/22 11:00:00	1.2	9.2	19.2	13	2	3.1	139.4
2026/08/22 12:00:00	1.2	7.2	21	11	3	2.8	186.3

台電 台中電廠 清水測站

2026/08/22 13:00:00	1.2	4	25.2	8	3	3.24	174.6
2026/08/22 14:00:00	1.2	3.1	29.4	8	3	3.32	190.3
2026/08/22 15:00:00	1.1	3.4	28.3	11	4	4	193.1
2026/08/22 16:00:00	1.2	4.2	24.8	11	2	3.93	182.2
2026/08/22 17:00:00	1.2	4.9	23	11	2	3.77	185.2
2026/08/22 18:00:00	1.2	4.3	23.1	11	3	3.77	183.1
2026/08/22 19:00:00	1.2	4.5	22.7	8	2	3.05	183.6
2026/08/22 20:00:00	1.2	5.6	22.2	6	1	3.21	199.6
2026/08/22 21:00:00	1.2	6.1	21.6	7	1	2.64	186.5
2026/08/22 22:00:00	1.2	3.5	26.3	6	1	2.6	174.9
2026/08/22 23:00:00	1.2	3.4	26.6	7	1	2.44	164.2

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/23 00:00:00	1.2	4.5	23.7	5	1	3.31	120.7
2026/08/23 01:00:00	1.2	3.9	23.6	5	1	2.11	137.1
2026/08/23 02:00:00	1.3	2.6	24.5	5	3	1.84	125
2026/08/23 03:00:00	1.3	3.8	23.1	5	3	0.66	160.4
2026/08/23 04:00:00	1.2	7.9	13.1	1	1	0.35	149
2026/08/23 05:00:00	1.2	6.1	16	9	1	1.01	165.5
2026/08/23 06:00:00	1.2	7.6	14.7	9	1	1.05	118
2026/08/23 07:00:00	1.3	7.9	12.3	10	3	0.29	135.1
2026/08/23 08:00:00	1.3	8.1	14.4	16	4	1.18	85.5
2026/08/23 09:00:00	1.7	5.3	18.2	13	3	0.99	30.9
2026/08/23 10:00:00	1.6	4.6	27.7	11	1	1.95	14.8
2026/08/23 11:00:00	1.7	5.1	34.7	13	1	1.92	333
2026/08/23 12:00:00	1.7	4.2	39.3	19	1	1.66	321.5
2026/08/23 13:00:00	2	4	45.9	13	1	1.78	323.5
2026/08/23 14:00:00	1.8	4.5	42.1	13	3	1.9	314.3
2026/08/23 15:00:00	1.8	5.9	38	13	5	1.16	16.4
2026/08/23 16:00:00	1.7	4.9	35.3	16	6	1.4	36
2026/08/23 17:00:00	1.7	4.8	33.1	10	7	1.58	42.6
2026/08/23 18:00:00	1.7	4.9	36	11	7	0.84	359.1
2026/08/23 19:00:00	1.7	10	29.1	16	6	0.57	263.9
2026/08/23 20:00:00	1.7	12.1	19.4	10	3	0.85	191.2
2026/08/23 21:00:00	2.1	10.4	17.6	13	2	1.21	188.5
2026/08/23 22:00:00	1.7	9	15.1	24	5	1.06	176.1
2026/08/23 23:00:00	1.6	9.4	12	20	6	0.53	115.9
2026/08/24 00:00:00	1.6	11.1	8.4	20	5	0.51	144.1
2026/08/24 01:00:00	1.5	11.6	10	21	6	1.27	193
2026/08/24 02:00:00	1.5	8.1	18.6	19	10	1.4	126.1
2026/08/24 03:00:00	1.2	3.9	23.1	14	6	0.43	212.6
2026/08/24 04:00:00	1.2	9.5	15.9	10	3	0.32	197.9
2026/08/24 05:00:00	1.3	10.7	11.1	8	3	0.89	165.6
2026/08/24 06:00:00	1.3	10.3	7.3	13	2	0.21	98.7
2026/08/24 07:00:00	1.3	8.5	5.7	13	2	0.07	88
2026/08/24 08:00:00	1.3	9.4	4.5	9	2	0.83	106.2
2026/08/24 09:00:00	1.3	9.9	9.5	7	1	1.56	165.5
2026/08/24 10:00:00	1.3	11.5	12.1	11	2	0.51	336
2026/08/24 11:00:00	1.3	11	11.4	8	2	0.93	84

台電 台中電廠 清水測站

2026/08/24 12:00:00	1.3	8.5	16.5	8	2	0.82	125.7
2026/08/24 13:00:00	1.2	10	19.4	6	3	1.71	138.1
2026/08/24 14:00:00	1.2	8.5	21.4	5	2	2.36	159.6
2026/08/24 15:00:00	1.2	6.5	20.3	9	2	1.67	175.7
2026/08/24 16:00:00	1.3	8.3	18.8	8	1	1.05	168.4
2026/08/24 17:00:00	1.3	13.7	14.3	7	2	0.71	174.9
2026/08/24 18:00:00	1.5	10.1	16.8	10	5	1.16	173.6
2026/08/24 19:00:00	1.3	11.6	12.5	11	7	2.22	83.3
2026/08/24 20:00:00	1.3	10.4	14	11	5	1.42	80.7
2026/08/24 21:00:00	1.3	10.5	11	16	1	0.38	58
2026/08/24 22:00:00	1.3	11.6	7.3	16	3	0.68	78.1
2026/08/24 23:00:00	1.3	14.9	2.9	15	4	0.62	76.9

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/25 00:00:00	1.3	12.1	4.8	17	4	0.4	37.5
2026/08/25 01:00:00	1.6	13.1	4.9	15	4	1.26	177.6
2026/08/25 02:00:00	1.6	4.9	22.5	20	5	1.9	166
2026/08/25 03:00:00	1.5	7.6	18.7	11	3	0.7	165
2026/08/25 04:00:00	1.5	6.1	20.6	8	2	2.93	120.8
2026/08/25 05:00:00	1.5	9	17.3	10	4	1.89	139.5
2026/08/25 06:00:00	1.5	7	13.9	13	4	1.43	161.6
2026/08/25 07:00:00	1.6	6	17.9	--	2	2.58	179.5
2026/08/25 08:00:00	1.6	9	21.7	8	2	1.22	138.6
2026/08/25 09:00:00	1.5	11.8	15	6	2	1.29	156.2
2026/08/25 10:00:00	1.3	14.4	12.8	7	1	1.55	165.6
2026/08/25 11:00:00	1.3	10.4	15.8	13	1	1.72	197.1
2026/08/25 12:00:00	1.3	10.3	15.8	12	2	1.22	176.8
2026/08/25 13:00:00	1.5	8.5	23	11	4	2.36	183.2
2026/08/25 14:00:00	1.3	9	18.8	9	3	1.4	169.9
2026/08/25 15:00:00	1.3	13.7	13.9	10	3	1.44	195.3
2026/08/25 16:00:00	1.5	12.6	14.8	11	6	1.99	130.3
2026/08/25 17:00:00	1.3	16.8	9.2	12	7	0.82	158.5
2026/08/25 18:00:00	1.3	16.8	9.3	14	8	0.61	126.8
2026/08/25 19:00:00	1.3	21.6	3.3	13	7	0.63	117.3
2026/08/25 20:00:00	1.3	20.4	3.4	17	5	0.7	62.5
2026/08/25 21:00:00	1.3	17.7	3.7	14	5	1.09	69.9
2026/08/25 22:00:00	1.3	13.3	6.1	17	7	0.77	65.1
2026/08/25 23:00:00	1.3	12	4.2	14	8	0.53	76.7
2026/08/26 00:00:00	1.7	12.5	2.7	19	5	0.46	71.2
2026/08/26 01:00:00	1.3	12	1.6	20	4	0.83	69.6
2026/08/26 02:00:00	1.3	9.9	1.7	20	5	0.55	76.3
2026/08/26 03:00:00	1.3	11.8	1.8	22	7	0.53	227.6
2026/08/26 04:00:00	1.3	14	1.5	21	7	0.39	236.8
2026/08/26 05:00:00	1.5	12.2	1.5	22	8	0.31	164
2026/08/26 06:00:00	1.5	10.7	2	23	9	0.54	188.7
2026/08/26 07:00:00	1.6	8.9	4	23	6	0.31	104.1
2026/08/26 08:00:00	1.7	9.4	7.7	20	7	1.87	103
2026/08/26 09:00:00	1.7	8.3	14.8	17	7	1.59	120.1
2026/08/26 10:00:00	1.6	12.2	19.3	13	6	1.47	210.1

台電 台中電廠 清水測站

2026/08/26 11:00:00	1.6	8.9	33.5	17	5	1.67	250
2026/08/26 12:00:00	1.8	7.2	45.1	17	7	2.14	242
2026/08/26 13:00:00	4	12.5	51.2	17	7	2.34	259.2
2026/08/26 14:00:00	4.9	12.5	54	31	12	1.94	273.9
2026/08/26 15:00:00	3.9	13.6	54.8	28	17	2.2	277.5
2026/08/26 16:00:00	4.5	13.1	41.4	33	19	2.23	260.9
2026/08/26 17:00:00	2.8	11	38.6	23	18	1.54	289.1
2026/08/26 18:00:00	2	11.6	40	20	15	1.45	276.2
2026/08/26 19:00:00	2.2	11.7	40	21	12	0.92	289.8
2026/08/26 20:00:00	1.5	7.3	43.8	30	17	0.5	329.6
2026/08/26 21:00:00	1.3	7.1	31.6	22	11	0.81	76
2026/08/26 22:00:00	1.6	6.8	25.5	24	10	1.5	142.6
2026/08/26 23:00:00	1.2	5.6	21.9	21	10	2.12	125.8

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/27 00:00:00	1.1	10.6	14.2	13	7	1.47	177.5
2026/08/27 01:00:00	1.2	5.5	17	14	8	1.56	167.6
2026/08/27 02:00:00	1.5	5.9	15.4	17	7	1.34	171
2026/08/27 03:00:00	1.5	5.5	16.2	23	5	1.55	159.3
2026/08/27 04:00:00	1.3	6.8	13.6	24	5	1.79	159.4
2026/08/27 05:00:00	1.5	6	16.1	21	5	1.94	155.3
2026/08/27 06:00:00	1.3	7	15.9	21	8	1.36	173.8
2026/08/27 07:00:00	1.3	7.3	15.5	21	8	1.61	163.7
2026/08/27 08:00:00	1.5	9	16	14	10	1.54	162.7
2026/08/27 09:00:00	1.5	8.4	18.1	19	9	1.78	166.2
2026/08/27 10:00:00	1.3	6.8	22.6	25	10	2.17	170.5
2026/08/27 11:00:00	1.3	7.2	25.6	22	7	2.36	187.6
2026/08/27 12:00:00	1.5	5.9	30.3	--	--	2.44	193.8
2026/08/27 13:00:00	1.5	5.4	--	31	13	2.39	220
2026/08/27 14:00:00	1.3	4.2	29.8	26	14	3.06	226.3
2026/08/27 15:00:00	1.6	4.9	28.4	28	14	2.43	190.5
2026/08/27 16:00:00	1.6	5.9	30.9	26	12	2.42	154.1
2026/08/27 17:00:00	1.5	6.1	31.1	27	16	2.65	153.1
2026/08/27 18:00:00	1.3	6.7	23	30	17	2.48	157.2
2026/08/27 19:00:00	1.2	6.1	19.2	22	14	2.64	149.6
2026/08/27 20:00:00	--	--	16.5	13	10	2.25	153.8
2026/08/27 21:00:00	1.3	7.4	14.3	17	7	2.03	156.8
2026/08/27 22:00:00	1.3	5.4	15.4	23	9	1.95	166.5
2026/08/27 23:00:00	1.2	4.5	15.9	26	12	2.72	157.2
2026/08/28 00:00:00	1.2	4.5	16	24	9	3.32	150.9
2026/08/28 01:00:00	1.2	4.9	17	24	8	3.59	145.4
2026/08/28 02:00:00	1.3	2.4	19.8	22	11	3.53	147.4
2026/08/28 03:00:00	1.2	2.2	21.1	21	8	3.19	151.6
2026/08/28 04:00:00	1.2	2.3	20.4	17	6	2.49	162.5
2026/08/28 05:00:00	1.2	3.3	18.9	21	7	2.38	168.8
2026/08/28 06:00:00	1.3	4	19.9	26	8	2.58	172.6
2026/08/28 07:00:00	1.2	4.2	23.8	25	7	3.14	172.3
2026/08/28 08:00:00	1.2	5.1	20.9	19	8	2.88	155.6
2026/08/28 09:00:00	1.2	5.4	23.4	21	7	3.14	166.2

台電 台中電廠 清水測站

2026/08/28 10:00:00	1.3	6.1	20.8	22	7	3.48	146.4
2026/08/28 11:00:00	1.3	7.2	21.4	20	7	3.19	145.8
2026/08/28 12:00:00	1.2	5.6	29.3	18	5	3.36	150.9
2026/08/28 13:00:00	1.2	6.2	30.2	22	6	3.05	151
2026/08/28 14:00:00	1.1	5	31.4	19	11	2.89	154.4
2026/08/28 15:00:00	1.1	5	33.1	13	8	3.68	148.5
2026/08/28 16:00:00	1.1	5.7	31.9	15	6	3.68	147.3
2026/08/28 17:00:00	1.2	5.3	29.1	18	5	3.25	157.5
2026/08/28 18:00:00	1.2	6.2	25	18	7	2.41	159.8
2026/08/28 19:00:00	1.2	8.1	21.9	25	9	2.33	154.7
2026/08/28 20:00:00	1.2	7.3	21.9	23	11	2.25	155.4
2026/08/28 21:00:00	1.2	5.9	22.8	26	7	2.14	156.9
2026/08/28 22:00:00	1.3	5.9	21.6	25	10	1.43	158.2
2026/08/28 23:00:00	1.3	5.5	20.8	29	15	2.04	148.7

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/29 00:00:00	1.3	5.3	20.4	24	9	2.28	152.2
2026/08/29 01:00:00	1.2	3.5	22.1	19	7	1.93	156.5
2026/08/29 02:00:00	1.3	3.5	21.6	15	9	2.15	152.9
2026/08/29 03:00:00	1.3	5.9	20.4	19	6	1.92	146.8
2026/08/29 04:00:00	1.2	10.3	15.5	20	4	2.06	133.9
2026/08/29 05:00:00	1.2	3.2	22.6	26	6	1.55	150.9
2026/08/29 06:00:00	1.2	9.3	15.3	18	7	1.05	140.9
2026/08/29 07:00:00	1.2	6.7	12.3	22	6	1.22	88.4
2026/08/29 08:00:00	1.3	6.3	14.3	19	6	1.87	106.5
2026/08/29 09:00:00	1.3	7.6	20.5	18	8	1.59	105.6
2026/08/29 10:00:00	1.3	5.5	29.8	24	8	1.75	176.8
2026/08/29 11:00:00	1.2	4	33.7	16	6	2.32	194.7
2026/08/29 12:00:00	1.3	4.2	36	16	5	2.11	194.3
2026/08/29 13:00:00	1.7	4.6	42.5	16	3	2.87	244.5
2026/08/29 14:00:00	3.2	8.9	42.4	10	4	2.45	260
2026/08/29 15:00:00	1.2	3.2	37.5	19	4	3.49	212.9
2026/08/29 16:00:00	2.2	7.8	33.2	14	3	1.33	264.7
2026/08/29 17:00:00	1.5	4.4	41.6	16	6	2.19	27.6
2026/08/29 18:00:00	1.2	5	39.8	11	7	2.03	39.6
2026/08/29 19:00:00	1.5	5.4	34.3	25	5	2.04	83
2026/08/29 20:00:00	1.6	7.2	30.4	21	7	0.68	214.9
2026/08/29 21:00:00	1.3	4.9	25.9	16	4	1.54	171
2026/08/29 22:00:00	1.2	4.2	23.7	5	1	1.49	142.8
2026/08/29 23:00:00	1.6	6.7	18.9	6	1	0.77	149.2
2026/08/30 00:00:00	1.6	5.7	17.9	10	2	0.7	153.1
2026/08/30 01:00:00	1.6	4.3	18.9	15	5	0.57	148
2026/08/30 02:00:00	1.7	4.9	14.5	19	5	0.48	84.7
2026/08/30 03:00:00	1.6	5.4	11.5	18	5	0.43	75.4
2026/08/30 04:00:00	1.5	5.4	11.1	20	5	0.67	78.3
2026/08/30 05:00:00	1.5	5.4	9.5	18	6	1	53.9
2026/08/30 06:00:00	1.6	8.1	7	19	8	0.68	60.2
2026/08/30 07:00:00	1.6	7.3	7.6	19	11	0.96	58
2026/08/30 08:00:00	2.2	5.7	15.8	21	8	1.01	49.4

台電 台中電廠 清水測站

2026/08/30 09:00:00	3.5	5.6	22.5	24	7	1.03	13.4
2026/08/30 10:00:00	3.4	5.1	29.3	16	8	1.6	338.7
2026/08/30 11:00:00	2.4	3.7	39.2	19	8	2.28	308.4
2026/08/30 12:00:00	2.2	3.5	42.9	18	8	2.23	320.1
2026/08/30 13:00:00	1.8	3.3	45.3	17	7	1.87	322.2
2026/08/30 14:00:00	1.8	2.8	48.8	19	6	2.04	327.5
2026/08/30 15:00:00	1.8	3.3	54.9	20	7	2.08	320.5
2026/08/30 16:00:00	1.6	3.2	38.3	18	10	3.2	198.4
2026/08/30 17:00:00	1.5	4	30.3	10	7	0.81	170
2026/08/30 18:00:00	1.3	7.2	23	8	3	1.42	64.2
2026/08/30 19:00:00	1.3	7.6	21.1	19	2	2.28	91.5
2026/08/30 20:00:00	1.6	9.3	20.4	16	2	0.56	137
2026/08/30 21:00:00	1.6	10.3	15.3	13	1	0.79	71.9
2026/08/30 22:00:00	1.7	10.4	13.4	15	1	0.88	82
2026/08/30 23:00:00	1.3	8.7	10.7	17	3	0.6	74.3

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/08/31 00:00:00	1.7	8.5	7.9	22	2	0.9	67.2
2026/08/31 01:00:00	1.6	7.9	10.5	21	1	0.54	77.4
2026/08/31 02:00:00	1.6	7.9	10.5	20	1	0.65	80.2
2026/08/31 03:00:00	1.5	8.3	7.7	22	1	1.11	64.6
2026/08/31 04:00:00	1.7	5.7	15	21	2	0.85	51.3
2026/08/31 05:00:00	1.5	5.4	12.6	19	3	0.78	68.7
2026/08/31 06:00:00	1.5	6.6	11.1	19	2	0.82	59.9
2026/08/31 07:00:00	1.6	8.8	11.2	20	3	0.28	111.4
2026/08/31 08:00:00	1.7	6.8	15.9	16	6	1.04	28
2026/08/31 09:00:00	1.7	7.1	20.8	15	6	1.88	28.1
2026/08/31 10:00:00	1.8	7.3	29.5	16	5	2.23	21.2
2026/08/31 11:00:00	2	6.7	43	16	6	1.95	5.7
2026/08/31 12:00:00	1.8	5	43.8	17	5	2.15	356.4
2026/08/31 13:00:00	1.8	4.5	40.9	14	3	1.73	333.8
2026/08/31 14:00:00	2.1	5.4	41.1	13	1	1.65	311.7
2026/08/31 15:00:00	1.8	5.3	45.7	14	2	1.76	309.4
2026/08/31 16:00:00	1.8	9.2	44.7	12	2	1.7	268.8
2026/08/31 17:00:00	1.8	11	39.2	12	2	2.11	219.2
2026/08/31 18:00:00	1.5	9.8	29.7	17	4	2.1	185
2026/08/31 19:00:00	1.5	9.2	21	9	4	1.98	175.6
2026/08/31 20:00:00	1.6	8.5	18.8	10	3	2	185.4
2026/08/31 21:00:00	1.7	11.5	14.3	14	4	1.06	171.5
2026/08/31 22:00:00	1.7	17.2	9.5	15	6	0.56	61.7
2026/08/31 23:00:00	1.6	12	11.4	15	8	0.79	178.4