

臺中市政府環境保護局
空氣品質監測月報表

測站名稱： 清水

監測時間: 2026/9/1 ~ 2026/9/30

項目 日期	二氧化氮(NO ₂)ppb				二氧化硫(SO ₂)ppb				懸浮微粒(PM-10) μg/m ³			臭氧(O ₃)ppb		懸浮微粒(PM-2.5) μg/m ³			風速	風向
	每日	小時	小時	超限	每日	小時	小時	超限	每日	小時	超限	每日	小時	每日	小時	超限	每日	每日
	平均值	最大值	最小值	次數	平均值	最大值	最小值	次數	平均值	最大值	次數	平均值	最大值	平均值	最大值	次數	平均值	平均值
01	8.65	13.4	4.6	0	1.65	2.1	1.5	0	15	21	0	18.64	41.6	5	10	0	1.46	南
02	7.24	12.9	2.9	0	1.6	2.1	1.3	0	19.8	36	0	21.66	51.2	5	10	0	1.46	北北東
03	11.25	17.7	6.2	0	1.82	2.8	1.3	0	21.8	29	0	19.22	33.5	8.1	20	0	1.09	東北東
04	9.89	21	4.4	0	1.54	2.3	0.9	0	20.6	34	0	22.87	56.7	6.1	12	0	1	南南東
05	5.2	13.2	2.3	0	1.02	1.2	0.6	0	23	29	0	30.75	45.7	7.5	11	0	2.79	北北東
06	4.8	7.7	2.2	0	0.77	1	0.6	0	18.6	29	0	45.29	56	6	15	0	3.27	北北東
07	9.51	17.6	2.3	0	0.73	1.1	0.4	0	25.7	37	0	40.1	61.8	10	15	0	1.62	北北東
08	10.38	18.3	4.6	0	1	1.5	0.6	0	29.2	39	0	43.75	78.6	14.2	19	0	1.72	北北東
09	10.07	21.7	4.2	0	0.98	1.8	0.5	0	31	42	0	39.8	66.1	13.5	21	0	2.13	北
10	7.96	14.2	4	0	0.94	1.2	0.5	0	33.1	64	0	37.27	61.9	12.1	20	0	2.67	北北東
11	6.36	9.3	4.3	0	1.01	1.2	0.7	0	30.7	49	0	37.64	51.9	12	16	0	2.96	北北東
12	7.09	12	5	0	1.22	3.9	0.6	0	23.2	43	0	27.63	66.4	10.6	20	0	1.58	北北東
13	6.3	9.8	3.2	0	1.07	1.5	0.7	0	29.4	48	0	26.8	68.6	14.5	32	0	1.63	北
14	5.46	8.4	2.6	0	1.07	1.6	0.9	0	21.3	61	0	17.31	31.5	6.5	11	0	2.67	北北東
15	6.09	9.2	3.5	0	1.07	1.3	0.9	0	28.2	46	0	39.52	60.9	11.7	21	0	3.19	北北東
16	7.79	11.1	4.6	0	1.03	1.3	0.7	0	36.1	50	0	41.59	59.1	12.5	24	0	3.08	北
17	7.59	12	4.6	0	0.95	1.3	0.5	0	29	43	0	37.32	61.9	9.4	15	0	2.42	北北東
18	11.1	20.8	4.5	0	1.18	1.7	0.9	0	33.1	48	0	28.67	68.1	15.2	23	0	1.78	北
19	7.93	11	3.7	0	1.11	1.7	0.9	0	28.9	39	0	31.89	65.6	13.1	19	0	2.08	北北東
20	8.36	18.7	3.1	0	1.1	1.5	0.9	0	30.1	42	0	31.05	51.6	15.8	23	0	2.1	北
21	9.43	14.9	5.5	0	1.24	1.7	1	0	27.9	44	0	38.8	63	11.2	18	0	2.07	北
22	11.34	20.1	5.4	0	1.26	2.1	1	0	32.6	51	0	38.45	74.1	14	23	0	2.17	北北東
23	11.33	23.1	3.9	0	1.25	1.8	0.9	0	36.3	72	0	31.24	66.9	13.8	19	0	1.86	北北東
24	10.94	18.1	4.4	0	1.16	1.6	0.7	0	32.6	44	0	27.68	64.3	14.7	22	0	1.47	東北東
25	10.16	19.2	3.5	0	1.34	2	1.1	0	33.2	46	0	26.61	60.1	17.5	30	0	1.21	東北東
26	10.07	19.5	3.8	0	2.04	4.4	1.1	0	38.6	55	0	31.45	52.6	21.2	37	0	1.43	西南西
27	7.86	12.8	4.8	0	2.02	5.1	1.1	0	31	40	0	36.22	59.6	16.1	25	0	2.04	南南東
28	5.11	8.5	3.1	0	1.28	2.8	0.7	0	19.6	27	0	30.3	47.6	8.4	15	0	2.58	南南東
29	7.3	12.3	4.3	0	1.19	2.3	0.7	0	23.7	37	0	29.64	51.4	9.2	13	0	2.29	南南東
30	9.08	13.7	3.8	0	1.17	4	0.6	0	27.1	42	0	32.28	57.9	15.5	21	0	1.52	東南
31																		
月平均值	8.4				1.2				27.7			32		11.7			2	
最大值	11.34				2.04				38.6					21.2			3.27	
發生日期	22				26				26			45.29		26			6	
超標準次數				0				0			0	6				0		
日標準值									75					30				
時標準值		100				65												

台電 台中電廠 清水測站

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/09/01 00:00:00	1.6	10.5	13.1	25	9	0.39	133.3
2026/09/01 01:00:00	1.6	8.2	14.7	18	7	0.89	74.3
2026/09/01 02:00:00	1.7	9.4	10.5	18	5	0.88	55.7
2026/09/01 03:00:00	1.7	9.5	7.8	17	9	0.57	38.2
2026/09/01 04:00:00	1.7	7.4	8.4	19	10	0.56	111.2
2026/09/01 05:00:00	1.5	8.3	6.5	20	8	0.39	78.6
2026/09/01 06:00:00	1.6	11.8	6.2	21	6	0.29	110.3
2026/09/01 07:00:00	1.7	13.4	5	14	5	0.56	196
2026/09/01 08:00:00	2.1	11.8	9.6	21	8	0.12	47.2
2026/09/01 09:00:00	2.1	11.7	13.7	17	7	1.32	182.3
2026/09/01 10:00:00	1.8	8.9	17.3	17	5	2.27	196.6
2026/09/01 11:00:00	1.6	7.4	30	15	6	1.71	231.7
2026/09/01 12:00:00	1.6	5.9	38.8	14	5	2.92	213.3
2026/09/01 13:00:00	1.6	5.1	37.7	9	5	2.69	218.5
2026/09/01 14:00:00	1.6	5.5	41.6	8	2	2.78	224.4
2026/09/01 15:00:00	1.6	4.6	34.7	12	2	4	191
2026/09/01 16:00:00	1.5	4.6	31.5	21	3	3.27	178.1
2026/09/01 17:00:00	1.5	7.4	26.3	8	3	1.9	166.9
2026/09/01 18:00:00	1.6	11.8	20.9	7	2	0.72	183.7
2026/09/01 19:00:00	1.7	9.5	19	7	3	1.39	172.4
2026/09/01 20:00:00	1.6	9.8	17.3	11	5	1.86	134.2
2026/09/01 21:00:00	1.6	12.1	13.4	14	5	1.62	129.9
2026/09/01 22:00:00	1.6	7	16.6	18	3	0.71	138.3
2026/09/01 23:00:00	1.6	7.9	11.4	20	2	0.84	60
2026/09/02 00:00:00	1.6	8.7	8.5	16	4	0.83	70.5
2026/09/02 01:00:00	1.6	7	9	20	4	0.56	74.3
2026/09/02 02:00:00	1.7	7.4	6.5	20	4	0.38	78.6
2026/09/02 03:00:00	--	5.6	4.9	28	6	0.9	60.7
2026/09/02 04:00:00	1.6	11.5	3.2	29	5	0.5	76
2026/09/02 05:00:00	1.6	9	5.5	23	6	0.31	65.4
2026/09/02 06:00:00	1.6	9.3	4.5	21	5	0.51	91.3
2026/09/02 07:00:00	1.6	9.6	3.4	24	4	0.48	95.2
2026/09/02 08:00:00	1.7	10.3	3.8	23	5	0.59	121.1
2026/09/02 09:00:00	1.8	9.3	8.9	21	7	0.54	55
2026/09/02 10:00:00	1.8	4.9	23	18	6	2.39	29.6
2026/09/02 11:00:00	1.8	4.3	29.8	10	4	3.08	33.5
2026/09/02 12:00:00	1.6	3.9	33.9	10	2	2.54	38.9
2026/09/02 13:00:00	1.7	3.7	39.6	11	3	3.46	11.3
2026/09/02 14:00:00	1.6	2.9	43.1	9	4	3.65	13.3
2026/09/02 15:00:00	2.1	3.7	51.2	9	3	3.13	11.3
2026/09/02 16:00:00	1.7	4.6	42.1	15	3	2.69	3
2026/09/02 17:00:00	1.6	5.6	44.2	14	5	1.89	13.6
2026/09/02 18:00:00	1.7	7.6	30.8	17	5	1.47	309.8
2026/09/02 19:00:00	1.3	5	30.6	15	4	1.16	328.8
2026/09/02 20:00:00	1.5	4.9	27.7	17	3	0.7	186.4
2026/09/02 21:00:00	1.5	9.5	18.9	25	6	1.82	186.3
2026/09/02 22:00:00	1.3	8.8	18.4	29	10	1.11	155.3

台電 台中電廠 清水測站

2026/09/02 23:00:00	1.3	12.9	18.6	36	10	0.88	190.3
---------------------	-----	------	------	----	----	------	-------

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/09/03 00:00:00	1.3	12.5	18.4	32	8	0.39	140.4
2026/09/03 01:00:00	1.3	9.4	18.8	27	9	0.62	52.9
2026/09/03 02:00:00	1.3	9.9	14.8	27	8	0.7	77.2
2026/09/03 03:00:00	1.5	10.1	15.3	28	5	0.62	61.5
2026/09/03 04:00:00	1.6	9.6	18.8	27	7	0.74	52
2026/09/03 05:00:00	1.6	8.4	18.9	25	7	0.37	65.1
2026/09/03 06:00:00	1.6	9.6	13.8	22	8	0.38	98.9
2026/09/03 07:00:00	1.7	13.7	8.7	23	9	0.44	139.4
2026/09/03 08:00:00	2.3	17.5	8.7	24	10	1.64	189
2026/09/03 09:00:00	2.3	16	13.4	27	13	1.83	208.1
2026/09/03 10:00:00	1.8	12.1	21	29	12	2.26	193.8
2026/09/03 11:00:00	2	11.2	25.8	18	10	1.87	234.6
2026/09/03 12:00:00	2.8	17.2	23.8	16	14	0.82	228.5
2026/09/03 13:00:00	2.3	17.7	28.2	28	20	0.77	290
2026/09/03 14:00:00	2.2	13.4	30.5	29	13	0.76	105.4
2026/09/03 15:00:00	1.5	8.7	33.5	25	14	1.75	188
2026/09/03 16:00:00	1.3	6.2	32.5	15	7	2.48	192.6
2026/09/03 17:00:00	2	7.7	28.2	11	2	1.2	165.2
2026/09/03 18:00:00	2.1	10.3	25.6	8	3	0.78	132.2
2026/09/03 19:00:00	2.2	11.8	16.8	23	4	1.16	69.9
2026/09/03 20:00:00	2	14.9	12.3	24	4	1.32	91.3
2026/09/03 21:00:00	1.6	10.4	14.7	20	5	1.88	101.5
2026/09/03 22:00:00	1.5	9.2	14.8	13	5	0.44	111.9
2026/09/03 23:00:00	1.6	7.2	11.8	14	3	0.68	92.1
2026/09/04 00:00:00	1.6	7.8	10.7	22	3	0.66	80.5
2026/09/04 01:00:00	1.2	9.2	9.9	17	6	0.45	100
2026/09/04 02:00:00	1.3	11.4	6.5	14	6	0.24	74.6
2026/09/04 03:00:00	1.7	17.3	3.1	22	3	0.4	168.3
2026/09/04 04:00:00	1.6	10.4	14.5	23	1	0.81	148.6
2026/09/04 05:00:00	1.7	11.2	11.4	17	1	0.45	127.4
2026/09/04 06:00:00	1.7	20	4.6	21	2	0.49	153.6
2026/09/04 07:00:00	1.7	21	2.7	23	6	0.81	190
2026/09/04 08:00:00	2	19.4	9.5	23	7	0.87	154.3
2026/09/04 09:00:00	1.6	10.5	24.9	19	7	1.27	187.4
2026/09/04 10:00:00	1.6	9.4	29.5	18	8	0.94	147
2026/09/04 11:00:00	2.3	12.6	24.1	27	8	1.26	345.4
2026/09/04 12:00:00	2	7.9	38.1	34	10	1.4	339.8
2026/09/04 13:00:00	2.3	7.1	50.4	28	9	2.04	308.7
2026/09/04 14:00:00	2	5.5	56.3	32	12	1.61	328
2026/09/04 15:00:00	1.8	6	56.7	27	11	1.7	1.1
2026/09/04 16:00:00	1.6	5.5	48.7	25	10	1.61	354.2
2026/09/04 17:00:00	1.5	5	37.7	20	9	1.67	4
2026/09/04 18:00:00	1.2	4.9	32.4	16	6	1.55	356
2026/09/04 19:00:00	1	5.1	24.8	13	3	0.84	50.4
2026/09/04 20:00:00	0.9	4.4	20.5	14	4	0.76	74.4
2026/09/04 21:00:00	1	8.5	13.3	12	6	0.55	71.2

台電 台中電廠 清水測站

2026/09/04 22:00:00	1.1	7.2	11.2	18	4	1.07	53.2
2026/09/04 23:00:00	1.1	8.2	9.6	17	3	0.53	54.7

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (μg/m³)	PM2.5 迴歸(μg/m³)	風速 (m/s)	風向
2026/09/05 00:00:00	1.1	9.8	8.5	16	5	0.63	142.9
2026/09/05 01:00:00	1.2	10	7.6	26	7	0.42	47.1
2026/09/05 02:00:00	1.2	9.2	4.8	20	7	0.61	105.5
2026/09/05 03:00:00	1.1	12.8	3.8	25	8	0.49	149
2026/09/05 04:00:00	1.1	13.2	2.8	26	8	0.26	136.4
2026/09/05 05:00:00	1.2	11.4	8.7	28	9	0.56	62
2026/09/05 06:00:00	1	3.1	24.2	24	6	1.51	50.5
2026/09/05 07:00:00	1.1	6.3	16.2	19	6	1.16	81
2026/09/05 08:00:00	1.1	6	20.4	23	7	1.16	33
2026/09/05 09:00:00	1.1	3.7	29.8	19	9	3.14	35.5
2026/09/05 10:00:00	1.1	3.5	35	23	11	3.32	35.2
2026/09/05 11:00:00	1.2	4.2	41.6	25	8	3.06	23
2026/09/05 12:00:00	1.2	3.8	44.8	21	9	3.49	14.4
2026/09/05 13:00:00	1.1	2.9	43.1	26	7	3.55	6.6
2026/09/05 14:00:00	1.1	2.6	43.5	21	10	3.38	3.4
2026/09/05 15:00:00	1.1	2.4	44.3	22	8	3.79	6
2026/09/05 16:00:00	1.1	2.6	45.7	17	7	4.27	9.5
2026/09/05 17:00:00	1	3.4	45.2	18	6	4.16	7.6
2026/09/05 18:00:00	0.9	3.8	44.4	28	7	4.71	24.8
2026/09/05 19:00:00	0.9	3.9	42.7	24	7	4.42	28.8
2026/09/05 20:00:00	0.7	4.4	39.4	26	6	4.24	25.3
2026/09/05 21:00:00	0.6	3.9	37	29	6	3.77	23.9
2026/09/05 22:00:00	0.9	2.8	36.3	24	7	3.93	29.9
2026/09/05 23:00:00	0.9	2.3	37.6	18	8	3.8	31.4
2026/09/06 00:00:00	0.7	2.6	39.3	22	6	3.68	32.1
2026/09/06 01:00:00	0.7	2.3	40.7	20	6	3.63	31.3
2026/09/06 02:00:00	0.7	3.5	42.2	14	5	3.22	30.9
2026/09/06 03:00:00	0.7	6	39.7	21	8	1.32	23.6
2026/09/06 04:00:00	0.9	6.1	34.4	19	7	1.04	57.8
2026/09/06 05:00:00	0.9	5.7	33.2	19	7	1.23	58.7
2026/09/06 06:00:00	0.7	6.5	32.2	18	5	0.76	58.3
2026/09/06 07:00:00	0.9	7.7	30.4	21	5	1.55	38.6
2026/09/06 08:00:00	1	6.6	37.9	21	8	3.27	30.3
2026/09/06 09:00:00	0.9	5.6	42	29	15	3.72	31.4
2026/09/06 10:00:00	0.7	4.9	48.5	27	10	4.35	27.1
2026/09/06 11:00:00	0.9	4.6	52.9	21	5	4.86	30.1
2026/09/06 12:00:00	0.7	4.9	53.6	20	5	4.33	22.5
2026/09/06 13:00:00	0.7	4.5	53.8	22	5	3.75	3.7
2026/09/06 14:00:00	0.6	3.5	54.5	21	6	3.72	4.3
2026/09/06 15:00:00	0.6	3.5	54	17	4	3.59	5.3
2026/09/06 16:00:00	0.7	4.6	55.7	11	4	3.97	10.2
2026/09/06 17:00:00	0.6	4.9	56	13	4	4.16	6.5
2026/09/06 18:00:00	0.7	5.1	52.5	14	4	4.04	17.1
2026/09/06 19:00:00	0.7	5.1	55.2	13	5	3.32	26.2
2026/09/06 20:00:00	0.7	5.9	53.2	20	8	3.08	19

台電 台中電廠 清水測站

2026/09/06 21:00:00	0.9	5.7	40.8	20	7	3.5	34.1
2026/09/06 22:00:00	0.9	3.3	37	15	4	3.52	35.1
2026/09/06 23:00:00	0.9	2.7	39.4	14	3	4.05	36.8

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/09/07 00:00:00	0.9	2.2	47.3	18	4	4.46	44.1
2026/09/07 01:00:00	0.9	2.3	46	16	5	2.06	36.7
2026/09/07 02:00:00	0.7	3.1	39.7	17	4	0.26	182.1
2026/09/07 03:00:00	0.6	4.4	34.2	15	4	0.59	64.3
2026/09/07 04:00:00	0.6	6.2	31.7	13	6	0.39	134.1
2026/09/07 05:00:00	1	16.8	16.4	20	5	0.83	125
2026/09/07 06:00:00	1	17.6	13.8	16	6	0.5	113.7
2026/09/07 07:00:00	0.9	12.3	14.9	15	9	0.66	78.8
2026/09/07 08:00:00	1.1	12.1	26.1	16	10	0.67	344.3
2026/09/07 09:00:00	0.7	9.5	43.1	21	10	1.54	358.6
2026/09/07 10:00:00	1.1	8.3	53.1	29	12	2.32	1.5
2026/09/07 11:00:00	1.1	7.4	57.6	32	14	2.69	354.3
2026/09/07 12:00:00	0.7	7.1	53.7	34	14	3.33	8
2026/09/07 13:00:00	0.5	7	52	33	11	3.21	8.4
2026/09/07 14:00:00	0.6	7.7	54.7	32	9	3.25	11.3
2026/09/07 15:00:00	0.6	9.4	56.5	32	11	3.19	33.6
2026/09/07 16:00:00	0.5	8.5	60.3	29	11	2.47	29.9
2026/09/07 17:00:00	0.5	10.1	61.8	30	12	2.34	20.6
2026/09/07 18:00:00	0.6	11.5	57.8	28	12	1.78	14.9
2026/09/07 19:00:00	0.7	8.5	49.2	35	12	1.38	29.4
2026/09/07 20:00:00	0.9	9.4	38.9	37	11	1.1	65.6
2026/09/07 21:00:00	0.7	11.6	30	29	12	1.36	71.3
2026/09/07 22:00:00	0.4	12.8	27.6	28	13	1.12	66
2026/09/07 23:00:00	0.6	11.6	23.6	32	15	1.07	64.5
2026/09/08 00:00:00	0.7	13.1	19.9	30	13	0.81	61
2026/09/08 01:00:00	0.6	11.2	21.7	23	13	0.51	76.9
2026/09/08 02:00:00	0.9	11.1	18.2	24	17	0.6	106.4
2026/09/08 03:00:00	0.7	15.9	12	29	16	0.61	127
2026/09/08 04:00:00	0.7	17.5	6.1	25	16	1.21	64.3
2026/09/08 05:00:00	0.7	18.3	6.3	29	15	1.09	60.8
2026/09/08 06:00:00	0.7	14.4	9.4	14	16	1.26	84.7
2026/09/08 07:00:00	1	12.8	16.7	32	16	0.67	45.5
2026/09/08 08:00:00	1.3	12	23.3	29	11	0.55	42.6
2026/09/08 09:00:00	1.1	11	37.2	33	14	0.87	14.2
2026/09/08 10:00:00	1.3	10.1	50.7	39	14	1.06	340
2026/09/08 11:00:00	1.5	7.9	62.3	39	18	2.3	314.5
2026/09/08 12:00:00	1.3	8.3	71.7	38	13	2.14	332.3
2026/09/08 13:00:00	1.1	5.9	76.8	30	11	2.52	342.8
2026/09/08 14:00:00	1.1	5.3	78.6	28	10	2.48	345.4
2026/09/08 15:00:00	1	4.6	71.1	29	12	2.76	358.8
2026/09/08 16:00:00	1	5	72.6	29	10	3.28	6.7
2026/09/08 17:00:00	1	5.7	71.6	28	14	3.5	7.1
2026/09/08 18:00:00	1	8.2	69	26	13	3.36	11.5
2026/09/08 19:00:00	1	8.7	63.2	33	19	2.65	22.4

台電 台中電廠 清水測站

2026/09/08 20:00:00	1	9.9	56.5	31	13	2	29.7
2026/09/08 21:00:00	1.1	11.1	48.7	32	16	1.9	32.8
2026/09/08 22:00:00	1.1	11.8	42.5	30	17	1.38	49
2026/09/08 23:00:00	1	11.1	36	29	14	1.21	65.2

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/09/09 00:00:00	1	11.4	28	24	14	1.32	73.8
2026/09/09 01:00:00	1	9.9	28.2	23	13	1.25	71.6
2026/09/09 02:00:00	1.1	12.7	23.8	23	14	0.74	66.5
2026/09/09 03:00:00	1.2	14.2	23.6	24	13	0.44	114.5
2026/09/09 04:00:00	1.3	21.7	12.1	25	16	0.34	51.1
2026/09/09 05:00:00	1.5	20.1	8.7	42	21	0.9	59.9
2026/09/09 06:00:00	1	19.8	6.7	39	18	1.42	61.2
2026/09/09 07:00:00	1.1	15.1	24.3	32	16	0.92	51.3
2026/09/09 08:00:00	1.2	12.1	36.9	32	16	1.26	110.9
2026/09/09 09:00:00	1.8	15.6	37.4	33	20	0.93	325.7
2026/09/09 10:00:00	1.5	9.8	60.4	39	20	1.78	330.2
2026/09/09 11:00:00	1	7.3	66.1	40	21	1.99	353.8
2026/09/09 12:00:00	1	5.9	64.7	34	12	3.17	2.9
2026/09/09 13:00:00	0.9	4.6	58.4	36	11	3.2	1.8
2026/09/09 14:00:00	0.9	4.4	54.2	35	11	3.43	7.9
2026/09/09 15:00:00	0.9	4.2	54.5	32	9	4.74	7.9
2026/09/09 16:00:00	0.9	5.3	56.2	41	8	4.31	14.4
2026/09/09 17:00:00	0.9	6.6	54.3	33	11	3.59	23.6
2026/09/09 18:00:00	0.7	6.5	51.4	23	10	4.16	28.1
2026/09/09 19:00:00	0.6	8.4	45.3	24	10	3.03	9.5
2026/09/09 20:00:00	0.7	9.9	38.6	29	12	1.82	17
2026/09/09 21:00:00	0.7	7.9	38.5	31	12	2.58	30.4
2026/09/09 22:00:00	0.6	6.5	39.6	27	11	2.32	34.1
2026/09/09 23:00:00	0.6	6.2	38.5	24	11	1.43	40.3
2026/09/10 00:00:00	0.5	7.1	33	23	10	1.38	48.6
2026/09/10 01:00:00	0.5	9.5	26.6	21	8	1.21	48.1
2026/09/10 02:00:00	0.7	8.5	26.9	27	10	0.89	59.8
2026/09/10 03:00:00	0.9	11.5	21.5	23	10	0.68	68.5
2026/09/10 04:00:00	1	10.9	16.8	25	11	1.43	60.9
2026/09/10 05:00:00	0.9	9	17.5	25	12	0.84	27.8
2026/09/10 06:00:00	0.9	14.2	10.4	21	9	1.07	65.6
2026/09/10 07:00:00	0.9	13.9	11.7	27	10	0.71	69.1
2026/09/10 08:00:00	1.1	12.2	15.1	22	11	1.72	26.4
2026/09/10 09:00:00	1	8.9	31.1	28	10	1.83	13.1
2026/09/10 10:00:00	1	7.2	44.2	26	12	2	16.7
2026/09/10 11:00:00	--	--	--	25	12	2.33	355.3
2026/09/10 12:00:00	1.2	6.6	61.9	32	14	3.28	8.8
2026/09/10 13:00:00	1.1	5.5	58.5	--	14	4.44	10.2
2026/09/10 14:00:00	0.9	4.6	53.8	51	13	4.62	8.9
2026/09/10 15:00:00	0.9	4	53.2	64	16	4.96	9.3
2026/09/10 16:00:00	0.9	4	52.5	47	14	4.99	9.1
2026/09/10 17:00:00	0.9	5	56.2	49	13	4.71	12
2026/09/10 18:00:00	1	7.2	50.7	50	20	3.63	9.9

台電 台中電廠 清水測站

2026/09/10 19:00:00	1	7.7	42.9	51	17	3.5	24.4
2026/09/10 20:00:00	1	7.8	40.3	37	14	3.13	26.2
2026/09/10 21:00:00	1	6.6	39.2	30	14	3.74	29.1
2026/09/10 22:00:00	1	6.3	41	26	9	3.46	23.7
2026/09/10 23:00:00	1	5.9	42.7	29	8	3.1	22.1

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/09/11 00:00:00	1	6.2	42.7	27	10	1.88	25.8
2026/09/11 01:00:00	0.9	6	40.7	25	12	2.08	25.9
2026/09/11 02:00:00	1	5.4	37.7	30	14	2.27	34.7
2026/09/11 03:00:00	0.7	4.4	38	25	12	2.19	26.3
2026/09/11 04:00:00	0.9	6.2	30.9	20	10	1.26	28.8
2026/09/11 05:00:00	0.9	6	31	16	8	1.84	26.5
2026/09/11 06:00:00	0.9	6.6	29.2	16	7	1.89	32
2026/09/11 07:00:00	0.9	6.1	28.9	22	8	2.42	31.1
2026/09/11 08:00:00	1	7	29.2	16	11	2.76	29.5
2026/09/11 09:00:00	0.9	6.2	33.6	24	11	3.59	33.2
2026/09/11 10:00:00	1	4.9	42	27	13	4.31	35.7
2026/09/11 11:00:00	1.2	6	47.5	27	9	3.5	17.8
2026/09/11 12:00:00	1.1	7	51.2	30	11	3.7	2.9
2026/09/11 13:00:00	1.1	5.5	51.9	41	12	4.25	8.9
2026/09/11 14:00:00	1.1	4.3	51.9	42	16	5.13	11.3
2026/09/11 15:00:00	1.1	4.4	49.2	43	14	4.46	10.1
2026/09/11 16:00:00	1	4.9	48	44	13	4.44	9.2
2026/09/11 17:00:00	1	6.3	44.3	49	14	3.75	6.2
2026/09/11 18:00:00	1.2	7.7	39.2	47	12	3.28	5
2026/09/11 19:00:00	--	5.4	36	40	15	3.06	9
2026/09/11 20:00:00	1.1	8.8	35.5	46	14	3.11	15.1
2026/09/11 21:00:00	1.1	8.9	29.9	38	13	2.33	12.2
2026/09/11 22:00:00	1.1	9.3	26	27	13	1.61	20.5
2026/09/11 23:00:00	1	8.8	25.4	24	14	1.97	15.1
2026/09/12 00:00:00	1.1	6.6	26.3	19	12	1.94	21
2026/09/12 01:00:00	1	7.3	18.2	21	10	0.94	56.4
2026/09/12 02:00:00	0.6	8.3	15.4	18	7	1.04	33.7
2026/09/12 03:00:00	0.6	6.8	15.8	14	7	0.87	39.6
2026/09/12 04:00:00	0.9	6.6	11.7	13	9	0.89	62.2
2026/09/12 05:00:00	0.9	7.1	9.2	11	5	0.96	73.4
2026/09/12 06:00:00	1	8.5	7.6	10	2	0.73	68
2026/09/12 07:00:00	1	8.7	7.8	11	4	0.82	45.6
2026/09/12 08:00:00	1.1	6.1	15.6	9	6	1.28	28
2026/09/12 09:00:00	1.1	5.5	21.2	13	7	0.94	357
2026/09/12 10:00:00	1.2	6	30.8	17	7	0.79	289.8
2026/09/12 11:00:00	1.1	6.7	39.8	20	8	1.39	300.3
2026/09/12 12:00:00	1.7	9	52.3	35	9	1.23	280.3
2026/09/12 13:00:00	3.9	12	55.6	41	16	1.73	258.9
2026/09/12 14:00:00	2.4	7.3	66.4	40	19	1.2	306.9
2026/09/12 15:00:00	1.8	5	64.7	43	20	1.87	346.8
2026/09/12 16:00:00	1	6.3	41.3	41	20	3.09	11.1
2026/09/12 17:00:00	0.9	6.1	35.2	31	11	2.09	5.2

台電 台中電廠 清水測站

2026/09/12 18:00:00	1	6.7	30.4	33	13	2.65	16.6
2026/09/12 19:00:00	1	7.7	24.9	28	15	2.74	17.5
2026/09/12 20:00:00	1.1	8.4	20.6	24	16	2.39	9.2
2026/09/12 21:00:00	1.1	7.3	20.8	25	12	2.17	16.3
2026/09/12 22:00:00	1	6	20.3	25	15	2.22	13.5
2026/09/12 23:00:00	1	5.5	19.4	21	9	2.08	12.9

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/09/13 00:00:00	0.9	5.4	18.2	14	8	1.78	18.2
2026/09/13 01:00:00	0.7	5.7	14.8	15	9	0.74	32.4
2026/09/13 02:00:00	1	5.7	11.5	14	7	0.56	46.8
2026/09/13 03:00:00	1	6.2	10.3	15	8	0.76	85.3
2026/09/13 04:00:00	1	7	9	21	10	0.59	133.2
2026/09/13 05:00:00	1	7.4	8.2	21	8	0.66	141.6
2026/09/13 06:00:00	1	9.8	7.6	26	11	0.74	159.1
2026/09/13 07:00:00	1	8.3	15.4	31	13	1.51	149.4
2026/09/13 08:00:00	1.1	8.7	21.7	42	20	1.59	182.9
2026/09/13 09:00:00	1.3	6.6	34.7	38	19	1.95	185.7
2026/09/13 10:00:00	1.1	5.9	43.2	30	21	1.99	203.3
2026/09/13 11:00:00	1.1	6	49.7	37	18	1.15	201.8
2026/09/13 12:00:00	1.5	7.7	45.3	42	22	1.87	332.2
2026/09/13 13:00:00	1.3	6	59.6	48	32	1.71	343.5
2026/09/13 14:00:00	1.5	5	68.6	45	32	2.36	351.6
2026/09/13 15:00:00	1.5	4.8	65.2	42	27	2.34	355.2
2026/09/13 16:00:00	1.2	4.4	57.4	38	22	2.58	2.4
2026/09/13 17:00:00	1	3.2	29.8	28	12	2.64	0.7
2026/09/13 18:00:00	0.9	3.3	20.6	20	10	2.87	7.3
2026/09/13 19:00:00	0.9	5	16.1	19	10	2.31	4.9
2026/09/13 20:00:00	0.7	5.6	13.1	22	10	1.97	3.2
2026/09/13 21:00:00	0.9	7.1	13.1	33	9	1.77	9.3
2026/09/13 22:00:00	1	6.8	12.3	33	8	1.92	9.7
2026/09/13 23:00:00	1.1	7.6	9	24	7	1.36	17.6
2026/09/14 00:00:00	1.1	7.4	7.2	23	5	1.16	43.2
2026/09/14 01:00:00	1	8.4	3.4	22	5	1.31	45.2
2026/09/14 02:00:00	1	5.9	4.4	18	6	1.27	31.4
2026/09/14 03:00:00	1	5	4.5	17	7	0.99	29.3
2026/09/14 04:00:00	0.9	4.6	6.5	16	8	1.14	24.3
2026/09/14 05:00:00	1	4.3	6.8	16	7	1.33	39.6
2026/09/14 06:00:00	1	5.6	5.6	12	6	1.27	39.9
2026/09/14 07:00:00	1.2	5.7	5.6	15	5	1.15	42.8
2026/09/14 08:00:00	1.6	4.8	8.2	11	5	1.7	29.9
2026/09/14 09:00:00	1.5	6.1	9	12	4	1.2	22.2
2026/09/14 10:00:00	1.3	5.5	16.8	17	6	2	4.2
2026/09/14 11:00:00	1.2	8.3	21.9	23	7	2.34	356.9
2026/09/14 12:00:00	1.1	6.5	28.4	31	8	3.72	3.3
2026/09/14 13:00:00	0.9	5	31.5	40	9	3.43	3.4
2026/09/14 14:00:00	1	2.6	28	61	7	3.82	4.9
2026/09/14 15:00:00	1	2.6	27.4	21	7	4.88	8.7
2026/09/14 16:00:00	1	2.9	24.1	20	6	4.63	8.2

台電 台中電廠 清水測站

2026/09/14 17:00:00	1	5.3	23.2	16	5	4.24	12.3
2026/09/14 18:00:00	1	5.6	18.4	19	6	3.98	12.7
2026/09/14 19:00:00	1	8.4	19.9	25	8	3.61	18.5
2026/09/14 20:00:00	1.1	6.5	29.8	28	10	3.63	14.1
2026/09/14 21:00:00	0.9	5.7	31.1	29	11	3.02	14.9
2026/09/14 22:00:00	1	5.4	23.2	17	8	3.66	25.8
2026/09/14 23:00:00	1	4.8	18.8	13	4	3.74	32.4

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/09/15 00:00:00	1	5.6	19	13	1	1.98	24.8
2026/09/15 01:00:00	0.9	4	23.9	11	2	3.09	35.2
2026/09/15 02:00:00	1	3.5	28.3	15	3	2.33	27
2026/09/15 03:00:00	0.9	5.6	25.3	16	9	1.33	60
2026/09/15 04:00:00	1	6	10.6	19	11	1.33	34.5
2026/09/15 05:00:00	0.9	6	16.5	13	7	1.09	48.1
2026/09/15 06:00:00	1	7.2	16.8	18	5	1.1	33.8
2026/09/15 07:00:00	1.2	9.2	7.1	18	8	1.42	24.8
2026/09/15 08:00:00	1.1	9.2	17.2	19	8	1.95	25.1
2026/09/15 09:00:00	1.3	6.6	31.7	21	6	2.7	30.6
2026/09/15 10:00:00	1.2	7.2	37.6	28	8	2.42	2.5
2026/09/15 11:00:00	1.2	7.3	44.3	30	10	3.38	11.8
2026/09/15 12:00:00	1.2	6.7	54.9	42	11	4.36	16.6
2026/09/15 13:00:00	1	6.2	59.1	46	12	4.42	19.7
2026/09/15 14:00:00	1.1	5.1	60.9	41	14	4.79	18.6
2026/09/15 15:00:00	0.9	5.3	58.6	40	18	4.93	23.5
2026/09/15 16:00:00	1.1	4.9	55.4	38	16	5.78	30.2
2026/09/15 17:00:00	1	4.8	51.5	36	16	5.7	30.6
2026/09/15 18:00:00	1.1	5.9	48.1	33	16	5.27	30.1
2026/09/15 19:00:00	1.1	6.2	50.1	39	16	4.16	27.2
2026/09/15 20:00:00	1.1	6.3	51.4	34	21	3.68	29
2026/09/15 21:00:00	1.2	5.5	51.4	36	18	3.41	31.6
2026/09/15 22:00:00	1.1	5.1	51.5	36	14	3.31	32.4
2026/09/15 23:00:00	1	5.6	50.5	37	19	2.6	30.4
2026/09/16 00:00:00	1.1	6.8	45.8	12	15	2.1	35.4
2026/09/16 01:00:00	1.1	7	43.2	36	19	1.28	36.2
2026/09/16 02:00:00	1	8.5	36.3	30	15	1.37	40.6
2026/09/16 03:00:00	0.9	9.2	33.3	29	13	1.33	37.1
2026/09/16 04:00:00	0.9	9.2	33.1	23	12	1.29	25.7
2026/09/16 05:00:00	0.7	11.1	28.7	26	15	1.48	36.1
2026/09/16 06:00:00	0.9	8.7	32.2	28	18	1.71	29.7
2026/09/16 07:00:00	1	9	35.8	29	24	2.41	30.2
2026/09/16 08:00:00	1.3	10.5	36	28	18	2.88	21
2026/09/16 09:00:00	1.2	8.1	39.9	37	18	3.02	28.7
2026/09/16 10:00:00	1.2	6.8	47.4	37	16	3.65	14.5
2026/09/16 11:00:00	1.1	7.2	55.3	35	11	3.88	5.4
2026/09/16 12:00:00	1.2	6.8	59.1	46	12	3.8	6.5
2026/09/16 13:00:00	1.1	5.7	57.5	50	11	3.81	4.2
2026/09/16 14:00:00	1	4.6	53.5	47	11	4.76	9.3
2026/09/16 15:00:00	1	5	51.6	44	12	4.79	10.3

台電 台中電廠 清水測站

2026/09/16 16:00:00	1	5.7	50.4	47	10	4.7	5.1
2026/09/16 17:00:00	1	6.1	49	43	9	4.68	8.3
2026/09/16 18:00:00	1	8.1	42	44	10	3.69	9.6
2026/09/16 19:00:00	1	8.8	37.9	39	8	3.38	16.9
2026/09/16 20:00:00	1.1	8.9	35.4	39	8	3.38	8.9
2026/09/16 21:00:00	1.1	10.7	32.2	36	10	3.21	8.6
2026/09/16 22:00:00	1.1	9.4	33.2	36	9	3.32	22.9
2026/09/16 23:00:00	1	6.2	37.9	31	7	3.31	21.5

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/09/17 00:00:00	1	5.7	37.4	27	6	2.84	30.4
2026/09/17 01:00:00	0.9	5.9	35.2	21	6	2.27	32.8
2026/09/17 02:00:00	0.7	6.8	31.4	26	5	1.7	32.4
2026/09/17 03:00:00	0.5	6.7	29.7	24	6	1.64	30.6
2026/09/17 04:00:00	0.6	7.3	25.5	16	4	1.4	31.6
2026/09/17 05:00:00	0.9	8.9	21.2	18	4	1.38	33.4
2026/09/17 06:00:00	0.9	8.7	21.2	20	4	1.55	30
2026/09/17 07:00:00	1	9	23.3	19	5	1.81	28.9
2026/09/17 08:00:00	1.1	8.9	28.8	20	7	2.64	27.4
2026/09/17 09:00:00	1	7.2	37	20	11	3.43	33.2
2026/09/17 10:00:00	1.3	8.5	42.5	27	12	3.05	28
2026/09/17 11:00:00	1.3	9.2	54.3	30	9	2.48	7.1
2026/09/17 12:00:00	1	6.6	61.9	33	8	3.03	1.1
2026/09/17 13:00:00	0.9	5.4	60.3	37	10	3.25	1.8
2026/09/17 14:00:00	1	5	58.1	33	11	3.1	5
2026/09/17 15:00:00	0.9	4.6	53.6	37	11	3.28	2.3
2026/09/17 16:00:00	1	4.8	51.8	31	10	3.53	7.4
2026/09/17 17:00:00	0.9	6.1	47.5	32	--	3.58	7.9
2026/09/17 18:00:00	0.7	7.1	42.9	34	13	3.43	6.4
2026/09/17 19:00:00	0.7	6.7	41.4	35	13	2.87	19.5
2026/09/17 20:00:00	1.1	7.1	37.6	38	14	2.55	21.6
2026/09/17 21:00:00	1.1	8.9	31.7	43	13	1.76	9.9
2026/09/17 22:00:00	1.2	10	25.8	39	13	1.97	7.3
2026/09/17 23:00:00	1.2	10.9	20.4	31	15	1.22	23.5
2026/09/18 00:00:00	1	12	12.6	34	14	1.06	59.8
2026/09/18 01:00:00	1	12.1	9.3	27	14	1.01	64.6
2026/09/18 02:00:00	1.2	14.3	7.4	24	14	1.21	67
2026/09/18 03:00:00	1.1	12.2	10.4	22	12	0.65	82.5
2026/09/18 04:00:00	1.1	14.7	7.3	23	12	1.11	75.3
2026/09/18 05:00:00	1.1	16.7	5.5	34	13	1.37	104.5
2026/09/18 06:00:00	1.2	20.8	2.9	32	17	0.39	131.9
2026/09/18 07:00:00	1.2	16.6	4.4	34	23	0.54	54.6
2026/09/18 08:00:00	1.2	14.7	9.4	35	21	0.93	31.7
2026/09/18 09:00:00	1.6	12.7	23.7	38	19	1.11	341.8
2026/09/18 10:00:00	1.7	10.7	38.7	44	20	1.31	330.2
2026/09/18 11:00:00	1.6	8.1	57.5	46	21	2.01	339.6
2026/09/18 12:00:00	1.3	7.9	68.1	46	20	2.23	341.8
2026/09/18 13:00:00	1.2	5.5	67.3	48	20	2.45	349.1
2026/09/18 14:00:00	1	4.5	60.9	38	15	2.88	3.7

台電 台中電廠 清水測站

2026/09/18 15:00:00	1	4.9	50.5	32	11	2.41	4
2026/09/18 16:00:00	1	4.8	45.5	32	8	3.11	8.9
2026/09/18 17:00:00	0.9	6.3	43.8	27	10	3.19	9.9
2026/09/18 18:00:00	1	7.9	39.2	26	15	3.17	9.2
2026/09/18 19:00:00	1	8.5	33	31	15	2.42	12.8
2026/09/18 20:00:00	1	9	29.5	33	13	2.12	10.6
2026/09/18 21:00:00	1.1	11.8	22.3	34	12	1.01	17.5
2026/09/18 22:00:00	1.5	14.7	17.3	32	14	1.75	18.5
2026/09/18 23:00:00	1.3	14.4	17.1	31	13	2.47	7.6

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (μg/m³)	PM2.5 迴歸(μg/m³)	風速 (m/s)	風向
2026/09/19 00:00:00	1.2	12.7	17.3	27	15	1.87	23.6
2026/09/19 01:00:00	1.1	10.7	17.1	29	11	0.99	39.1
2026/09/19 02:00:00	1	9.6	15.5	25	10	1	33.3
2026/09/19 03:00:00	0.9	8.9	16	18	10	1.7	22.6
2026/09/19 04:00:00	0.9	9	14.2	19	10	0.96	20
2026/09/19 05:00:00	1	8.7	12.7	24	9	1.51	25.7
2026/09/19 06:00:00	1.2	10.9	11.4	21	9	0.83	20.9
2026/09/19 07:00:00	1.1	11	9.8	18	11	1.53	22.5
2026/09/19 08:00:00	1.2	10.7	14	23	12	1.38	14.6
2026/09/19 09:00:00	1.5	9.4	20.1	24	10	1.84	18.7
2026/09/19 10:00:00	1.7	7.2	37.2	26	9	2.05	10.7
2026/09/19 11:00:00	1.6	7.7	55.8	26	11	1.94	358.8
2026/09/19 12:00:00	1.6	7.1	65.6	35	13	2.41	352
2026/09/19 13:00:00	1.1	5.1	59	39	11	2.94	359.8
2026/09/19 14:00:00	0.9	3.7	49.9	31	13	3.63	5
2026/09/19 15:00:00	0.9	3.8	46.6	29	15	3.91	10.2
2026/09/19 16:00:00	0.9	3.9	50.7	36	12	4.22	11.7
2026/09/19 17:00:00	0.9	5	49.6	33	15	3.87	9.7
2026/09/19 18:00:00	0.9	6.5	48.6	34	16	3.26	7.7
2026/09/19 19:00:00	1	7	42.2	33	18	2.48	11.4
2026/09/19 20:00:00	1.1	7.7	33.6	33	18	2.14	20.3
2026/09/19 21:00:00	1.2	8.9	27.2	37	18	1.92	30.9
2026/09/19 22:00:00	1.1	9.3	26.3	32	19	1.73	30.2
2026/09/19 23:00:00	1	9	22	32	18	1.06	64.5
2026/09/20 00:00:00	1	9.6	20.3	37	18	0.57	42.4
2026/09/20 01:00:00	1	10.4	16.8	27	16	0.66	64.4
2026/09/20 02:00:00	1.1	14.5	11.7	27	16	0.31	73.8
2026/09/20 03:00:00	1	18.7	7.1	33	18	0.12	110.7
2026/09/20 04:00:00	1.2	17.3	9.2	34	20	1.01	72.1
2026/09/20 05:00:00	1.1	13.8	6.8	42	23	0.88	56.7
2026/09/20 06:00:00	0.9	13.4	7.6	32	22	0.88	54.2
2026/09/20 07:00:00	1.1	12.6	9.8	37	23	0.9	42.2
2026/09/20 08:00:00	1.3	9	21	37	21	1.55	35.4
2026/09/20 09:00:00	1.2	7.6	30.6	29	15	1.55	30.3
2026/09/20 10:00:00	1.1	4.2	41.4	29	15	3.36	30.2
2026/09/20 11:00:00	1.5	4.5	50.2	24	11	2.76	7.7
2026/09/20 12:00:00	1.2	3.9	47.9	30	14	3.05	1.6
2026/09/20 13:00:00	1	3.4	45.2	29	18	3.88	6.3

台電 台中電廠 清水測站

2026/09/20 14:00:00	1	3.5	49.8	30	14	4.18	7.9
2026/09/20 15:00:00	1	3.1	51.6	31	10	4.48	10.6
2026/09/20 16:00:00	0.9	3.1	51.2	28	11	4.54	12.6
2026/09/20 17:00:00	1	4.8	49.8	30	11	3.79	9.1
2026/09/20 18:00:00	1	5.9	46.9	29	11	3.59	8.6
2026/09/20 19:00:00	1.2	7.2	41.1	26	14	2.26	19.3
2026/09/20 20:00:00	1.3	8.8	35.5	36	20	1.25	19.3
2026/09/20 21:00:00	1.1	8.2	30.5	32	19	1.61	46.1
2026/09/20 22:00:00	1	6.7	31.4	29	15	1.59	30.2
2026/09/20 23:00:00	1.2	7.4	28.6	21	12	1.05	58.5

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/09/21 00:00:00	1.2	8.8	23.7	21	11	1.17	56.3
2026/09/21 01:00:00	1.1	8.4	23.1	26	11	1.04	48.6
2026/09/21 02:00:00	1.1	6.1	25.3	19	10	1.16	61.9
2026/09/21 03:00:00	1.1	5.7	26	15	9	1.44	45.7
2026/09/21 04:00:00	1.1	6.6	22.8	12	7	1.05	39.3
2026/09/21 05:00:00	1.1	8.8	15.8	14	7	1.15	40.2
2026/09/21 06:00:00	1.1	11.1	11.7	16	10	0.96	62.2
2026/09/21 07:00:00	1.1	11	19.4	18	12	0.96	28.5
2026/09/21 08:00:00	1.2	10.6	22	18	9	1.21	21.4
2026/09/21 09:00:00	1.5	8.5	31.5	22	8	1.55	8
2026/09/21 10:00:00	1.6	8.9	45.2	21	8	1.98	347.2
2026/09/21 11:00:00	1.7	9.2	56.8	25	8	2.41	344.7
2026/09/21 12:00:00	1.5	6.8	62.5	37	12	3.03	358.2
2026/09/21 13:00:00	1.3	6.2	63	37	9	2.98	2.8
2026/09/21 14:00:00	1.1	6	61.7	35	11	4.13	7.5
2026/09/21 15:00:00	1	5.5	61.2	35	11	3.68	7.6
2026/09/21 16:00:00	--	--	59.3	35	10	3.64	8.6
2026/09/21 17:00:00	1	5.7	54.3	34	12	3.26	11.7
2026/09/21 18:00:00	1	8.5	51.9	35	14	2.82	9.4
2026/09/21 19:00:00	1.1	12.8	45.1	39	14	2.16	6
2026/09/21 20:00:00	1.3	14.7	41	44	16	2.64	7.9
2026/09/21 21:00:00	1.5	14.9	37.7	37	18	2.2	20.5
2026/09/21 22:00:00	1.3	13.4	35.4	37	16	1.76	23.3
2026/09/21 23:00:00	1.7	14.9	30	30	16	1.43	26.8
2026/09/22 00:00:00	1.2	12.6	28.7	30	13	1.06	68.3
2026/09/22 01:00:00	--	12.7	26	25	11	0.94	58.3
2026/09/22 02:00:00	--	17.8	14.9	23	9	0.53	56.6
2026/09/22 03:00:00	1.1	15.3	14.2	24	13	0.68	46.2
2026/09/22 04:00:00	1.1	19.7	7.1	25	17	0.79	45.6
2026/09/22 05:00:00	1.3	16	15.8	27	13	1.16	36.7
2026/09/22 06:00:00	1.6	16.6	20.1	31	15	1.21	40
2026/09/22 07:00:00	2.1	20.1	17.6	28	14	1.15	16.7
2026/09/22 08:00:00	1.6	13.3	26.3	29	12	2.49	32.6
2026/09/22 09:00:00	1.5	9.5	40.4	29	12	2.61	26.8
2026/09/22 10:00:00	1.3	7.7	48.4	31	10	2.98	31
2026/09/22 11:00:00	1.2	6.8	59.7	30	11	2.88	32.5
2026/09/22 12:00:00	1.5	7.6	70.5	34	14	2.48	344.7

台電 台中電廠 清水測站

2026/09/22 13:00:00	1.3	6.6	74.1	42	15	2.45	349.7
2026/09/22 14:00:00	1.2	5.9	71.4	39	11	2.63	4.4
2026/09/22 15:00:00	1.1	5.5	66.4	23	18	3.98	7.8
2026/09/22 16:00:00	1	5.4	61.1	51	19	4.04	12.3
2026/09/22 17:00:00	1	5.4	56.5	48	17	4.41	14.5
2026/09/22 18:00:00	1	7.9	50.3	45	23	3.66	20.2
2026/09/22 19:00:00	1	8.2	45.2	41	16	3.2	18.2
2026/09/22 20:00:00	1.1	8.9	39.2	37	14	2.98	26.5
2026/09/22 21:00:00	1.3	12.1	33	35	16	1.81	27.4
2026/09/22 22:00:00	1.2	12.8	27.4	31	11	1.01	64.8
2026/09/22 23:00:00	1.1	13.7	22.2	29	12	0.83	47.9

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/09/23 00:00:00	1.2	16.7	15	26	14	1.15	63.3
2026/09/23 01:00:00	1.1	19.3	13.7	30	14	0.93	63.8
2026/09/23 02:00:00	1.2	21.4	12.3	29	15	0.84	49.3
2026/09/23 03:00:00	1	23.1	8.8	32	17	1.04	60.2
2026/09/23 04:00:00	1.1	19.5	7.9	28	14	0.83	32.7
2026/09/23 05:00:00	1	14.9	12.2	37	19	1.07	29.9
2026/09/23 06:00:00	1.1	12.9	15.3	29	17	0.83	18
2026/09/23 07:00:00	1.2	16.6	12.5	29	17	0.46	19.3
2026/09/23 08:00:00	1.3	12.8	22.6	30	15	1.89	17.3
2026/09/23 09:00:00	1.6	10.3	33.1	28	13	1.68	13.7
2026/09/23 10:00:00	1.7	8.9	47.6	34	13	1.1	51
2026/09/23 11:00:00	1.8	8.8	62.6	38	14	1.37	291.3
2026/09/23 12:00:00	1.6	8.3	66.9	42	16	2.05	330.8
2026/09/23 13:00:00	1.6	5.3	62.3	42	16	2.53	356.8
2026/09/23 14:00:00	1.5	3.9	56.5	40	16	3.48	6
2026/09/23 15:00:00	1.3	3.9	50.2	41	15	3.91	11.5
2026/09/23 16:00:00	1	4.6	44.6	72	13	3.68	12
2026/09/23 17:00:00	1	5.4	41.5	35	8	3.52	8.9
2026/09/23 18:00:00	0.9	7.4	37.1	31	7	2.72	8.7
2026/09/23 19:00:00	1.1	7.2	35.9	35	10	2.72	23.2
2026/09/23 20:00:00	1.1	7.9	31.1	36	11	2.3	29.6
2026/09/23 21:00:00	1.2	9.8	26.5	40	14	1.79	15.6
2026/09/23 22:00:00	1.3	10.9	22.1	43	14	1.61	34.2
2026/09/23 23:00:00	1.2	12.9	15.8	40	12	1.34	55.9
2026/09/24 00:00:00	1.3	16	10.7	32	12	1	65.8
2026/09/24 01:00:00	1.1	16.4	7.3	27	15	1.16	64.1
2026/09/24 02:00:00	1.1	18.1	5.9	26	13	1.14	56.6
2026/09/24 03:00:00	1.1	17.3	7.7	26	12	1.05	43.8
2026/09/24 04:00:00	--	10.1	8.9	25	10	1.01	52
2026/09/24 05:00:00	1	15.9	8.4	29	14	0.43	76
2026/09/24 06:00:00	1	14.2	5.9	23	15	0.7	63.6
2026/09/24 07:00:00	1.2	14.8	4.9	26	8	0.76	57
2026/09/24 08:00:00	1.3	14.4	8.7	32	13	1.21	45.6
2026/09/24 09:00:00	1.5	13.8	16.6	33	17	0.73	336.4
2026/09/24 10:00:00	1.6	11.7	33.3	40	20	1.29	310.8
2026/09/24 11:00:00	1.5	9	51.3	41	22	1.82	320.5

台電 台中電廠 清水測站

2026/09/24 12:00:00	1.2	6.8	64.3	44	19	1.87	334.4
2026/09/24 13:00:00	1.2	5.3	63.6	40	18	2.12	345
2026/09/24 14:00:00	1.2	4.5	61.7	30	17	2.05	341.6
2026/09/24 15:00:00	1.1	4.6	58.4	34	14	2.37	337.2
2026/09/24 16:00:00	1	4.4	47.4	33	14	2.75	11.3
2026/09/24 17:00:00	0.9	5.3	42.1	37	16	3.16	15.6
2026/09/24 18:00:00	0.7	6.8	37.5	30	11	2.41	8.4
2026/09/24 19:00:00	1.1	7.9	34.6	32	11	2.43	15.6
2026/09/24 20:00:00	1.2	9.4	30.3	33	15	2	28.1
2026/09/24 21:00:00	1.2	12	23.6	39	12	0.9	43.9
2026/09/24 22:00:00	1.2	13.2	17.1	34	14	0.88	65.3
2026/09/24 23:00:00	1.1	13.7	13.3	33	16	0.54	76.2

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/09/25 00:00:00	1.2	13.1	11.7	36	17	0.5	73.2
2026/09/25 01:00:00	1.2	14.5	6.6	32	18	0.42	81.5
2026/09/25 02:00:00	1.2	17.2	4.5	27	18	0.65	54
2026/09/25 03:00:00	1.1	17.2	2.9	30	18	1.04	64.3
2026/09/25 04:00:00	1.1	19.2	1.7	28	18	0.46	59.3
2026/09/25 05:00:00	1.3	17.5	1.5	33	15	0.82	59.7
2026/09/25 06:00:00	1.2	16	2.1	28	13	0.89	57.5
2026/09/25 07:00:00	1.3	14.5	7	23	16	0.74	41.8
2026/09/25 08:00:00	1.8	13.2	15.1	30	19	0.74	33.3
2026/09/25 09:00:00	1.8	12.2	25	40	17	0.4	16.9
2026/09/25 10:00:00	2	10.6	39.3	44	22	1.76	305.8
2026/09/25 11:00:00	1.8	7.7	53.7	45	21	1.81	336.3
2026/09/25 12:00:00	1.6	5.7	59.8	38	20	2.09	339.7
2026/09/25 13:00:00	1.3	4.3	60.1	44	19	2.39	337.9
2026/09/25 14:00:00	1.5	3.5	55.6	35	16	2.01	342.7
2026/09/25 15:00:00	1.6	3.5	55.8	28	10	1.94	345.5
2026/09/25 16:00:00	1.2	3.7	49.5	28	10	2.23	332.5
2026/09/25 17:00:00	1.1	4.2	46.3	26	12	1.6	346.8
2026/09/25 18:00:00	1.1	5.3	39.4	25	12	1.2	351.6
2026/09/25 19:00:00	1.1	6.1	32.8	24	14	1.37	37.1
2026/09/25 20:00:00	1.1	6.7	24.5	31	15	0.83	75.5
2026/09/25 21:00:00	1.1	9.8	17.1	32	17	0.92	76.7
2026/09/25 22:00:00	1.3	12	13.2	40	22	0.78	78.2
2026/09/25 23:00:00	1.2	9.8	12.3	46	30	1.14	68
2026/09/26 00:00:00	1.2	9.5	12.9	42	30	0.84	75.2
2026/09/26 01:00:00	1.2	10.1	12.8	35	21	0.59	76.5
2026/09/26 02:00:00	1.3	9.8	13.4	32	22	0.26	66.7
2026/09/26 03:00:00	1.3	16	9	37	21	0.29	85.4
2026/09/26 04:00:00	1.6	17.6	9.2	43	26	0.53	166.2
2026/09/26 05:00:00	1.7	14.2	9.5	47	29	0.39	156
2026/09/26 06:00:00	1.5	11.6	11.8	54	37	0.4	142.2
2026/09/26 07:00:00	1.5	12.3	12.5	55	37	0.67	137.1
2026/09/26 08:00:00	1.8	11	22.3	50	33	0.76	182
2026/09/26 09:00:00	2.2	6.3	38.1	42	23	1.31	170.3
2026/09/26 10:00:00	1.8	5.7	44.3	34	16	2.45	241.5

台電 台中電廠 清水測站

2026/09/26 11:00:00	2.2	7.1	51	35	18	2.31	260
2026/09/26 12:00:00	4.2	9.2	51.5	35	21	2.17	268.6
2026/09/26 13:00:00	4.4	9.3	49.7	42	26	2.41	255
2026/09/26 14:00:00	4.2	8.5	50.2	45	22	2.23	244.2
2026/09/26 15:00:00	4	9.4	49.3	47	19	2.74	258.3
2026/09/26 16:00:00	3.4	8.2	52.6	43	15	2.56	276
2026/09/26 17:00:00	1.5	6.6	50.2	34	14	2.19	283.3
2026/09/26 18:00:00	1.1	5.6	41.3	26	8	1.65	322.4
2026/09/26 19:00:00	1.2	3.8	40	21	9	1.09	62.7
2026/09/26 20:00:00	1.1	7.4	27.6	25	13	1.05	77.5
2026/09/26 21:00:00	1.3	8.3	32.1	27	14	1.73	105.5
2026/09/26 22:00:00	1.5	11	29.9	37	18	2.34	124.3
2026/09/26 23:00:00	1.5	19.5	18.9	40	21	1.55	150.5

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (µg/m³)	PM2.5 迴歸(µg/m³)	風速 (m/s)	風向
2026/09/27 00:00:00	1.5	13.2	27.7	41	26	0.66	186
2026/09/27 01:00:00	1.2	12.8	20.1	33	18	0.38	107.1
2026/09/27 02:00:00	1.5	8.3	23	33	21	0.95	170
2026/09/27 03:00:00	1.7	7.2	24.4	38	25	0.87	157.3
2026/09/27 04:00:00	1.7	6.1	28.7	38	23	1.12	150.2
2026/09/27 05:00:00	1.7	5.6	28.8	36	20	1.48	142.3
2026/09/27 06:00:00	1.7	11.2	23	30	14	1.77	134.6
2026/09/27 07:00:00	1.6	12.6	24.8	35	15	1.72	155.6
2026/09/27 08:00:00	1.5	7.3	30.9	40	20	2.2	170.5
2026/09/27 09:00:00	1.3	5.3	39.6	35	18	2.58	191.3
2026/09/27 10:00:00	1.2	5.3	46.2	27	15	2.74	212.7
2026/09/27 11:00:00	1.2	4.8	53.1	30	11	3.36	208.9
2026/09/27 12:00:00	1.6	5	59.6	30	11	2.83	224.9
2026/09/27 13:00:00	3.5	8.9	59.3	30	10	2.77	254.3
2026/09/27 14:00:00	5.1	10.6	59.3	37	18	3.03	242.4
2026/09/27 15:00:00	3.3	7	58.4	40	20	2.83	227.9
2026/09/27 16:00:00	2.7	5	55.3	33	17	2.82	226.9
2026/09/27 17:00:00	4.5	8.2	46.6	28	14	2.98	242.5
2026/09/27 18:00:00	4.4	11.7	38.3	29	11	2.32	225.6
2026/09/27 19:00:00	1.1	7	32.6	27	12	1.87	205
2026/09/27 20:00:00	1.3	8.2	28	19	12	1.5	166.3
2026/09/27 21:00:00	1.3	9.4	23.7	28	14	1.36	151.5
2026/09/27 22:00:00	1.2	7.7	23.9	23	12	2.2	149.5
2026/09/27 23:00:00	1.2	7.6	20.6	25	16	1.6	171.4
2026/09/28 00:00:00	1.1	6	21.2	22	21	1.59	170.1
2026/09/28 01:00:00	1	4.5	23.7	19	15	1.6	167.5
2026/09/28 02:00:00	1.1	3.7	23.1	19	11	1.79	149.5
2026/09/28 03:00:00	1	3.1	25.5	11	11	1.98	156.3
2026/09/28 04:00:00	1	3.3	24.5	18	8	2.98	147.4
2026/09/28 05:00:00	0.9	3.5	23.4	20	8	2.42	153.3
2026/09/28 06:00:00	0.7	4.6	23.1	18	10	2.67	148.3
2026/09/28 07:00:00	0.7	4.2	24.7	13	7	2.69	139.4
2026/09/28 08:00:00	0.9	3.5	26.9	15	8	2.52	155.6
2026/09/28 09:00:00	0.9	3.5	29.3	15	6	2.58	172.9

台電 台中電廠 清水測站

2026/09/28 10:00:00	0.9	3.8	33.6	15	6	3.09	200.4
2026/09/28 11:00:00	1	3.8	37.2	15	7	3.32	201.4
2026/09/28 12:00:00	1.3	4.9	44.2	15	7	2.84	222.7
2026/09/28 13:00:00	1.6	4.4	47.6	21	8	3.44	230.3
2026/09/28 14:00:00	2.8	5	42	26	10	3.65	232.6
2026/09/28 15:00:00	2.2	5.1	39.2	24	6	4.31	243.3
2026/09/28 16:00:00	2.1	5	37.9	25	5	3.85	242.6
2026/09/28 17:00:00	2	6.3	36.9	22	4	3.13	228.4
2026/09/28 18:00:00	1.7	7.1	36.6	22	4	2.47	231.2
2026/09/28 19:00:00	1.2	7	32.4	22	6	2.1	216.1
2026/09/28 20:00:00	1.6	7.4	26.9	22	8	1.56	172.4
2026/09/28 21:00:00	1.2	8.5	22	22	12	1.49	155.2
2026/09/28 22:00:00	1	7.6	22.5	27	11	2.37	147.8
2026/09/28 23:00:00	1.1	6	24.1	23	11	2.31	147.5

台電 台中電廠 清水測站

日期	SO2 (ppb)	NO2 (ppb)	O3 (ppb)	PM10 (μg/m³)	PM2.5 迴歸(μg/m³)	風速 (m/s)	風向
2026/09/29 00:00:00	1	7	20.1	22	13	0.84	161.8
2026/09/29 01:00:00	0.9	5.7	20.8	26	12	1.12	160.4
2026/09/29 02:00:00	1.3	4.9	21.6	19	11	1.79	151.2
2026/09/29 03:00:00	1.2	4.3	25	25	13	2.52	149.1
2026/09/29 04:00:00	1	5.4	21.5	19	10	1.97	157.1
2026/09/29 05:00:00	1	5.5	21.6	19	9	2.31	155.5
2026/09/29 06:00:00	1.1	6.2	19.9	19	10	2.94	149.7
2026/09/29 07:00:00	1	6.7	20.1	18	9	2.22	152
2026/09/29 08:00:00	1	6.7	23.3	16	8	2.09	161.8
2026/09/29 09:00:00	1	5.4	30.6	15	6	2.52	171.3
2026/09/29 10:00:00	0.7	4.8	36.3	16	5	3.05	188.9
2026/09/29 11:00:00	0.9	5.4	40.7	18	5	2.67	207.6
2026/09/29 12:00:00	1	5.7	47.6	24	7	2.97	232
2026/09/29 13:00:00	1.8	7	51	27	9	2.54	237.7
2026/09/29 14:00:00	1.7	5.7	51.4	32	11	3.36	229.1
2026/09/29 15:00:00	2.3	7.8	41.5	34	9	3.39	238.9
2026/09/29 16:00:00	1.3	7	--	37	8	3.43	227.6
2026/09/29 17:00:00	1.1	9	36.6	32	8	2.69	225.8
2026/09/29 18:00:00	1.2	11.6	32.4	33	9	2.39	230.9
2026/09/29 19:00:00	1.1	10.7	26.9	30	11	1.83	208.4
2026/09/29 20:00:00	1.2	10.5	25	23	8	1.16	165.5
2026/09/29 21:00:00	1	12.3	20.8	18	9	0.9	151.4
2026/09/29 22:00:00	1.3	10.3	22.8	17	12	1.42	182.9
2026/09/29 23:00:00	1.5	9.5	20.8	28	11	1.39	168.9
2026/09/30 00:00:00	1.1	7.1	23.6	26	13	2.2	146.8
2026/09/30 01:00:00	1.1	6.3	23.8	29	15	1.82	145.6
2026/09/30 02:00:00	1	3.8	29.4	34	20	1.86	147.1
2026/09/30 03:00:00	1	4.2	29.3	28	19	1.6	147.7
2026/09/30 04:00:00	1	4.2	27.2	20	15	1.77	147.5
2026/09/30 05:00:00	1	6.7	22.8	27	14	1.44	148
2026/09/30 06:00:00	1	12.7	17.8	29	15	1.55	124
2026/09/30 07:00:00	1	12.7	17.2	23	15	1.7	111.8
2026/09/30 08:00:00	0.6	9.3	27.4	31	15	1.64	129.5

台電 台中電廠 清水測站

2026/09/30 09:00:00	0.9	7	38.2	26	15	1.54	180.8
2026/09/30 10:00:00	0.7	6.7	45.2	23	13	1.82	219
2026/09/30 11:00:00	0.9	6.2	56.5	25	12	1.87	238.2
2026/09/30 12:00:00	2.7	11	54.5	32	16	1.99	260.1
2026/09/30 13:00:00	4	12.7	54.9	36	18	2.82	280.9
2026/09/30 14:00:00	2	10	57.9	42	19	2.71	275.9
2026/09/30 15:00:00	1.2	10.3	49.5	31	21	2.37	278.3
2026/09/30 16:00:00	1	9.5	48.2	29	17	2.08	293.6
2026/09/30 17:00:00	0.9	11.8	33.1	23	14	1.77	286.9
2026/09/30 18:00:00	0.6	5.9	30.9	21	13	0.95	342.2
2026/09/30 19:00:00	0.6	8.3	25.4	21	13	0.16	9.1
2026/09/30 20:00:00	1.7	13.7	19.4	25	13	0.83	163.3
2026/09/30 21:00:00	0.9	11.4	18.7	26	15	0.68	138
2026/09/30 22:00:00	1	10.5	19.4	21	15	0.51	133.7
2026/09/30 23:00:00	0.9	12.5	13.9	24	14	0.49	79.5